

CONVERTS and Grades

HUNTSBURG N.S.
CENTER ROAD

LEVELL BOOK

310

Culverts & Grades
Huntsburg N. + S.
Center Road.

June 9, 1928 Marks: Parks, Rand + Hassel
Showers

74+00

F.L.
Grade 1134.3

18'

16'

73+50

40'

SURVEY LINE

40'

F.L.
Grade 1132.5

18'

16'

72+90

73+00

B.M.

4.9 1138.4

1.9

1133.5

1135.5

73+50

1133.3

1132.0

Slope, Hub, Left, 73+00
S.W. corner of bridge 72+32, Rec. 1136.46

Grade Rod,

C2.0

18.0

5.1

C1.0

16.0

6.9

C1.0

18.0

C1.0

16.0

B.M. 1.42 1247.25 1245.83
 4.95 1238.67 1353 1233.72
 152185 Culvert

B.M. 1.10 1241.74 1241.74 1240.64
 2.69 1228.17 16.26 1225.48

160178 Culvert

B.M. 0.74 1227.49 1226.75
 5.31 1219.31 13.49 1217.00

170+06.5 Culvert

B.M. 3.05 1229.80 1226.75

172175 2 Side Road Culverts

J

R. Sta 147+60

1229.70 $\frac{5.97}{8.97}$ $\frac{C3.0}{30'}$ 1229.00 $\frac{8.17}{9.67}$ $\frac{C1.5}{30'}$

E. Side Trunk of 3' Elm Sta 164+25

1218.93 $\frac{6.24}{9.24}$ $\frac{C3.0}{30'}$ 1218.37 $\frac{8.30}{9.80}$ $\frac{C1.5}{30'}$

R. of Sta 173+05

1208.96 $\frac{8.35}{10.35}$ $\frac{C2.0}{30'}$ 1208.34 $\frac{9.97}{15.17}$ $\frac{C1.0}{30'}$

R. of Sta 173+05

1223.75 $\frac{0.55}{6.05}$ $\frac{C5.5}{13'}$ 1223.75 $\frac{3.55}{6.05}$ $\frac{C2.5}{23'}$

1221.55 $\frac{4.25}{8.25}$ $\frac{C4.0}{13'}$ 1221.55 $\frac{6.75}{8.25}$ $\frac{C1.5}{23'}$

B.M. 2.61 1229.36 1226.75
1.17 1217.07 13.46 1215.90

178+675 Culvert

B.M. 3.75 1226.72 1222.97
5.00 1219.77 11.95 1214.77

197+80 Culvert

B.M. 1.52 1236.43 1234.91
5.48 1233.14 8.75 1227.68

213+076 Culvert

B.M. 5.97 1236.56 1230.59

222+96 Culvert

R. of Sta 173+05

1207.12 $\frac{3.45}{9.95}$ $\frac{C4.5}{30'}$ 1206.58 $\frac{6.99}{10.49}$ $\frac{C3.5}{30'}$

R. of Sta 202+20

1210.67 $\frac{6.10}{9.10}$ $\frac{C8.0}{30'}$ 1210.03 $\frac{8.74}{9.74}$ $\frac{C1.0}{30'}$

L. of Sta 216+50

1226.48 $\frac{4.68}{6.68}$ $\frac{C2.0}{30'}$ 1224.42 $\frac{5.74}{8.74}$ $\frac{C3.0}{30'}$

SUN HOT
July 2, 1928 D. Barks, C. Rany, R. Hassel

L. of Sta 224+35

1230.65 $\frac{1.91}{5.91}$ $\frac{C4.0}{30'}$ 1230.05 $\frac{3.01}{6.51}$ $\frac{30'}$

1236.56

223+13 Side road Culvert

B.M. 3.07 1233.66 1230.59

225+27 Culvert

B.M. 4.60 1243.22 1238.62
6.58 1236.85 12.95 1230.27

234+90 Corr. Iron pipe Culvert

B.M. 5.67 1244.29 1238.62
4.51 1236.59 12.03 1232.26

244+31.5 Concrete Box Culvert

223+43

1229.55 $\frac{5.01}{7.01}$ $\frac{C2.0}{15' to P.P.$

222+83

1230.15 $\frac{2.91}{6.41}$ $\frac{C4.0}{15' to P.P.$

L of 224+35

1226.18 $\frac{3.48}{7.78}$ $\frac{C4.0}{30'}$ 1225.32 $\frac{5.34}{8.34}$ $\frac{C3.0}{30'}$

L of 238+70

1229.3 $\frac{1.05}{1.55}$ $\frac{C6.5}{30'}$ 1228.1 $\frac{7.25}{8.75}$ $\frac{C1.5}{30'}$

Cloudy Windy
July 3, 1928 P.P. Park, C. Pond, R. Hassel
L of 238+70

1226.95 9.62 $\frac{C2.5}{30'}$ 1226.35 $\frac{8.72}{10.22}$ $\frac{C1.5}{30'}$

B.M. 3.03 1249.55

1246.52

L of 250+30

252+22 CORR. IRON PIPE CULVERT

1248.15

$\frac{4.40}{6.40}$

$\frac{02.0}{30'}$

1242.55

$\frac{5.50}{7.00}$

$\frac{01.5}{30'}$

122 2,80 1257,92 4,92 1255,12

123 1253,7

124 1251,7

125 1250,5

126 1250,8

7,15 1259,05 6,02 1251,90

127 1252,25

128 1252,75

129 1252,25

131 1251,25

Grade Stake 1+Sta 122

4,22 4.01 21,0 3,22
CO,2
21,0

6,22 8,27 18,0 6,89
F1,1
18,0

7,42 9,57 18,0 9,61
F2,2
18,0

7,12 9,82 18,0 6,74
F1,7
18,0

6,80 8,03 19,0 7,15
F1,2
19,0

6,30 7,45 18,5 4,33
F1,2
18,5

6,80 9,06 18,0 6,11
F2,3
18,0

7,86 8,75 18,5
F0,9
18,5

CO,2

21,0

F0,7

18,0

F2,2

16,0

CO,4

21,0

F0,3

19,0

CO,0

23,5

CO,7

20,5

F0,9

18,5

B.M.	5.52	1249.69		1244.17
138				1240.0
TP	8.70	1253.47	4.92	1244.77
137				1244.9
136				1243.2
	6.06	1247.00	12.53	1240.94
135				1241.53
134				1242.1
133		1251.24	1.18	1245.32
	12.27	1257.49	1.78	1246.22
132				1249.0
131				1254.25
150				1251.75
TP			5.93	

B.M.	0.78	1244.95		1244.17
139				1234.0
	1.11	1234.23	11.83	1233.12
140				1230.2
141				1230.7
	13.31	1245.37	2.14	1232.06
142				1235.5

Cloudy Windy
 July 3, 1928 D. Parks, C. Ramd, R. Hasse)

R. of Sta 137+70

7.69	5.45	$\frac{C4.2}{26.5}$	8.45	$\frac{C1.2}{22.0}$
R. Slope Stake Sta 137				
2.57	3.74	$\frac{C4.8}{28.0}$	8.70	$\frac{F0.1}{19.5}$
10.27	6.30	$\frac{C4.0}{26.0}$	10.76	$\frac{F0.5}{18.0}$
5.50	7.99	$\frac{F2.5}{17.5}$	7.97	$\frac{F2.5}{17.5}$
5.90	7.25	$\frac{F1.4}{16.5}$	7.37	$\frac{F1.5}{17.5}$
2.00	2.71	$\frac{F0.8}{13.0}$	2.09	$\frac{F0.1}{17.5}$
8.49	5.74	$\frac{C2.8}{21.5}$	3.48	$\frac{C5.0}{26.5}$
6.24	6.71	$\frac{F0.6}{17.0}$	7.21	$\frac{F1.0}{18.5}$
5.74	5.93	$\frac{F0.2}{20.0}$	7.69	$\frac{F2.0}{13.0}$

Left Slope Stake Sta 130
 Fair Warm
 July 6, 1928 D. Parks, C. Ramd, R. Hasse)

R. of Sta 137+70

10.85	10.15	$\frac{C0.8}{23.0}$	8.80	$\frac{C2.2}{22.5}$
4.43	5.87	$\frac{F1.8}{16.5}$	6.07	$\frac{F2.0}{16.5}$
3.53	6.83	$\frac{F3.3}{19.0}$	6.53	$\frac{F3.0}{16.5}$
9.87	7.01	$\frac{C2.9}{24.5}$	9.95	$\frac{F0.1}{18.0}$

		1245.37		
142	7.28	1250.77	1.88	1243.49
143				1241.5
144				1243.5
	9.24	1241.77	13.24	1237.53
145				1239.7
146				1239.3
	11.98	1252.27	1.08	1240.69
147				1242.4
148				1244.4
BM			6.82	1245.85
				1245.83

148-152

B.M.	2.84	1248.67		1245.83
149				1248.0
150				1240.0
149	2.80	1238.19	11.28	1237.39
151				1237.1
152				1235.1
153				1234.1
	7.22	1239.95	7.46	1232.73
154				1234.1
155				1234.7
156				1232.9
157				1228.75

				<u>C9.3</u>			<u>C1.9</u>
	9.27	0.01		33.0		7.41	20.5
	7.27	1.38		<u>C8.0</u>			<u>C1.8</u>
				30.0		5.49	20.0
				<u>F3.5</u>			<u>F4.3</u>
	2.07	5.61		18.5		6.36	19.0
	2.47	6.07		<u>F3.6</u>		6.08	<u>F3.6</u>
				18.5			16.8
				<u>C2.6</u>			<u>C0.7</u>
	10.27	7.69		25.5		9.61	20.5
	8.27	5.04		<u>C3.2</u>		7.64	<u>C0.6</u>
				26.0			19.5

R of Sta 147+70

Fair Weather
 July 7, 1928 D. Parks, C. Rand, R. Hassel
 R of Sta 147+70

				<u>C0.9</u>			<u>F1.7</u>
	5.67	4.77		22.5		7.34	17.5
	8.67	5.89		<u>C2.8</u>			<u>C0.2</u>
				23.5		8.49	20.5
				<u>C0.3</u>			<u>C2.1</u>
	3.09	2.80		20.5		0.97	23.5
	5.09	7.15		<u>F2.6</u>		6.01	<u>F0.9</u>
				17.0			18.5
	6.09	8.74		<u>E2.7</u>			<u>E2.7</u>
				16.0		8.81	18.0
				<u>F2.3</u>			<u>F2.2</u>
	5.85	8.18		18.0		8.06	16.0
	5.25	4.29		<u>C1.0</u>			<u>F0.5</u>
				21.5		5.76	19.0
	7.05	5.44		<u>C1.4</u>			<u>C0.3</u>
				23.0		6.88	21.0
	11.20	7.82		<u>C3.3</u>			<u>C0.9</u>
				23.5		10.33	21.5

1239.95

1.78 1229.59 12.14 1227.81

158 1226.23

6.79 1222.80

BM 4.12 1249.95 1245.83

148 1244.4

149 1243.0

150 1.37 1244.22 7.10 1242.85 1241.0

150 1240.0

151 1237.1

152 1235.1

10.00

8.36 4.94 $\frac{F1.6}{11.5}$ 5.59 $\frac{FRP}{17.5}$

Slope Stake RT of Sta 159

Cloudy WARM

July 9, 1928 D. Parks, C. Rand, P. Hassel

5.55 2.02 $\frac{C3.5}{26.0}$ 5.55 $\frac{00}{19.5}$

6.95 5.62 $\frac{C1.3}{22.5}$ 8.49 $\frac{F1.5}{17.5}$

4.22 1.37 $\frac{C2.9}{23.5}$ 4.13 $\frac{C0.1}{20.5}$

7.12 6.53 $\frac{C0.6}{20.5}$ 5.15 $\frac{C2.0}{23.5}$

9.12 11.15 $\frac{FR.0}{17.0}$ 10.00 $\frac{FO.9}{18.5}$

Slope Stake R. of Sta 152

Fair WORTH

July, 10, 1928 D. Parks, C. Rand, R. Hassel

B.M. 5.13 1231.88 1226.75

R. of 579 178+10

173 1226.1 5.78 2.23 $\frac{C3.6}{27.0}$ 6.62 $\frac{F0.8}{20.0}$ 174 1227.6 4.28 1.24 $\frac{C3.0}{22.0}$ 4.92 $\frac{F0.6}{20.0}$ 175 1226.4 5.48 2.64 $\frac{C2.8}{23.0}$ 6.57 $\frac{F1.1}{15.5}$ 176 1223.5 8.38 6.65 $\frac{C1.7}{23.0}$ 7.08 $\frac{C1.3}{21.5}$

2.72 1226.72 7.88 1224.00

177 1219.3 7.42 1.91 $\frac{C5.5}{29.0}$ 3.32 $\frac{C4.1}{24.5}$

2.14 1217.32 11.54 1215.18

178 1215.2 2.12 5.46 $\frac{F3.3}{18.0}$ 4.06 $\frac{F3.9}{20.5}$ 179 1214.2 3.12 6.20 $\frac{F3.1}{18.0}$ 5.75 $\frac{F2.6}{17.5}$ 180 1217.2 0.12 1.22 $\frac{F1.8}{18.5}$ 3.09 $\frac{F3.0}{18.0}$

13.07 1229.35 1.04 1216.28

181 1223.3 4.05 3.66 $\frac{C2.4}{24.0}$ 5.30 $\frac{C0.8}{19.0}$

5.87 1234.28 0.99 1228.36

182 1227.1 7.13 2.86 $\frac{C4.3}{25.5}$ 1.79 $\frac{C5.3}{28.0}$ 183 1225.0 9.23 7.78 $\frac{C1.5}{23.0}$ 11.58 $\frac{F2.4}{16.0}$

0.63 1223.31 11.55 1222.68

184 1220.1 3.21 1.37 $\frac{C1.8}{22.5}$ 3.83 $\frac{F0.6}{18.0}$ 185 1217.8 5.51 7.10 $\frac{F1.6}{18.5}$ 6.64 $\frac{F1.1}{18.0}$ 186 1219.1 4.21 6.69 $\frac{F2.5}{17.0}$ 6.23 $\frac{F2.0}{16.0}$

10.20 1232.43 1.08 1222.23

187 1223.0 9.43 10.09 $\frac{F0.7}{19.0}$ 8.57 $\frac{C1.1}{20.5}$

B.M. 4.35 1228.08

Rt of 579. 187+80

1228.10 record.

B.M. 5.13 1231.88 1226.75

173 1226.1 5.78 2.23

174 1227.6 4.28 1.24

175 1226.4 5.48 2.64

176 1223.5 8.38 6.65

2.72 1226.72 7.88 1224.00

177 1219.3 7.42 1.91

2.14 1217.32 11.54 1215.18

178 1215.2 2.12 5.46

179 1214.2 3.12 6.20

180 1217.2 0.12 1.22

13.07 1229.35 1.04 1216.28

181 1223.3 6.05 3.66

5.87 1234.25 0.99 1228.36

182 1227.1 7.13 2.86

183 1225.0 9.23 7.78

0.63 1223.31 11.55 1222.68

184 1220.1 3.21 1.37

185 1217.8 5.51 7.10

186 1219.1 4.21 6.69

10.20 1232.43 1.08 1222.23

187 1223.0 9.43 10.09

B.M. 4.35 1228.08

1228.10 record.

Fair Warm

July 10, 1928 D. Parks, C. Rand, R. Hassel

R. of Sta 173+10

C3.6

27.0

C3.0

22.0

C2.8

23.0

C1.7

23.0

C5.5

29.0

F3.3

18.0

F3.1

18.0

F1.8

18.5

C2.4

24.0

C4.3

25.5

C1.5

23.0

C1.8

22.5

F1.6

18.5

F2.5

17.0

F0.7

19.0

5.78 2.23

4.28 1.24

5.48 2.64

8.38 6.65

7.42 1.91

2.12 5.46

3.12 6.20

0.12 1.22

6.05 3.66

7.13 2.86

9.23 7.78

3.21 1.37

5.51 7.10

4.21 6.69

9.43 10.09

Rt of Sta. 187+80

6.62

4.92

6.57

7.08

3.32

4.06

5.75

3.09

5.30

1.79

11.58

3.83

6.64

6.23

8.57

F0.8

20.0

F0.6

20.0

F1.1

15.3

C1.3

21.5

C4.1

24.5

F3.9

20.5

F2.6

17.5

F3.0

18.0

C0.8

19.0

C5.3

28.0

F2.4

16.0

F0.6

18.0

F1.1

18.0

F2.0

16.0

C1.1

20.5

B.M.	5.09	1233.19		1228.10
188				1228.30
189				1228.0
190				1229.0
191				1230.0
192				1231.0
193				1232.0
	6.64	1237.70	2.15	1231.04
194				1231.5
195				1228.0
	0.74	1225.95	12.49	1225.21
196				1223.0
	5.13	1228.69	10.39	1215.54
197				1218.1
198				1215.8
	7.18	1223.21	4.66	1216.03
199				1217.1
	6.77	1225.84	3.12	1220.09
200				1220.5
201				1223.1
	5.73	1228.44	4.15	1222.71
202				1223.5
B.M.			5.45	1222.99
				1222.99

RT of Sta 187 + 51				
F0.2				
20.5	6.89	7.06		7.45
F1.5				
19.0	5.19	6.73		7.27
C11.7				
22.5	4.19	2.54		5.29
F0.1				
19.5	3.19	3.25		4.60
F0.3				
19.0	2.19	2.49		4.42
F2.1				
17.0	1.19	3.26		3.08
C3.9				
26.0	6.20	2.35		2.85
C3.8				
25.5	9.70	5.76		8.78
C2.3				
23.5	2.95	0.66		4.72
F2.7				
17.0	2.59	5.26		5.13
F4.3				
19.0	4.89	9.10		6.88
C4.0				
27.0	6.11	2.15		7.18
C2.0				
22.5	6.06	4.11		6.77
C1.5				
22.5	3.76	2.29		4.82
C0.7				
21.5	4.64	3.98		5.73
RT of Sta 202 + 20				

F0.6	
19.0	
F2.1	
16.5	
F1.1	
12.5	
F1.4	
18.0	
F2.2	
16.5	
F1.9	
17.0	

C3.4	
25.0	
C0.9	
24.5	

F1.8	
18.2	

F2.5	
18.0	
F2.8	
18.5	

F1.1	
17.0	

F0.7	
19.5	
F1.1	
18.5	

F1.1	
19.5	

B.M	3.62	1226.57		1222.97
203				1223.0
204				1222.0
	4.73	1223.53	7.79	1218.80
205				1221.0
206				1220.0
	6.46	1225.69	4.30	1219.23
207				1220.3
	8.17	1229.88	3.98	1221.71
208				1223.0
209				1226.0
	6.66	1233.50	3.04	1226.84
210				1228.4
211				1229.6
	4.96	1232.59	5.87	1227.63
212				1229.6
213				1229.2
	6.84	1235.08	4.35	1228.24
214				1229.8
215				1230.6
216				1231.0
	1.11	1235.22	0.97	1234.11
B.M.		0.28		1234.94
				1234.91 record

Fair Warren
 July, 11, 1928 D. Parks, C. Rand, R. Hassel

Rt of Sta 202 + 20

3.59	3.73	$\frac{F1.1}{19.0}$	5.23	$\frac{F1.6}{18.5}$
4.59	3.38	$\frac{C1.2}{22.0}$	6.55	$\frac{F2.0}{18.0}$

Slope Hub Rt of Sta 205

2.53	2.99	$\frac{F0.6}{19.5}$	4.73	$\frac{F2.2}{16.0}$
3.53	5.93	$\frac{F2.4}{19.0}$	5.79	$\frac{F2.3}{18.5}$

Slope Hub Rt of Sta 207

5.66	5.26	$\frac{C0.4}{20.0}$	6.46	$\frac{F0.8}{19.0}$
------	------	---------------------	------	---------------------

Slope Hub Rt of Sta 208

6.88	3.80	$\frac{C3.1}{25.5}$	8.17	$\frac{F1.3}{18.5}$
3.88	3.14	$\frac{C0.7}{21.5}$	4.98	$\frac{F1.1}{18.5}$

Slope Hub Rt of Sta 210

5.10	4.33	$\frac{C0.8}{21.5}$	6.66	$\frac{F1.6}{18.0}$
3.90	2.80	$\frac{C1.1}{23.0}$	4.46	$\frac{F0.6}{19.8}$

Slope Hub Rt of Sta 212

2.99	2.26	$\frac{C0.7}{20.5}$	4.96	$\frac{F2.0}{17.5}$
3.39	5.59	$\frac{F2.2}{18.0}$	6.37	$\frac{F3.0}{16.0}$

Slope Hub Rt of Sta 214

5.28	4.58	$\frac{C0.7}{19.5}$	6.84	$\frac{F1.2}{16.0}$
4.48	4.07	$\frac{C0.7}{21.5}$	4.61	$\frac{F0.1}{20.0}$
4.08	0.95	$\frac{C3.1}{25.0}$	1.93	$\frac{C2.2}{23.0}$

Slope Hub Lt of Sta 216

Left of Sta 216 + 45

BM 0.94 1235.85 1234.91

217 1230.7 5.15 6.87

218 1230.2 5.65 7.83

219 1231.0 4.85 5.85

220 1232.0 3.85 2.82

221 1233.0 2.85 1.24

3.94 1237.01 2.78 1233.07

222 1233.5 3.51 2.20

223 1233.0 4.11 3.41

224 1232.0 5.01 6.93

BM 6.44 1230.57

3.00 1233.59 1230.59 record

225 1230.8 2.79 6.68

226 1229.25 4.34 2.05

227 1229.5 6.09 5.98

228 1226.0 7.59 9.47

10.07 1235.23 8.43 1225.16

229 1226.1 7.73 9.13

230 1228.0 7.25 7.39

231 1231.3 3.93 2.37

232 1232.9 2.33 2.49

233 1232.0 2.63 3.03

234 1232.0 3.23 4.56

12.40 1242.35 5.28 1229.95

Fair Warm Windy

July 12, 1928 D. Parks, C. Rand, R. Hassel

Lt of Sta 216 + 45

7.26 $\frac{F21}{18.5}$

8.22 $\frac{F2.6}{17.5}$

5.76 $\frac{F0.9}{19.0}$

4.20 $\frac{F0.4}{20.0}$

1.54 $\frac{C1.3}{23.0}$

2.31 $\frac{C1.2}{22.5}$

4.41 $\frac{F0.4}{22.0}$

6.44 $\frac{F1.1}{18.0}$

2.20 $\frac{C1.3}{22.0}$

3.41 $\frac{C0.6}{19.0}$

6.93 $\frac{F1.9}{17.0}$

Lt of Sta 224 + 35

5.05 $\frac{F3.9}{18.0}$

4.25 $\frac{C2.3}{22.5}$

7.34 $\frac{C0.1}{20.0}$

9.48 $\frac{F1.9}{17.5}$

Slope Hub Left of Sta 229

10.49 $\frac{F0.9}{18.5}$

8.32 $\frac{F0.2}{18.5}$

4.04 $\frac{C1.6}{19.0}$

4.12 $\frac{F0.2}{18.5}$

5.74 $\frac{F0.4}{19.0}$

5.19 $\frac{F1.5}{18.0}$

Rt. Slope Hub Sta 235

10.49 $\frac{F1.4}{18.5}$

8.32 $\frac{F1.1}{18.5}$

5.74 $\frac{F1.1}{19.0}$

5.19 $\frac{F2.0}{17.5}$

1242,35

235				1232,2
236				1234,1
237				1236,8
	3,76	1243,53	2,58	1239,77
238				1238,86
BM			4,87	1238,66
	6,30	1244,92		1238,62 record
239				1239,64
240				1239,78
241				1239,93
242				1238,5
243				1235,5
	0,73	1237,11	8,54	1236,38
244				1232,95
245				1233,44
	9,57	1246,49	0,19	1236,92
246				1237,0
247				1240,78
248				1243,03
249				1243,75
250				1244,25
FP	4,60	1248,74	2,35	1244,14
BM			2,24	1246,50
	2,24	1248,76		1246,52 record

10,10	12,51	$\frac{F2,4}{18,0}$	12,40	$\frac{F2,3}{14,5}$
9,25	8,59	$\frac{C0,7}{18,0}$	9,68	$\frac{F0,4}{17,5}$
5,55	3,24	$\frac{C2,3}{24,0}$	4,10	$\frac{C1,4}{24,0}$
Slope Hub Left of Sta 238				
4,67	3,76	$\frac{C0,9}{21,5}$	3,39	$\frac{C1,9}{22,0}$
Lt. of Sta 238 + 70				
5,28	7,22	$\frac{F1,9}{18,5}$	7,65	$\frac{F2,4}{16,5}$
5,14	6,08	$\frac{F0,9}{19,0}$	6,63	$\frac{F1,5}{18,0}$
4,99	2,77	$\frac{C2,2}{23,5}$	3,69	$\frac{C1,3}{22,5}$
6,42	7,79	$\frac{F1,4}{19,0}$	7,62	$\frac{F1,2}{19,0}$
9,42	7,49	$\frac{C1,9}{19,0}$	8,65	$\frac{C0,8}{21,5}$
4,16	6,00	$\frac{F1,8}{18,0}$	7,92	$\frac{F3,8}{18,0}$
3,67	5,81	$\frac{F2,1}{17,5}$	6,88	$\frac{F3,2}{17,5}$
9,49	9,57	$\frac{F0,1}{17,5}$	9,16	$\frac{C0,5}{20,0}$
5,71	4,08	$\frac{C1,6}{22,5}$	6,23	$\frac{F0,5}{20,0}$
3,46	3,66	$\frac{F0,2}{19,0}$	5,16	$\frac{F1,7}{18,0}$
2,74	3,74	$\frac{F1,2}{19,0}$	4,76	$\frac{F2,0}{17,5}$
2,24	1,55	$\frac{C0,9}{21,0}$	2,95	$\frac{F0,7}{19,0}$
Lt. of Sta 250 + 30				

1248.76

251

1244.75

4.01

4.01

0.0
19.0

4.65

F0.6

19.0

252

1245.25

3.51

4.77

F1.3
19.0

5.64

F2.1
18.0

253

1246.65

2.11

3.95

F1.8
17.5

4.37

F2.3
17.5

11.07 1258.67 1.16 1247.60

254

1249.85

8.82

10.18

F1.4
18.0

10.56

F1.7
17.0

255

1253.85

5.32

2.30

C3.0
24.0

4.65

C0.7
21.0

256

1252.93

5.74

3.67

C2.1
22.0

4.52


C1.2
21.0

6.58 1252.09

0.71 1257.96

1257.91 record

B.M.



Finished Grades

B.M. 7, 14	1115,35		1108,21	
0			1110,40	
1			1111,20	
2			1112,00	
3			1112,80	
4			1114,95	
T.P.	13.02	1127,97	0.40	1114,95
5			1118,45	
6			1121,84	
7			1124,45	
8			1126,16	
9			1126,81	
10			1125,34	
11			1122,29	
12			1121,92	
B.M.	11.76	1133,41	6,32	1121,65 record.
13			1124,50	
14			1127,50	
15			1130,50	
T.P.	8,18	1140,87	0,72	1132,69
16			1133,50	
17			1135,81	
18			1136,75	

7
 Fair
 July, 31, 1928 D. Parks, C. Ramo, R. Hassel

W. Root, 20" Hickory

4,95	
4,15	
3,35	
2,55	
0,40	
9,52	
6,13	
3,52	
1,81	center of road 9 tenths low
1,16	center of road 7 tenths low
2,63	
5,68	
6,05	
X, S.W. cor W. headwall	
8,91	
5,91	
2,91	
7,37	
5,06	
4,12	

1170.87

19

1136,31

4,56

20

1137,58

6,37

T.P.

4,50

1138,95

6,42

1134,45

B.M.

2,69

1132,26

S.E. Root 30" Maple

3,24

1139,41

1132,17 record

21

1133,91

5,77

22

1137,38

2,03

T.P.

11,11

1149,83

0,69

1138,72

23

1142,77

7,06

24

1146,18

3,65

25

1145,67

4,16

26

1141,70

8,13

27

1139,82

12,01

28

1138,04

11,79

29

1142,34

7,49

T.P.

11,86

1159,64

2,05

1147,78

30

1147,23

12,41

31

1151,38

8,26

B.M.

1,07 1158,57

Back N. Root 18" Maple

1158,56 record

B.M. 0.77 1159.33 1158.56

31+50 1152.90

32+00 1154.06

33+00 1155.27

34+00 1155.00

35+00 1157.00

36+00 1153.88

37+00 1155.55

38+00 1158.00

38+75 1158.93

39+00 1159.22

T.P. 6.64 1164.47 1.50 1157.83

40+00 1157.90

41+00 1156.23

42+00 1156.43

43+00 1158.50

44+00 1160.50

45+00 1160.58

46+00 1159.77

B.M. 4.91 1159.56

1159.58 Record

Tack N. Root 18" Maple

6.43

5.27

4.06

4.33

5.33

5.45

3.78

1.33

0.40

0.11

7.57

8.24

8.04

5.97

3.97

3.97

4.70

x on N.W. Cor. W. Head wall, 45+50

B.M.	9,28	1168,86	1157,38	1159,58
46			1157,77	1159,77
47			1160,74	1160,94
48			1163,87	1163,89
49			1166,84	1166,84
49+75			1167,69	1167,69
50			1167,91	1167,91
51			1168,59	1168,59
52			1168,50	1168,50
53			1168,30	1168,30
54			1168,10	1168,10
55			1167,90	1167,90
4	3,40	1171,30	0,96	1167,90
41 56			1167,70	1167,70
42 57			1167,50	1167,50
4 B.M.		1,37	1169,93	1169,93
4	1,37	1171,35	1169,98	1169,98
4 58			1167,30	1167,30
4 59			1167,00	1167,00
60			1165,99	1165,99
61			1164,27	1164,27
62			1162,45	1162,45
63			1160,63	1160,63

Fair Warm
 Aug. 18, 1928 D. Parks, C. Rand, R. Hassel
 X - N.W. Cor. W. Head-wall 45750

9,09
7,92
4,97
2,52
1,17
0,95
0,27
0,36
0,56
0,76
0,96
3,60
3,80
S. Foot 15" Maple
4,05
4,35
5,36
7,08
8,90
10,72

1171,35

T.P. 0,32 1159,56 12,11 1159,24

64 1158,81

0,75

65 1156,70

2,86

66 1152,00

5,56

67 1151,56

8,00

68 1150,25

9,31

T.P. 4,75 1135,02 9,29 1150,27

B.M. 1,58 1153,44

0,88 1154,23 1153,35 record

Nail on front 20" Maple Lt. sta. 68+30
stake driven by E root of maple

69 1148,44

5,79

70 1144,50

9,73

T.P. 0,37 1141,87 12,73 1141,50

71 1139,50

2,37

72 1135,68

6,19

73 1136,44

5,43

74 1140,82

1,05

T.P. 11,21 1152,32 0,76 1141,11

75 1145,42

6,90

76 1150,02

2,32

4,91 1157,21 0,02 1152,30

77 1153,77

3,44

77+30 1154,41

2,80

78 1154,20

3,01

79 1152,07

5,14

80 1150,86

6,35

1157.21

B.M. 7.10 1150.11

9.66 1159.72 1150.06 record

81 1151.19

82 1153.05

83 1156.00

84 1159.00

T.P. 12.40 1171.79 0.33 1159.39

85 1162.00

86 1165.00

87 1168.00

88 1171.00

T.P. 6.88 1177.88 0.79 1171.00

B.M. 4.13 1173.75

1173.72 record

X-S.W. cor. W. Head-wall

8.53

6.67

3.72

0.72

9.79

6.79

3.79

0.79

W. root 24" Maple

Fair Warm

Aug. 22, 1928 D. Parks, C. Rand

T.P. 4.67 1266.98 1262.31

117 1263.00

118 1264.00

119 1260.00

T.P. 2.68 1260.04 9.62 1257.36

120 1258.00

121 1256.00

122 1254.12

4.92 1255.12

X-S.W. Cor. cor. Porch 118 + E. side of road

3.98

4.98

6.98

2.04

4.04

5.92

Grade Stake Lt. Sta 122

B.M.	12.00	1225.07		1213.07	
101					1216.00
	11.15	1233.82	2.40	1222.67	
102					1222.00
103					1227.85
104					1232.65
			1.18		

T.P.	2.53	1224.87		1262.31	
119					1260.00
120					1258.00
121					1256.00
122					1254.12
122 & 24					1254.00
118					1262.00
117					1263.00
	0.89	1264.20	1.53	1263.31	
116			1.53	1262.75	
115					1261.00
114					1259.97

Fair Warm

Aug. 29, 1928 D. Parks, C. Rand, R. Hassel
W. root 24" Evergreen
9.07

11.82
5.97
1.17

Cold Cloudy
Finish Grade Stakes

Sept. 4, 1928 D. Parks, C. Rand, R. Hassel
X - S. W. Cor. Corn. Porch 118 + E side of road

4.84
6.84
8.84
10.72
10.84 center of I. C. H. 15 K.

2.84
1.84

1.45
3.20
4.23

1267,20
 113
 T.P. 2.90 1264,74 2,34 1261,84
 112
 111
 110
 B.M. 8.17 1256,57
 1.74 1258,26 1256,58 record
 109
 108
 T.P. 12,50 1245,74

1257,70

1259,26

1257,42

1254,40

1250,80

1247,20

4,30

5,48

7,32

10,34

7,46

11,06

sub grade

ca
Road

Slope hub Lt. Sta 113

W. root 60" Elm

8,70

12,70

Nail in Light Pole 107+75 Rt side of road

		1258,24		Profile Grade
T.P.	0,09	1245,85	12,50	1245,76
107				1243,60
106				1241,00
105				1236,40
	0,87	1237,27	9,45	1236,40
104				1232,65
103				1227,85
	1,16	1225,57	12,86	1224,41
102				1222,00
101				1216,00
	3,62	1216,10	13,09	1212,48
100				1210,00
B.M.			3,01	1213,09
	3,01	1216,08		1213,07 record
99				1204,00
	0,98	1205,26	11,80	1204,28
98				1198,00
	0,98	1193,31	12,93	1192,33
97				1192,00
96				1186,00
T.P.			13,07	1180,24

Sept. 10, 1928	D. Faras	Fair	C. Rand	Warrin	Profile Grade Elev.	Rod	Sub-grade Rd, Elev.
							Nail in light pole 107+75 ft side of road
						2,25	3,5
						5,85	6,5
						9,45	10,8
						1235,55	10,30
							1235,05
						4,62	6,0
						1231,77	1231,27
						5,50	
						9,42	10,7
						1227,07	1226,57
						10,20	
						3,57	4,1
						1222,00	1221,47
						9,57	10,1
						1216,00	1215,47
						3,62	
						1216,10	
						13,09	
						1212,48	
						1210,00	6,5
						3,01	W. root 24" Evergreen
						1213,09	
						1216,08	
						1213,07	
						1204,00	12,05
						1205,26	12,3
						11,80	
						1204,28	
						1198,00	7,5
						7,46	
						1193,31	
						12,93	
						1192,33	
						1192,00	1,8
						1186,00	
						7,31	
						1,31	
						1180,24	light pole sta. 95+00

B.M.	2.18	1228.93		1226.75
172				1221.9
	2.37	1218.74	12.56	1216.37
171				1216.9
170				1214.5
169				1215.2
	10.22	1228.24	0.72	1218.02
168				1218.7
	12.93	1241.15	0.02	1228.22
163+50				1236.7
B.M.		0.51	1240.64	
			1240.64	Record

Sept. 11, 1928 D. Parks, C. Rand, R. Hosse?
 Cloudy Warm

Slope Stakes

Rt. of Sta. 173+05				
7.03	7.79	$\frac{F0.8}{17.0}$	5.69	$\frac{C1.3}{23.0}$
1.84	4.27	$\frac{F2.4}{17.5}$	3.58	$\frac{F1.7}{17.0}$
4.24	7.92	$\frac{F3.7}{18.0}$	7.40	$\frac{F3.2}{17.0}$
3.54	0.98	$\frac{C2.6}{23.5}$	3.40	$\frac{C0.1}{19.0}$
9.54	4.44	$\frac{C5.1}{28.0}$	6.49	$\frac{C3.1}{24.5}$
4.45	0.88	$\frac{C3.6}{28.0}$	2.58	$\frac{C1.9}{27.0}$

Ref. Nail E side trunk of 3' Elm Sta 164+25

		1193,31			Profile Grad
T.P.	2,28	1182,52	13,07	1180,24	
95					1181,14
94					1178,54
93					1178,28
92					1178,26
91					1178,08
90					1176,52
T.P.	0,89	1177,84	5,57	1176,95	
89					1174,00
B.M.			4,05	1173,79	
	4,05	1177,77		1173,72	RECORD
88					1171,00
87					1168,00
86					1165,00
	1,01	1146,01	12,77	1165,00	
85					1162,00
84					1159,00
T.P.	2,32	1161,32	7,01	1159,00	
83					1156,00
	5,85	1157,24	9,93	1159,39	
82					1153,05
81					1151,19
80					1150,86
79					1152,07
78					1154,20

Windy Warm		D. Parks, C. Rand, R. Hassel	
Sept. 12, 1928	Revised Grade Elev	Stakes at Rod	Sub Grade Rod Elev
			2,9
	1,38	F1,0	
	3,95	4,95	5,9
	4,24	F1,0	
	3,86	5,24	5,6
	4,44		4,6
	4,44		5,1
	6,00		6,9
	light Pole Rt Sta	89+60	7,5
	3,84		4,8
	W, root 24" Maple		
			7,5
	6,77		10,2
	9,77		13,3
	12,77		
			4,3
	4,01		7,6
	7,01		
		F0,5	
	5,32	5,82	6,4
		F1,0	
	4,19	5,19	5,5
	6,05	F1,0 on	
		7,05 at	7,2
	6,38		7,0
	5,17		5,3
	3,04		3,8

							Sub. Grade
	1157,24						Rod
77				1153,77	3,47		4,2
	2,63	1156,40	3,47	1153,77			
76				1150,02	6,38		6,9
75				1145,42	10,98		11,4
	0,76	1146,18	10,98	1145,42			
74				1140,82	5,34		6,4
73				1136,44	9,74		10,4
72				1135,68	10,50		10,3
71				1139,30	6,68		6,9
	11,73	1151,23	6,68	1139,50			
70				1144,50	4,73		7,4
69				1148,44	2,79		3,6
	5,80	1155,68	1,35	1149,88	0,75		2,1
68				1150,25	5,43		6,5
B.M.			2,48	1153,20			
				1153,35	record		
					cloudy		
					Sept, 14, 1928	D. Parks, C. Pond, R. Hassel?	
B.M.	3,64	1157,01		1153,35			
67				1151,56	5,45		6,7
66				1154,00	3,01		4,1
65				1156,70	0,31		1,3
	10,61	1167,31	0,31	1156,70			
64				1158,81	8,50		8,9
63				1160,43	6,68		7,0
62				1162,45	4,86		5,6

1167,31

61 1164,27
 20 1165,99
 59 1167,00

4,55 1171,54 0.32 1166,99

58 1167,30
 57 1167,50

B.M 1,42 1169,92
 1169,98

B.M 3,55 1173,53 1169,98

56 1167,70
 55 1167,90
 54 1168,10
 53 1168,30
 52 1168,50

4,88 1172,38 6.03 1167,50

51 1168,59
 50 1167,91
 TP 7,47 1167,91

Sub. Grade
 stake set at Rod Rod

3,04
 1,32
 0,31

F1,5
 2,82

4,1
 2,5
 1,4

4,24
 4,04

4,9
 4,4

S. Erect 15" Maple

record

cloudy Windy
 Sept. 15, 1928 D. Parks, C. Rand

S. Erect 15" Maple

5,83
 5,63
 5,43
 5,23
 5,03

6,0
 5,9
 5,9
 5,7
 5,9

F1.0 on Rt
 6,03

3,79
 4,47

4,5

Rt. Grade Stake Sta. 50

1172,38

T.P. 3,29 1171,20 4,47 1167,91

49 1166,34

48 1163,89

47 1160,91

46 1159,77

B.M. 11.63 1159,57

4,65 1164,23 1159,58 record

45 1160,50

44 1160,50

43 1158,50

T.P. 3,97 1162,45 5,75 1158,48

42 1156,43

41 1156,23

40 1157,90

39 1159,22

T.P. 3,30 1162,47 3,28 1159,17

38 1158,00

37 1155,55

36 1153,88

35 1154,00

~~34~~ 1155,50

T.P. 5,92 1159,42 8,97 1153,50

Cloudy, Windy

Sept. 17, 1928 D. Parks, C. Rand, R. Hassel
sub Grade Rod ET&V

RT Grade Stake Sta 50

4,86 F1.0 5.3

7,31 8.31 RT 8.7

10,29 F2.0 12.29 LT 11.2

11,43 12.1

X 017 N. W. Cor. W. Headwall, 45+50

3,73 4.6

3,73 4.3

5,73 6.3

6,02 6.7

6,22 7.5

4,55 F1.0 5.55 RT 6.0

3,23 3.8

4,47 5.4

6,92 8.0

8,59 9.5

8,47 9.1

7,47 8.97 RT 8.97 LT 9.1

1159.42

34		1155.00
33		1155.27
32		1157.06
31+50		1152.90

B.M. 0.88 1158.54
 1158.56 record

B.M. 1.12 1159.28 1158.66
 0.98 1148.63 12.13 1147.65

31		1151.38
30		1147.23
29		1142.34
28		1138.04
27		1137.82
26		1141.70
25		1145.47
24		1146.18

T.P. 2.35 1146.18

Sub-Grade
 Rod Elev.

4.42	5.0
4.15	4.6
5.36	5.8
6.52	7.1

Tack N. root 18" Maple

Cold Cloudy
 Sept. 25, 1928 D. Parks, C. Rand
 Tack N. Root 18" Maple

In roadway of East and West road

1.30	1.9
6.19	7.4
10.49	11.2
10.71	11.4
6.83	7.4
2.86	3.5
2.35	2.5

TT Grade Stake Sta 24

1159.42

34

115500

4.42

Sub-Grade
Rod Elev

5.0

33

1155,27

4.15

4.6

32

1154,06

5.36

5.8

31+50

1152,90

6.52

7.1

B.M.

0.88 1158.54

Track N. root 18" Maple

1158,56 record

Cold cloudy

Sept 25, 1928 D. Parks, C. Rand

Track N. Root 18" Maple

B.M.

1.12 1159,28

1158,66

0.98 1148,63 12,13 1147,55

In roadway of East and West road

31

1151,38

1.30

1.9

30

1147,23

6.19

7.4

29

1142,34

10.49

11.2

28

1137,82

6.83

7.4

27

1141.70

2.86

3.5

26

1145,67

2.35

2.5

25

1146,18

2.35 1146,18

+ Grade Stake Sta 24

24

T.P

Oct. 2, 1928 Warm Cloudy

D. Parks
C. Rand
F. Sphot

B. M. 8.78 1150.43 1121.65

11 1122.29 8.14

10 1125.34 5.09

9 1126.81 3.62

8 1126.16 4.27

7 1129.45 5.98

6 1121.84 8.59

0.87 1122.71 8.59 1121.84

5 1118.75 4.26

4 1114.95 7.76

3 1112.80 9.91

2 1112.00 10.71

3.63 1115.12 11.22 1111.49

1 1111.20 3.92

0 1110.40 4.72

B. M. 6.96 1108.16

1108.21 record

Sta No
Set at

Sub. Grade
Rod Elev

9.14 9.8

5.27 5.8

5.27 4.4

5.27 5.2

5.27 6.4

5.27 9.3

F1.0 on st.
5.24 5.3

F0.5 on st.
8.3

10.41 F1.0
F0.5 on st F1.0
10.6

11.21 11.71 11.8

4.63 rod at edge of old H77 pavement

W. root, 20" Hickory

B, M 4.83 1249.00 1244.17

137 1244.9

136+50 1244.6

136 1243.2

135 1241.5

T, P 10.58 1251.04 8.54 1240.46

134 1242.1

133 1245.0

132 1249.0

131+50 1250.6

T, P 0.46 1250.58

T, P 5.36 1255.74

131 1251.25

130 1251.75

129 1252.25

128 1252.75

127+50 1252.7

128+50 1252.50

1.64 1254.10 3.48 1252.46

127 1252.25

126 1250.8

125 1250.5

Warm Cloudy
Oct. 11, 1928 D. Parks, C. Rand.
546 Grade
Rod Elev

20" Maple Rt. sta 137+70

4.10 4.8

4.40 5.2

5.80 6.4

7.50 8.6

N. E. Cor F Headwall Culvert

8.94 9.6

6.04 6.5

2.54 2.5

0.44

0.77

Warm, Clear
Oct. 12, 1928 D. Parks, C. Rand

4.69 5.3

4.19 4.9

3.69 4.3

3.19 4.1

3.24 4.2

3.44 3.9

1.85 2.5

3.30 4.2

3.60 4.3

1254.10

127 1251.7

5.52 1258.51 1.11 1252.99

123+50 1252.8

123 1253.7

T.P. 3.38

Stake set at Rod	Sub Grade Rod Elev
2.4	3.4
5.71	6.3
4.81	5.4

X-N-E Cor. Con. porch to store

Warm, Sunny
Oct. 15, 1928 D. Parks, C. Ramd

B. M. 1.75 1245.92 1244.17

20" Maple Rt. Sta. 137+70

137+50 1243.0

138 1240.0

139 1234.0

T.P. 0.57 1234.57 11.92 1234.00

140 1230.2

140+50 1229.9

141 1230.7

141+50 1232.5

T.P. 12.05 1246.36 0.26 1234.31

142 1235.5

142+50 1238.7

143 1241.5

2.92	3.5
5.92	6.2
11.92	12.2
4.37	4.5
4.67	5.3
3.87	5.8
2.07	3.1
10.86	11.4
7.66	7.7
4.86	5.5

10.5
4.37
11.0
3.07

1246.36

143+50				1242.1	4.26
144				1243.5	2.86
144+50				1241.45	4.91
T.P.	2.23	1243.17	5.42	1240.94	
145				1239.7	3.47
145+50				1239.0	4.17
T.P.	8.80	1247.78	4.19	1238.98	
146				1239.3	8.48
147				1242.4	5.38
B.M.		1.94		1245.84	
				1245.83	record

Stake set

Sub Grade

Rod Elev.

Rod

						4.3	1.
					F1.0		
					3.84	4.2	
					F0.5		
					5.41	5.5	
					F1.0		
					4.47	4.3	
						4.9	
					F0.5		
					8.98	9.4	
					F2.0		
					7.38	6.9	

20" Maple Pt Sta 147+70

Cloudy Windy stake set at
 Rod Flyer
 Oct. 17, 1928 D. Parks C. Rand

Sub Grade
 Rod Flyer

B.M 2,18 1248,01 1245,83

148 1244,4 3,61 4,2

149 1243,0 5,01 5,6

150 1240,0 8,01 8,4

151 1237,1 10,91 11,9

1.50 1238,10 11,42 1236,60

152 1235,1 3,00 3,7

152+50 1234,5 3,60 4,3

153 1234,1 4,00 4,8

154 1234,1 4,00 5,5

155 1234,7 3,40 4,5

155+50 1235,5 2,60 4,5

1,27 1235,27 4,10 1234,00

156 1232,9 2,37 2,9

157 1228,75 6,52 7,2

157+50 1227,0 8,27 8,7

158 1226,02 9,25 9,9

T.P 9,53

S, E cor east headwall stone culvert 1224,00

F1,5
 11,41
 F1,0
 4,00
 F1,0
 4,60
 F1,5
 5,50
 F2,0
 6,00
 F0,5
 3,90
 F1,5
 4,10

1235,27
 T.P. 5.46 1231,40 9.53 1225,74
 159 1225,97
 140 1225,19
 141 1225,3
 141+58 1225,7
 162 1228,25
 11.63 1241,85 1.18 1230,22
 163 1234,75
 123+50 1236,7
 B.M. 1.19 1240,66
 1240,64 record

Oct. 22, 1928

D. Parks
 C. R. 9114 Cloudy Windy
 Grade Stake
 Rod set
 Revised Grade Sub Grade
 Rod Elev. Rod Elev.
 6,33 6,25 1225,15 6,75 1224,65
 6,21 6,44 1224,96 6,94 1224,46
 6,10 6,15 1225,25 6,65 1224,75
 5,70 5,65 5,15 1222,25 5,65 1225,75
 3,15 3,52 1227,88 4,02 1227,38
 7,20 8,00 1233,85 8,50 1233,35
 5,15 6,12 1235,73 6,62 1235,23
 ref. nail E. side trunk left 167+20

B.M.	1.42	1228,17	1226,75
173+50			1227,1
173			1226,1
172+50			1224,3
172			1221,9
171			1216,9
T.P.	8,38	1223,78	12,77 1215,40
170			1214,5
169			1215,2
168			1218,7
167			1222,5
	12,23	1235,70	0,31 1223,47
166			1226,4
165			1230,2
164			1234,1
	5,89	1241,31	0,28 1235,42
B.M.		0,69	1240,62
			1240,64 record

Oct, 26, 1928 D. Parks Cold Cloudy
 C Road
 Revised Grade Rod Elev Sub Grade Rod Elev

Rt. Sta	173+10		
	1,07		1,4
	2,07		2,5
	3,87	F _{11,0} 4,87	5,4
	6,27	F _{11,5} 7,27	8,9
	11,27	F _{11,5} 12,77	13,1
	9,28		10,0
	8,58		8,6
	5,08		5,3
	1,28	1,26	1,76
	9,30	10,04	10,54
	5,50	5,64	6,14
	1,60	0,27	0,77
B.M.	ref. Nail E side trunk Elm Sta 16+20		

Oct. 29, 1928 Cold, Snow D. Parks
C. Rand

B.M.	4.42	1231.17	1226.75
174			1227.4
175			1226.4
176			1223.5
177			1219.3
	1.58	1220.32	1218.74
178+50			1217.0
178			1215.2
179			1214.2
180			1217.2
180+50			1220.0
	11.13	1230.50	1219.37
181			1223.3
181+50			1226.0
		5.54	1224.96

Rt of Sta 178+10	
3.57	4.0
4.77	5.4
7.67	8.2
11.87	12.3
	F0.5 12.37
	F1.5 4.82
3.32	4.4
	F0.5 5.62
5.12	6.2
4.12	6.8
	F0.5 3.62
3.12	3.7
	F0.5 0.82
0.32	0.9
	F6.0
	8.20
	F1.5 5.50
7.20	7.5
4.50	5.4

Nov. 6, 1928 Cold, Windy D. Parks
 C. Rand
 Sub Grade.

B.M. 1.51 1229.61 1228.10

188			1226.3	3.31	3.8
187			1223.0	6.61	7.5
186			1219.1	10.51	11.8
185			1217.8	11.81	11.8
184			1220.1	9.51	9.5
183					7.8
183			1225.0	4.61	5.1
182 + 150			1226.8	2.81	3.6
182			1227.1	2.51	3.1

4.58 1225.03

.07 off on T.P. at 181 + 150

B.M 1.51 1229.61 1228.10

189			1228.0	1.61	2.5
190			1229.0	0.61	1.4
191			1230.0	+ 0.39	0.2

6.38 1234.41 1.58 1228.03

192			1231.0	3.41	4.2
193			1232.0	2.41	3.5
194			1231.5	2.91	3.5
195			1228.0	6.41	6.4

0.55 1223.68 11.28 1223.13

1223,68

196

197

198

199

200

201

5,57 1228,79 0,46 1223,22

202

B.M.

5,84 1222,95

1222,97 record

1223,0

1218,1

1216,8

1217,1

1220,8

1223,1

1223,8

0,68

5,58

7,88

6,58

2,88

0,58

4,99

Rt. St. q 202 + 20

2,4

7,3

8,3

7,0

2,7

1,2

5,3

B.M. 5.33 1249.50 1244.17

137 1244.9 4.60

136 1243.2 6.30

135 1241.5 8.00 8.5

134 1242.1 7.40

T.P. 9.28 1251.39 7.39 1242.11

133 1245.0 6.39

132 1249.0 2.39 slope

132
132
Slope Hub 1250.6 6.37 7.08 $\frac{70.7}{18.0}$
1251.95

B.M. 1.49 1245.64 1244.17

138 1240.0 5.66

139 1234.0 11.66

T.P. 0.30 1234.30 11.66 1234.00 ft. Grade stake Sta 139
Both sides stake set.

140 1230.2 4.10

141 1230.7 3.60

141+50 1232.5 1.80
4.60 on ft on rt. 2.80 3.30

T.P. 12.15 1246.44 0.01 1234.29

142 1235.5 10.94

142+50 1238.7 7.74

143 1241.5 4.94

144 1243.5 2.94

145 1239.7 6.74

D. Parks
F. Grad
E. Belding
Finish Grades
Warm
Windy
Stake set at

April 22 1929

On Rt.
3.44
Both sides
4.24

1246.44

T.P. 11.45 1248,049,85 1232,59

146 1239,3

147 1242,4


B.M. 2.15 1245,89


record 1245,83


S.E. Cor. West Head Wall 145+


8,74
on RT.
9,24


5,64
on RT.
7,64




























































































DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope 1% to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in left column and top row. The number in body

IMPROVED TABLES

AND

INFORMATION

To find Tangent and External for curve of any other degree, divide by degree of curve and add correction found in column of corrections. Degree of curve with a given L may be found by dividing tangent (or external), opposite L by given tangent (or external).

The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.

DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope $1\frac{1}{2}$ to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in left column and top row. The number in body of table in same row and column gives distance from side stake to slope stake. If ground is not level estimate the difference in elevation between the side stake and slope stake, lower target by this amount if cut, elevate if fill. Add this amount to cut or fill and find distance in table. Set up rod at this point, and line of sight should cut target. If it does not make the slight adjustment necessary.

TABLE No. 9.

To find Tangent and External for curve of any other degree, divide by degree of curve and add correction found in column of corrections.

Degree of curve with a given I may be found by dividing tangent, (or external), opposite I by given tangent, (or external).

The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.




TABLE II
TRIGONOMETRIC FORMULAE.

$$\angle A = \angle MOP \quad \angle B = \angle PON = \angle OPL$$

$$R = OB = c = 1$$

$$\sin A = \frac{a}{c} = \frac{a}{1} = a = \cos B = LP$$

$$\cos A = \frac{b}{c} = \frac{b}{1} = b = \sin B = OL$$

$$\tan A = \frac{a}{b} = \frac{MQ}{OM} = \frac{MQ}{1} = MQ = \cot B = MQ$$

$$\cot A = \frac{NT}{ON} = \frac{NT}{1} = NT = \tan B = NT$$

$$\sec A = \frac{OQ}{OM} = \frac{OQ}{1} = OQ = \csc B = OQ$$

$$\csc A = \frac{OT}{ON} = \frac{OT}{1} = OT = \sec B = OT$$

$$\text{vers } A = \frac{LM}{OP} = LM = \text{covers } B \#$$

$$\text{covers } A = \frac{OP - LP}{OP} = OP - LP = \text{vers } B$$

$$\text{exsec } A = PQ = \text{coexsec } B$$

$$\text{coexsec } A = PT = \text{exsec } B$$

$$\sin \frac{1}{2} A = \sqrt{\frac{1 - \cos A}{2}} \quad \cos \frac{1}{2} A = \sqrt{\frac{1 + \cos A}{2}}$$

$$\sin 2A = 2 \sin A \cos A \quad \cos 2A = \cos^2 A - \sin^2 A$$

$$\text{Law of Sines} \quad \frac{\sin A}{a} = \frac{\sin B}{B} = \frac{\sin C}{C}$$

$$\text{Law of Cosines} \quad c^2 = a^2 + b^2 - 2ab \cos C$$

$$\text{Law of Tangents} \quad \frac{a+b}{a-b} = \frac{\tan \frac{1}{2}(A+B)}{\tan \frac{1}{2}(A-B)}$$

TABLE II—Continued
TRIGONOMETRIC FORMULAE (continued)

In any triangle:

Given a, b, C; to find c, B, A.

Use Law of Tangents.

Given A, B, c; to find a, b, C.

Use Law of Sines.

Given a, b, c; to find A, B, C.

$$\text{Let } \frac{a+b+c}{2} = s, \sqrt{\frac{(s-a)(s-b)(s-c)}{s}} = r$$

$$\cos \frac{1}{2} A = \frac{r}{\sqrt{s(s-a)}}$$

$$\tan \frac{1}{2} A = \frac{r}{s-a}$$

$$\tan \frac{1}{2} B = \frac{r}{s-b}$$

$$\tan \frac{1}{2} C = \frac{r}{s-c}$$

Area of a triangle:

$$\text{Area} = \frac{1}{2} ab \sin C$$

$$\text{Area} = \sqrt{s(s-a)(s-b)(s-c)}$$

PRISMOIDAL FORMULA.

$$\text{Vol.} = \frac{h}{6} (B+b+4M)$$

h = altitude; b, B = bases; M = midsection

TABLE III
INCHES AND FRACTIONS OF AN INCH IN DECIMALS OF A FOOT

	0	1	2	3	4	5	6	7	8	9	10	11
$\frac{1}{16}$.0052	.0885	.1719	.2552	.3385	.4219	.5052	.5885	.6719	.7552	.8385	.9219
$\frac{1}{8}$.0104	.0938	.1771	.2604	.3438	.4271	.5104	.5938	.6771	.7604	.8438	.9271
$\frac{3}{16}$.0156	.0990	.1823	.2656	.3490	.4323	.5156	.5990	.6823	.7656	.8490	.9323
$\frac{1}{4}$.0208	.1042	.1875	.2708	.3542	.4375	.5208	.6042	.6875	.7708	.8542	.9375
$\frac{5}{16}$.0260	.1094	.1927	.2760	.3594	.4427	.5260	.6094	.6927	.7760	.8594	.9427
$\frac{3}{8}$.0313	.1146	.1979	.2813	.3646	.4479	.5313	.6146	.6979	.7813	.8646	.9479
$\frac{7}{16}$.0365	.1198	.2031	.2865	.3698	.4531	.5365	.6198	.7031	.7865	.8698	.9531
$\frac{1}{2}$.0417	.1250	.2083	.2917	.3750	.4583	.5417	.6250	.7083	.7917	.8750	.9583
$\frac{9}{16}$.0469	.1302	.2135	.2969	.3803	.4635	.5469	.6302	.7135	.7969	.8802	.9635
$\frac{5}{8}$.0521	.1354	.2188	.3021	.3854	.4688	.5521	.6354	.7188	.8021	.8854	.9688
$\frac{11}{16}$.0573	.1406	.2240	.3073	.3906	.4740	.5573	.6406	.7240	.8073	.8906	.9740
$\frac{3}{4}$.0625	.1458	.2292	.3125	.3958	.4792	.5625	.6458	.7292	.8125	.8958	.9792
$\frac{7}{8}$.0677	.1510	.2344	.3177	.4010	.4844	.5677	.6510	.7344	.8177	.9010	.9844
$\frac{15}{16}$.0729	.1563	.2396	.3229	.4063	.4896	.5729	.6563	.7396	.8229	.9063	.9896
$\frac{1}{1}$.0781	.1615	.2448	.3281	.4115	.4948	.5781	.6615	.7448	.8281	.9115	.9948
	.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167	1.000
	0	1	2	3	4	5	6	7	8	9	10	11

TABLE IV
USEFUL RELATIONS.

Lineal feet	×.00019	= miles
Lineal yards	×.0006	= miles
Square inches	×.007	= square feet
Square feet	×.111	= square yards
Square yards	×.0002067	= acres
Acres	×4840	= square yards
Cubic inches	×.00058	= cubic feet
Cubic feet	×.03704	= cubic yards
Links	×.22	= yards
Links	×.66	= feet
Feet	×1.5	= links

$$360^\circ = 21600' = 1296000''$$

$$\text{Radius} = \text{arc of } 57.2957790''$$

$$\text{Arc of } 1^\circ (\text{radius} = 1) = .017453292$$

$$\text{Arc of } 1' (\text{radius} = 1) = .000290888$$

$$\text{Arc of } 1'' (\text{radius} = 1) = .000004848$$

$$\pi = 3.141592654 \quad \sqrt{\frac{1}{4}} = 0.564190$$

$$\frac{\pi}{4} = 0.785398163 \quad \sqrt[3]{\frac{6}{\pi}} = 1.240700982$$

$$\frac{\pi}{6} = 0.523598776 \quad \pi^2 = 9.869604401$$

$$\sqrt{\frac{4}{\pi}} = 1.128379167 \quad \frac{1}{\pi^2} = 0.101321184$$

$$\frac{\pi}{6} = 0.523598776 \quad \sqrt{\pi} = 1.772453851$$

$$\frac{4\pi}{3} = 4.188790205 \quad \frac{1}{\pi} = 0.3183099$$

Curvature of Earth's surface = about 0.7 feet in 1 mile

Curvature in feet = 0.667 (Dist. in miles)²

Difference between arc and chord length, 0.05 feet in 11 $\frac{1}{2}$ miles

$$\text{Probable error of a single observation} = 0.6754 \sqrt{\frac{M^2}{n-1}}$$

Error in chaining of 0.01 feet in 100 feet:

Due to—

1. Length of tape error of 0.01 feet
2. Alignment. One end 1.4 feet out of line
3. Sag of tape at centre of 0.61 feet.
4. Temperature difference of 15°
5. Difference of pull of 15 lbs.

STADIA REDUCTION FORMULAE.

$$\text{Horizontal Distance} = R - R \sin^2 a + C \cos a$$

$$\text{Vertical Distance} = R \frac{1}{2} \sin 2a + C \sin a$$

$$R = \text{Reading} \times \frac{\text{distance from Object glass to cross hairs}}{\text{distance between cross hairs}}$$

C = distance from Object glass to cross hairs + distance from Object glass to center of instrument.

a = angle of elevation for mid Reading

TABLE VI (continued)
SINES, COSINES, TANGENTS, COTANGENTS (continued)

deg	sin 0'	tan 0'	sin 10'	tan 10'	sin 20'	tan 20'	sin 30'	tan 30'	sin 40'	tan 40'	sin 50'	tan 50'	deg
46	7193	1.0355	7214	1.0416	7234	1.0477	7254	1.0533	7274	1.0599	7294	1.0661	43
47	314	.0724	333	.0786	353	.0850	373	.0913	392	.0977	412	.1041	42
48	431	.1106	451	.1171	470	.1237	490	.1303	509	.1369	528	.1436	41
49	547	.1504	566	.1571	585	.1640	604	.1708	623	.1778	642	.1847	40
50	660	1.1918	7679	1.1988	7698	1.2059	7716	1.2131	7735	1.2203	7753	1.2276	39
51	771	2349	790	.2423	808	.2497	826	.2572	844	.2647	862	.2723	38
52	880	2799	898	.2876	916	.2954	934	.3032	951	.3111	969	.3190	37
53	986	.3270	8004	.3351	8021	.3452	8039	.3514	8056	.3597	8073	.3680	36
54	8090	.3764	107	.3848	124	.3934	141	.4019	158	.4106	175	.4193	35
55	192	.4281	208	.4370	225	.4460	241	.4550	258	.4641	274	.4733	34
56	290	.4826	307	.4919	323	.5013	339	.5108	355	.5204	371	.5301	33
57	387	.5399	403	.5497	418	.5597	434	.5697	450	.5798	465	.5900	32
58	480	.6003	496	.6107	511	.6212	526	.6319	542	.6426	557	.6534	31
59	572	.6643	587	.6753	601	.6864	615	.6977	631	.7090	646	.7205	30
60	660	1.7321	8675	1.7437	8689	1.7556	8704	1.7675	8718	1.7797	8732	1.7917	29
61	746	.8040	760	.8165	774	.8291	788	.8418	802	.8546	816	.8676	28
62	829	.8807	843	.8940	857	.9074	870	.9210	884	.9347	897	.9486	27
63	910	.9626	923	.9768	936	.9912	949	2.0057	962	2.0204	975	2.0353	26
64	988	2.0503	9001	2.0655	9013	2.0809	9026	.0965	9038	.1123	9051	.1283	25
65	9063	.1445	075	.1609	088	.1775	100	.1943	112	.2113	124	.2286	24
66	135	.2460	147	.2637	159	.2817	171	.2998	182	.3183	194	.3369	23
67	205	.3559	216	.3750	228	.3945	239	.4142	250	.4342	261	.4545	22
68	272	.4751	283	.4960	293	.5172	304	.5386	315	.5605	325	.5826	21
69	336	.6051	346	.6279	356	.6511	367	.6746	377	.6985	387	.7228	20
70	397	2.7475	9407	2.7725	9417	2.7980	9426	2.8239	9436	2.8502	9446	2.8770	19
71	455	.9042	465	.9319	474	.9600	483	.9887	492	3.0178	502	3.0475	18
72	511	3.0777	520	3.1084	528	3.1397	537	3.1716	546	.2041	555	.2371	17
73	563	.2709	572	.3052	580	.3402	588	.3759	596	.4124	605	.4495	16
74	613	.4874	621	.5261	628	.5656	636	.6059	644	.6470	652	.6891	15
75	659	.7321	667	.7760	674	.8208	681	.8657	689	.9136	696	.9617	14
76	704	4.0108	710	4.0611	717	4.1126	724	4.1653	730	4.2193	737	4.2747	13
77	744	.3315	750	.3897	757	.4494	763	.5107	769	.5736	775	.6382	12
78	781	.7046	787	.7729	793	.8430	799	.9152	805	.9894	811	5.0658	11
79	816	.1446	822	5.2257	827	5.3093	833	5.3955	838	5.4845	843	.5764	10
80	9348	5.6713	9853	5.7694	9858	5.8708	9863	5.9758	9868	6.0844	9872	6.1970	9
81	877	6.3138	881	6.4348	886	6.5606	890	6.6912	894	.8269	899	.9682	8
82	903	7.1154	907	7.2687	911	7.4287	914	7.5958	918	7.7704	922	7.9530	7
83	925	8.1443	929	8.3450	932	8.5555	936	8.7769	939	9.0098	942	9.2553	6
84	945	9.5144	948	9.7882	951	10.078	954	10.385	957	10.711	959	11.059	5
85	962	11.4300	964	11.826	967	12.250	969	12.706	971	13.197	974	13.727	4
86	976	14.300	978	14.924	980	15.605	981	16.350	983	17.169	985	18.075	3
87	986	19.081	988	20.206	989	21.470	990	22.903	992	24.542	993	26.432	2
88	994	23.636	9995	31.242	9996	34.368	9997	38.189	9997	42.964	9998	49.104	1
89	9998	57.290	9999	68.750	9999	85.940	9999	114.58	1.000	171.88	1.000	343.77	0
90	60'	60'	50'	50'	40'	40'	30'	30'	20'	30'	10'	10'	deg
90	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	deg

TABLE VII
RODS IN FEET AND INCHES

Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches
1	16-6	21	346-6	41	676-6	61	1006-6	81	1336-6
2	33-0	22	363-0	42	693-0	62	1023-0	82	1353-0
3	49-6	23	379-6	43	709-6	63	1039-6	83	1369-6
4	66-0	24	396-0	44	726-0	64	1056-0	84	1386-0
5	82-6	25	412-6	45	742-6	65	1072-6	85	1402-6
6	99-0	26	429-0	46	759-0	66	1089-0	86	1419-0
7	115-6	27	445-6	47	775-6	67	1105-6	87	1435-6
8	132-0	28	462-0	48	792-0	68	1122-0	88	1452-0
9	148-6	29	478-6	49	808-6	69	1138-6	89	1468-6
10	165-0	30	495-0	50	825-0	70	1155-0	90	1485-0
11	181-6	31	511-6	51	841-6	71	1171-6	91	1501-6
12	198-0	32	528-0	52	858-0	72	1188-0	92	1518-0
13	214-6	33	544-6	53	874-6	73	1204-6	93	1534-6
14	231-0	34	561-0	54	891-0	74	1221-0	94	1551-0
15	247-6	35	577-6	55	907-6	75	1237-6	95	1567-6
16	264-0	36	594-0	56	924-0	76	1254-0	96	1584-0
17	280-6	37	610-6	57	940-6	77	1270-6	97	1600-6
18	297-0	38	627-0	58	957-0	78	1287-0	98	1617-0
19	313-6	39	643-6	59	973-6	79	1303-6	99	1633-6
20	330-0	40	660-0	60	990-0	80	1320-0	100	1650-0

TABLE VIII
LINKS IN FEET AND INCHES

Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches
1	0-7.92	18	11-10.56	35	23-1.20	52	34-3.84	69	45-6.48	86	56-9.12
2	1-3.84	19	12-6.48	36	23-9.12	53	34-11.76	70	46-2.40	87	57-5.04
3	1-11.76	20	13-2.40	37	24-5.04	54	35-7.68	71	46-10.32	88	58-0.96
4	2-7.68	21	13-10.32	38	25-0.96	55	36-3.60	72	47-6.24	89	58-8.88
5	3-3.60	22	14-6.24	39	25-8.88	56	36-11.52	73	48-2.16	90	59-4.80
6	3-11.52	23	15-2.16	40	26-4.80	57	37-7.44	74	48-10.08	91	60-0.72
7	4-7.44	24	15-10.08	41	27-0.72	58	38-3.36	75	49-6.00	92	60-8.64
8	5-3.36	25	16-6.00	42	27-8.64	59	38-11.28	76	50-1.92	93	61-4.56
9	5-11.28	26	17-1.92	43	28-4.56	60	39-7.20	77	50-9.84	94	62-0.48
10	6-7.20	27	17-9.84	44	29-0.48	61	40-3.12	78	51-5.76	95	62-8.40
11	7-3.12	28	18-5.76	45	29-8.40	62	40-11.04	79	52-1.68	96	63-4.32
12	7-11.04	29	19-1.68	46	30-4.32	63	41-6.96	80	52-9.60	97	64-0.24
13	8-6.96	30	19-9.60	47	31-0.24	64	42-2.88	81	53-5.52	98	64-8.16
14	9-2.88	31	20-5.52	48	31-8.16	65	42-10.80	82	54-1.44	99	65-4.08
15	9-10.80	32	21-1.44	49	32-4.08	66	43-6.72	83	54-9.36	100	66-0.00
16	10-6.72	33	21-9.36	50	33-0.00	67	44-2.64	84	55-5.28	101	66-7.92
17	11-2.64	34	22-5.28	51	33-7.92	68	44-10.56	85	56-1.20	102	67-3.84

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=10°	I	T	E	I=20°	I	T	E	I=30°
1°	50.00	.218	+	11°	551.70	26.500	+	21°	1061.9	97.577	+
10'	58.34	.297	5° C.	10'	560.11	27.313	5° C	10'	1070.6	99.155	5° C
20'	66.67	.388	T	20'	568.53	28.137	T	20'	1079.2	100.75	T
30'	75.01	.491	E	30'	576.95	28.974	E	30'	1087.8	102.35	E
40'	83.34	.606	.03	40'	585.36	29.824	.06	40'	1096.4	103.97	.10
50'	91.68	.733	E	50'	593.79	30.686	E	50'	1105.1	105.60	E
2°	100.01	.873	.001	12°	602.21	31.561	.006	22°	1113.7	107.24	.013
10'	108.35	1.024	T	10'	610.64	32.447	T	10'	1122.4	108.90	T
20'	116.68	1.188	E	20'	619.07	33.347	E	20'	1131.0	110.57	E
30'	125.02	1.364	.03	30'	627.50	34.259	.06	30'	1139.7	112.25	.10
40'	133.36	1.552	E	40'	635.93	35.183	E	40'	1148.4	113.95	E
50'	141.70	1.752	E	50'	644.37	36.120	E	50'	1157.0	115.66	E
3°	150.04	1.964	10° C.	13°	652.81	37.070	10° C.	23°	1165.7	117.38	10° C.
10'	158.38	2.188	T	10'	661.25	38.031	T	10'	1174.4	119.12	T
20'	166.72	2.425	.06	20'	669.70	39.006	.13	20'	1183.1	120.87	.19
30'	175.06	2.674	E	30'	678.15	39.993	E	30'	1191.8	122.63	E
40'	183.40	2.934	.03	40'	686.60	40.992	.06	40'	1200.5	124.41	.13
50'	191.74	3.207	E	50'	695.06	42.004	.11	50'	1209.2	126.20	.20
4°	200.08	3.492	15° C.	14°	703.51	43.029	15° C.	24°	1217.9	128.00	15° C.
10'	208.43	3.790	T	10'	711.97	44.066	T	10'	1226.6	129.82	T
20'	216.77	4.099	E	20'	720.44	45.116	E	20'	1235.3	131.65	E
30'	225.12	4.421	.03	30'	728.90	46.178	.06	30'	1244.0	133.50	.10
40'	233.47	4.755	E	40'	737.37	47.253	E	40'	1252.8	135.35	E
50'	241.81	5.100	E	50'	745.85	48.341	E	50'	1261.5	137.23	E
5°	250.16	5.459	20° C.	15°	754.32	49.441	20° C.	25°	1270.2	139.11	20° C.
10'	258.51	5.829	T	10'	762.80	50.554	T	10'	1279.0	141.01	T
20'	266.86	6.211	.06	20'	771.29	51.679	.13	20'	1287.7	142.93	.19
30'	275.21	6.606	E	30'	779.77	52.818	E	30'	1296.5	144.85	E
40'	283.57	7.013	.03	40'	788.26	53.969	.06	40'	1305.3	146.79	.10
50'	291.92	7.432	E	50'	796.75	55.132	.11	50'	1314.0	148.75	.17
6°	300.28	7.863	25° C.	16°	805.25	56.309	25° C.	26°	1322.8	150.71	25° C.
10'	308.64	8.307	T	10'	813.75	57.498	T	10'	1331.6	152.69	T
20'	316.99	8.762	E	20'	822.25	58.699	E	20'	1340.4	154.69	E
30'	325.35	9.230	.03	30'	830.76	59.914	.06	30'	1349.2	156.70	.10
40'	333.71	9.710	E	40'	839.27	61.141	E	40'	1358.0	158.72	E
50'	342.08	10.202	E	50'	847.78	62.381	E	50'	1366.8	160.76	E
7°	350.44	10.707	30° C.	17°	856.30	63.634	30° C.	27°	1375.6	162.81	30° C.
10'	358.81	11.224	T	10'	864.82	64.900	T	10'	1384.4	164.86	T
20'	367.17	11.753	.06	20'	873.35	66.178	.13	20'	1393.2	166.95	.19
30'	375.54	12.294	E	30'	881.88	67.470	E	30'	1402.0	169.04	E
40'	383.91	12.847	.03	40'	890.41	68.774	.06	40'	1410.9	171.15	.10
50'	392.28	13.413	E	50'	898.95	70.091	.11	50'	1419.7	173.27	.17
8°	400.66	13.991	35° C.	18°	907.49	71.421	35° C.	28°	1428.6	175.41	35° C.
10'	409.03	14.582	T	10'	916.03	72.764	T	10'	1437.4	177.55	T
20'	417.41	15.184	E	20'	924.58	74.119	E	20'	1446.3	179.72	E
30'	425.79	15.799	.03	30'	933.13	75.488	.06	30'	1455.1	181.89	.10
40'	434.17	16.426	E	40'	941.69	76.869	E	40'	1464.0	184.08	E
50'	442.55	17.065	E	50'	950.25	78.264	E	50'	1472.9	186.29	E
9°	450.93	17.717	40° C.	19°	958.81	79.671	40° C.	29°	1481.8	188.51	40° C.
10'	459.32	18.381	T	10'	967.38	81.092	T	10'	1490.7	190.74	T
20'	467.71	19.058	.06	20'	975.96	82.525	.13	20'	1499.6	192.99	.19
30'	476.10	19.746	E	30'	984.53	83.972	E	30'	1508.5	195.25	E
40'	484.49	20.447	.03	40'	993.12	85.431	.06	40'	1517.4	197.52	.10
50'	492.88	21.161	E	50'	1001.7	86.904	.11	50'	1526.3	199.82	.17
10°	501.28	21.887	45° C.	20°	1010.3	88.389	45° C.	30°	1535.3	202.12	45° C.
10'	509.68	22.624	T	10'	1018.9	89.888	T	10'	1544.2	204.44	T
20'	518.08	23.375	.06	20'	1027.5	91.399	.13	20'	1553.1	206.77	.19
30'	526.48	24.138	E	30'	1036.1	92.924	E	30'	1562.1	209.12	E
40'	534.89	24.913	.03	40'	1044.7	94.464	.06	40'	1571.0	211.48	.10
50'	543.29	25.700	E	50'	1053.3	96.013	.11	50'	1580.0	213.86	.17

T = R tan 1/2 I

E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=40°	I	T	E	I=50°	I	T	E	I=60°
31°	1589.0	216.3	+	41°	2142.2	387.4	+	51°	2732.9	618.4	+
10'	1598.0	218.7	5° C.	10'	2151.7	390.7	5° C.	10'	2743.1	622.8	5° C.
20'	1606.9	221.1	T	20'	2161.2	394.1	T	20'	2753.4	627.2	T
30'	1615.9	223.5	E	30'	2170.8	397.4	E	30'	2763.7	631.7	E
40'	1624.9	226.0	.13	40'	2180.3	400.8	.17	40'	2773.9	636.2	.21
50'	1633.9	228.4	E	50'	2189.9	404.2	E	50'	2784.2	640.7	E
32°	1643.0	230.9	.023	42°	2199.4	407.6	.037	52°	2794.0	645.2	.056
10'	1652.0	233.4	T	10'	2209.0	411.1	T	10'	2804.9	649.7	T
20'	1661.0	235.9	E	20'	2218.6	414.5	E	20'	2815.2	654.3	E
30'	1670.0	238.4	.03	30'	2228.1	418.0	.04	30'	2825.6	658.8	.04
40'	1679.1	241.0	E	40'	2237.7	421.4	E	40'	2835.9	663.4	E
50'	1688.1	243.5	E	50'	2247.3	425.0	E	50'	2846.3	668.0	E
33°	1697.2	246.1	10° C.	43°	2257.0	428.5	10° C.	53°	2856.7	672.7	10° C.
10'	1706.3	248.7	T	10'	2266.6	432.0	T	10'	2867.1	677.3	T
20'	1715.3	251.3	.26	20'	2276.2	435.6	.34	20'	2877.5	682.0	.42
30'	1724.4	253.9	E	30'	2285.9	439.2	E	30'	2888.0	686.7	E
40'	1733.5	256.5	.06	40'	2295.6	442.8	.075	40'	2898.4	691.4	.12
50'	1742.6	259.1	E	50'	2305.2	446.4	E	50'	2908.9	696.1	E
34°	1751.7	261.8	15° C.	44°	2314.9	450.0	15° C.	54°	2919.4	700.9	15° C.
10'	1760.8	264.5	T	10'	2324.6	453.6	T	10'	2929.9	705.7	T
20'	1770.0	267.2	E	20'	2334.3	457.3	E	20'	2940.4	710.5	E
30'	1779.1	269.9	.03	30'	2344.1	461.0	.04	30'	2951.0	715.3	.04
40'	1788.2	272.6	E	40'	2353.8	464.6	E	40'	2961.5	720.1	E
50'	1797.4	275.3	E	50'	2363.5	468.4	E	50'	2972.1	725.0	E
35°	1806.6	278.1	20° C.	45°	2373.3	472.1	20° C.	55°	2982.7	729.9	20° C.
10'	1815.7	280.8	T	10'	2383.1	475.8	.51	10'	2993.3	734.8	.63
20'	1824.9	283.6	E	20'	2392.8	479.6	E	20'	3003.9	739.7	E
30'	1834.1	286.4	.070	30'	2402.6	483.4	.116	30'	3014.5	744.6	.168
40'	1843.3	289.2	E	40'	2412.4	487.2	E	40'	3025.2	749.6	E
50'	1852.5	292.0	E	50'	2422.3	491.0	E	50'	3035.8	754.6	E
36°	1861.7	294.9	25° C.	46°	2432.1	494.8	25° C.	56°	3046.5	759.6	25° C.
10'	1870.9	297.7	T	10'	2441.9	498.7	T	10'	3057.2	764.6	T
20'	1880.1	300.6	E	20'	2451.8	502.5	E	20'	3067.9	769.7	E
30'	1889.4	303.5	.03	30'	2461.7	506.4	.04	30'	3078.7	774.7	.03
40'	1898.6	306.4	E	40'	2471.5	510.3	E	40'	3089.4	779.8	E
50'	1907.9	309.3	E	50'	2481.4	514.3	E	50'	3100.2	784.9	E
37°	1917.1	312.2	30° C.	47°	2491.3	518.2	30° C.	57°	3110.9	790.1	30° C.
10'	1926.4	315.2	T	10'	2501.2	522.2	.68	10'	3121.7	795.2	.84
20'	1935.7	318.1	.093	20'	2511.2	526.1	.151	20'	3132.6	800.4	.225
30'	1945.0	321.1	E	30'	2521.1	530.1	E	30'	3143.4	805.6	E
40'	1954.3	324.1	.03	40'	2531.1	534.2	.04	40'	3154.2	810.9	.03
50'	1963.6	327.1	E	50'	2541.0	538.2	E	50'	3165.1	816.1	E
38°	1972.9	330.2	35° C.	48°	2551.0	542.2	35° C.	58°	3176.0	821.4	35° C.
10'	1982.2	333.2	T	10'	2561.0	546.3	T	10'	3186.9	826.7	T
20'	1991.5	336.3	E	20'	2571.0	550.4	E	20'	3197.8	832.0	E
30'	2000.9	339.3	.03	30'	2581.0	554.5	.04	30'	3208.8	837.3	.03
40'	2010.2	342.4									

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=70°	I	T	E	I=80°	I	T	E	I=90°
61°	3375.0	920.2		71°	4086.9	1308.2		81°	4893.6	1805.3	
10'	3386.3	925.9	+	10'	4099.5	1315.6	+	10'	4908.0	1814.7	+
20'	3397.5	931.6	5° C.	20'	4112.1	1322.9	5° C.	20'	4922.5	1824.1	5° C.
30'	3408.8	937.3	T	30'	4124.8	1330.3	T	30'	4937.0	1833.6	T
40'	3420.1	943.1	.25	40'	4137.4	1337.7	.30	40'	4951.5	1843.1	.36
50'	3431.4	948.9	E	50'	4150.1	1345.1	E	50'	4966.1	1852.6	E
62°	3442.7	954.8	.080	72°	4162.8	1352.6	.110	82°	4980.7	1862.2	.149
10'	3454.1	960.6		10'	4175.6	1360.1		10'	4995.4	1871.8	
20'	3465.4	963.5		20'	4188.5	1367.6		20'	5010.0	1881.5	
30'	3476.8	972.4		30'	4201.2	1375.2		30'	5024.8	1891.2	
40'	3488.3	978.3		40'	4214.0	1382.8		40'	5039.5	1900.9	
50'	3499.7	984.3		50'	4226.8	1390.4		50'	5054.3	1910.7	
63°	3511.1	990.2	10° C.	73°	4239.7	1398.0	10° C.	83°	5069.2	1920.5	10° C.
10'	3522.6	996.2	T	10'	4252.6	1405.7	T	10'	5084.0	1930.4	T
20'	3534.1	1002.3		20'	4265.6	1413.5		20'	5099.0	1940.3	
30'	3545.6	1008.3	.51	30'	4278.5	1421.2	.61	30'	5113.9	1950.3	.72
40'	3557.2	1014.4	E	40'	4291.5	1429.0	E	40'	5128.9	1960.2	E
50'	3568.7	1020.5	.159	50'	4304.6	1436.8	.220	50'	5143.9	1970.3	.299
64°	3580.3	1026.6		74°	4317.6	1444.6		84°	5159.0	1980.4	
10'	3591.9	1032.8		10'	4330.7	1452.5		10'	5174.1	1990.5	
20'	3603.5	1039.0		20'	4343.8	1460.4		20'	5189.3	2000.6	
30'	3615.1	1045.2		30'	4356.9	1468.4		30'	5204.4	2010.8	
40'	3626.8	1051.4		40'	4370.1	1476.4		40'	5219.7	2021.1	
50'	3638.5	1057.7	15° C.	50'	4383.3	1484.4	15° C.	50'	5234.9	2031.4	15° C.
65°	3650.2	1063.9	T	75°	4396.5	1492.4	T	85°	5250.3	2041.7	T
10'	3661.9	1070.2	.76	10'	4409.8	1500.5	.91	10'	5265.6	2052.1	1.09
20'	3673.7	1076.6	E	20'	4423.1	1508.6	E	20'	5281.0	2062.5	E
30'	3685.4	1082.9		30'	4436.4	1516.7		30'	5296.4	2073.0	
40'	3697.2	1089.3	.240	40'	4449.7	1524.9	.332	40'	5311.9	2083.5	.450
50'	3709.0	1095.7		50'	4463.1	1533.1		50'	5327.4	2094.1	
66°	3720.9	1102.2		76°	4476.5	1541.4		86°	5343.0	2104.7	
10'	3732.7	1108.6		10'	4489.9	1549.7		10'	5358.6	2115.3	
20'	3744.6	1115.1		20'	4503.3	1558.0		20'	5374.2	2126.0	
30'	3756.5	1121.7		30'	4516.9	1566.3		30'	5389.9	2136.7	
40'	3768.5	1128.2	20° C.	40'	4530.4	1574.7	20° C.	40'	5405.6	2147.5	20° C.
50'	3780.4	1134.8	T	50'	4544.0	1583.1	T	50'	5421.4	2158.4	T
67°	3792.4	1141.4	1.02	77°	4557.6	1591.6	1.22	87°	5437.2	2169.2	1.45
10'	3804.4	1148.0	E	10'	4571.2	1600.1	E	10'	5453.1	2180.2	E
20'	3816.4	1154.7	.321	20'	4584.8	1608.6	.445	20'	5469.0	2191.1	.603
30'	3828.4	1161.3		30'	4598.5	1617.1		30'	5484.9	2202.2	
40'	3840.5	1168.1		40'	4612.2	1625.7		40'	5500.9	2213.2	
50'	3852.6	1174.8		50'	4626.0	1634.4		50'	5517.0	2224.3	
68°	3864.7	1181.6		78°	4639.8	1643.0		88°	5533.1	2235.5	
10'	3876.8	1188.4		10'	4653.6	1651.7		10'	5549.2	2246.7	
20'	3889.0	1195.2	25° C.	20'	4667.4	1660.5	25° C.	20'	5565.4	2258.0	25° C.
30'	3901.2	1202.0	T	30'	4681.3	1669.2	T	30'	5581.6	2269.3	T
40'	3913.4	1208.9	1.28	40'	4695.2	1678.1	1.53	40'	5597.8	2280.6	1.83
50'	3925.6	1215.8	E	50'	4709.2	1686.9	E	50'	5614.2	2292.0	E
69°	3937.9	1222.7	.403	79°	4723.2	1695.8	.558	89°	5630.5	2303.5	.756
10'	3950.2	1229.7		10'	4737.2	1704.7		10'	5646.9	2315.0	
20'	3962.5	1236.7		20'	4751.2	1713.7		20'	5663.4	2326.6	
30'	3974.8	1243.7		30'	4765.3	1722.7		30'	5679.9	2338.2	
40'	3987.2	1250.8		40'	4779.4	1731.7		40'	5696.4	2349.8	
50'	3999.5	1257.9		50'	4793.6	1740.8		50'	5713.0	2361.5	
70°	4011.9	1265.0	30° C.	80°	4807.7	1749.9	30° C.	90°	5729.7	2373.3	30° C.
10'	4024.4	1272.1	T	10'	4822.0	1759.0	T	10'	5746.3	2385.1	T
20'	4036.8	1279.3	1.54	20'	4836.2	1768.2	1.84	20'	5763.1	2397.0	2.20
30'	4049.3	1286.5	E	30'	4850.5	1777.4	E	30'	5779.9	2408.9	E
40'	4061.8	1293.6		40'	4864.8	1786.7		40'	5796.7	2420.9	
50'	4074.4	1300.9	.485	50'	4879.2	1796.0	.674	50'	5813.6	2432.9	.910

T = R tan ½ I

E = R exsec ½ I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=100°	I	T	E	I=110°	I	T	E	I=120°
91°	5830.5	2444.9		101°	6950.6	3278.1		111°	8336.7	4386.1	
10'	5847.5	2457.1	+	10'	6971.3	3294.1	+	10'	8362.7	4407.6	+
20'	5864.6	2469.3	5° C.	20'	6992.0	3310.1	5° C.	20'	8388.9	4429.2	5° C.
30'	5881.7	2481.5	T	30'	7012.7	3326.1	T	30'	8415.1	4450.9	T
40'	5898.8	2493.8	.43	40'	7033.6	3342.3	.51	40'	8441.5	4472.7	.62
50'	5916.0	2506.1	E	50'	7054.5	3358.5	E	50'	8468.0	4494.6	E
92°	5933.2	2518.5	.200	102°	7075.5	3374.9	.268	112°	8494.6	4516.6	.360
10'	5950.5	2531.0		10'	7096.6	3391.2		10'	8521.3	4538.8	
20'	5967.9	2543.5		20'	7117.8	3407.7		20'	8548.1	4561.1	
30'	5985.3	2556.0		30'	7139.0	3424.3		30'	8575.0	4583.4	
40'	6002.7	2568.6		40'	7160.3	3440.9		40'	8602.1	4606.0	
50'	6020.2	2581.3		50'	7181.7	3457.6		50'	8629.3	4628.6	
93°	6037.8	2594.0	10° C.	103°	7203.2	3474.4	10° C.	113°	8656.6	4651.3	10° C.
10'	6055.4	2606.8	T	10'	7224.7	3491.3	T	10'	8684.0	4674.2	T
20'	6073.1	2619.7		20'	7246.3	3508.2		20'	8711.5	4697.2	
30'	6090.8	2632.6	.86	30'	7268.0	3525.2	.103	30'	8739.2	4720.3	1.25
40'	6108.6	2645.5	E	40'	7289.8	3542.4	F	40'	8767.0	4743.6	E
50'	6126.4	2658.5	.401	50'	7311.7	3559.6	.536	50'	8794.9	4766.9	.721
94°	6144.3	2671.6		104°	7333.6	3576.8		114°	8822.9	4790.4	
10'	6162.2	2684.7		10'	7355.6	3594.2		10'	8851.0	4814.1	
20'	6180.2	2697.9		20'	7377.8	3611.7		20'	8879.3	4837.8	
30'	6198.3	2711.2		30'	7399.9	3629.2		30'	8907.7	4861.7	
40'	6216.4	2724.5		40'	7422.2	3646.8		40'	8936.3	4885.7	
50'	6234.6	2737.9	15° C.	50'	7444.6	3664.5	15° C.	50'	8965.0	4909.9	15° C.
95°	6252.8	2751.3	T	105°	7467.0	3682.3	T	115°	8993.8	4934.1	T
10'	6271.1	2764.8	1.30	10'	7489.6	3700.2	1.56	10'	9022.7	4958.6	1.93
20'	6289.4	2778.3	E	20'	7512.2	3718.2	E	20'	9051.7	4983.1	E
30'	6307.9	2792.0		30'	7534.9	3736.2		30'	9080.9	5007.8	
40'	6326.3	2805.6	.604	40'	7557.7	3754.4	.806	40'	9110.3	5032.6	1.09
50'	6344.8	2819.4		50'	7580.5	3772.6		50'	9139.8	5057.6	
96°	6363.4	2833.2		106°	7603.5	3791.0		116°	9169.4	5082.7	
10'	6382.1	2847.0		10'	7626.6	3809.4		10'	9199.1	5107.9	
20'	6400.8	2861.0		20'	7649.7	3827.9		20'	9229.0	5133.3	
30'	6419.5	2875.0		30'	7672.9	3846.5		30'	9259.0	5158.8	
40'	6438.4	2889.0	20° C.	40'	7696.3	3865.2	20° C.	40'	9289.2	5184.5	20° C.
50'	6457.3	2903.1	T	50'	7719.7	3884.0	T	50'	9319.5	5210.3	T
97°	6476.2	2917.3	1.74	107°	7743.2	3902.9	2.08	117°	9349.9	5236.2	2.52
10'	6495.2	2931.6	E	10'	7766.8	3921.9	E	10'	9380.5	5262.3	E
20'	6514.3	2945.9	.809	20'	7790.5	3940.9	1.08	20'	9411.3	5288.6	1.46
30'	6533.4	2960.3		30'	7814.3	3960.1		30'	9442.2	5315.0	
40'	6552.6	2974.7		40'	7838.1	3979.4		40'	9473.2	5341.5	
50'	6571.9	2989.2		50'	7862.1	3998.7		50'	9504.4	5368.2	
98°	6591.2	3003.8		108°	7886.2	4018.2		118°	9535.7	5395.1	
10'	6610.6	3018.4		10'	7910.4	4037.8		10'	9567.2	5422.1	
20'	6630.1	3033.1	25° C.	20'	7934.6	4057.4	25° C.	20'	9598.9	5449.2	25° C.
30'	6649.6	3047.9	T	30'	7959.0	4077.2	T	30'	9630.7	5476.5	T
40'	6669.2	3062.8	1.83	40'	7983.5	4097.1	2.61	40'	9662.6	5504.0	3.16
50'	6688.8	3077.7	E	50'	8008.0	4117.0	E	50'	9694.7	5531.7	E
99°	6708.6	3092.7	1.02	10							

TABLE X.
MIDDLE ORDINATES OF RAILS
Length of Rail (feet)

C	R	30	28	26	24	22	20	C	R	30	28	26	24	22	20
o /	Feet	Inch	Inch	Inch	Inch	Inch	Inch	o	Feet	Inch	Inch	Inch	Inch	Inch	Inch
0-20	17189	.08	.07	.06	.05	.04	.03	8	716.8	1.88	1.64	1.42	1.20	1.01	.84
0-40	8594	.16	.14	.12	.10	.08	.07	9	637.3	2.12	1.84	1.60	1.35	1.14	.94
1-0	5730	.24	.20	.18	.15	.13	.10	10	573.7	2.36	2.05	1.78	1.50	1.27	1.04
1-20	4297	.31	.27	.23	.20	.17	.13	11	521.7	2.59	2.26	1.95	1.65	1.39	1.15
1-40	3438	.39	.34	.29	.25	.21	.17	12	478.3	3.83	2.47	2.15	1.81	1.54	1.26
2-0	2865	.47	.41	.35	.30	.25	.20	13	441.7	3.05	2.66	2.30	1.96	1.66	1.36
2-20	2456	.55	.48	.41	.35	.29	.23	14	410.3	3.30	2.87	2.48	2.10	1.78	1.46
2-40	2149	.63	.55	.47	.40	.33	.27	15	383.1	3.54	3.08	2.68	2.26	1.91	1.57
3-0	1910	.71	.62	.53	.45	.38	.31	16	359.3	3.76	3.28	2.83	2.40	2.04	1.67
3-20	1719	.78	.68	.59	.50	.42	.35	17	338.3	4.00	3.48	3.02	2.57	2.16	1.78
3-40	1563	.86	.75	.65	.55	.46	.38	18	319.6	4.21	3.67	3.18	2.70	2.23	1.87
4-0	1433	.94	.82	.71	.60	.50	.42	19	302.9	4.45	3.89	3.36	2.86	2.41	1.98
4-20	1323	1.02	.89	.77	.65	.55	.45	20	287.9	4.70	4.09	3.55	3.00	2.54	2.09
4-40	1228	1.10	.96	.83	.70	.59	.48	22	262.0	5.16	4.44	3.84	3.30	2.80	2.29
5	1146	1.18	1.03	.89	.75	.63	.52	24	240.5	5.64	4.92	4.20	3.59	3.04	2.50
6	955.3	1.41	1.23	1.06	.90	.76	.62	26	222.3	6.07	5.29	4.58	3.88	3.29	2.70
7	819.0	1.65	1.44	1.24	1.05	.89	.73								

TABLE XI.
SHORT RADIUS CURVES

Radius Feet	Chord Feet	Central Angle	Deflection Angle	Deflection for 1 Foot
35	10	16-26	8-13	49.3
45	10	12-46	6-23	38.3
50	15	17-16	8-38	34.5
60	15	14-22	7-11	28.8
75	15	11-30	5-45	23.0
100	20	11-30	5-45	17.3
120	20	9-34	4-47	14.3
150	20	7-39	3-49	11.5
190	25	7-32	3-46	9.15
200	25	7-10	3-35	8.6
225	25	6-25	3-12	7.7
240	25	5-58	2-59	7.2
250	25	5-44	2-52	6.9
275	25	5-12	2-36	6.2
288	50	9-58	4-59	6.0
300	50	9-32	4-46	5.7
350	50	8-12	4-06	4.9
376	50	7-40	3-50	4.6
400	50	7-10	3-35	4.3
410	50	7-00	3-30	4.2


To find length of curve divide angle from P. C. to P. T. by central angle of chord, and multiply by length of chord.

TABLE XII.
INCLINED DISTANCE OF 100 FT. REDUCED TO HORIZONTAL

Slope	Horizontal Distance	Correction	Rise Per Foot	Slope	Horizontal Distance	Correction	Rise Per Foot
0°00'	100.000	0.000	0.000	8°00'	99.027	0.973	0.139
15'	99.999	0.001	0.004	15'	98.965	1.035	0.143
30'	99.996	0.004	0.009	30'	98.902	1.098	0.148
45'	99.991	0.009	0.013	45'	98.836	1.164	0.152
1 00	99.985	0.015	0.017	9 00	98.769	1.231	0.156
15	99.976	0.024	0.022	15	98.700	1.300	0.161
30	99.966	0.034	0.026	30	98.629	1.371	0.165
45	99.953	0.047	0.031	45	98.556	1.444	0.169
2 00	99.939	0.061	0.035	10 00	98.481	1.519	0.174
15	99.923	0.077	0.039	15	98.404	1.596	0.178
30	99.905	0.095	0.044	30	98.325	1.675	0.182
45	99.885	0.115	0.048	45	98.245	1.755	0.187
3 00	99.863	0.137	0.052	11 00	98.163	1.837	0.191
15	99.839	0.161	0.057	15	98.079	1.921	0.195
30	99.813	0.187	0.061	30	97.993	2.008	0.199
45	99.786	0.214	0.065	45	97.905	2.095	0.204
4 00	99.756	0.244	0.070	12 00	97.815	2.185	0.208
15	99.725	0.275	0.074	15	97.723	2.277	0.212
30	99.692	0.308	0.078	30	97.630	2.370	0.216
45	99.657	0.343	0.083	45	97.534	2.466	0.221
5 00	99.619	0.381	0.087	13 00	97.437	2.563	0.225
15	99.580	0.420	0.092	15	97.338	2.662	0.229
30	99.540	0.460	0.096	30	97.237	2.763	0.233
45	99.497	0.503	0.100	45	97.134	2.866	0.238
6 00	99.452	0.548	0.105	14 00	97.030	2.970	0.242
15	99.406	0.594	0.109	15	96.923	3.077	0.246
30	99.357	0.643	0.113	30	96.815	3.185	0.250
45	99.307	0.693	0.118	45	96.705	3.295	0.255
7 00	99.255	0.745	0.122	15 00	96.593	3.407	0.259
15	99.200	0.800	0.126	15	96.479	3.521	0.263
30	99.144	0.856	0.131	30	96.363	3.637	0.267
45	99.087	0.913	0.135	45	96.246	3.754	0.271

TABLE XIII.
MINUTES IN DECIMALS OF A DEGREE.

0 30"	.00833	10 30"	.17500	20 30"	.34167	30 10"	.50833	40 30"	.67500	50 10"	.84167
1 00	.01667	11 00	.18333	21 00	.35000	31 00	.51667	41 00	.68333	51 00	.85000
30	.02500	30	.19167	30	.35833	30	.52500	30	.69167	30	.85833
2 00	.03333	12 00	.20000	22 00	.36667	32 00	.53333	42 00	.70000	52 00	.86667
30	.04167	30	.20833	30	.37500	30	.54167	30	.70833	30	.87500
3 00	.05000	13 00	.21667	23 00	.38333	33 00	.55000	43 00	.71667	53 00	.88333
30	.05833	30	.22500	30	.39167	30	.55833	30	.72500	30	.89167
4 00	.06667	14 00	.23333	24 00	.40000	34 00	.56667	44 00	.73333	54 00	.90000
30	.07500	30	.24167	30	.40833	30	.57500	30	.74167	30	.90833
5 00	.08333	15 00	.25000	25 00	.41667	35 00	.58333	45 00	.75000	55 00	.91667
30	.09167	30	.25833	30	.42500	30	.59167	30	.75833	30	.92500
6 00	.10000	16 00	.26667	26 00	.43333	36 00	.60000	46 00	.76667	56 00	.93333
30	.10833	30	.27500	30	.44167	30	.60833	30	.77500	30	.94167
7 00	.11667	17 00	.28333	27 00	.45000	37 00	.61667	47 00	.78333	57 00	.95000
30	.12500	30	.29167	30	.45833	30	.62500	30	.79167	30	.95833
8 00	.13333	18 00	.30000	28 00	.46667	38 00	.63333	48 00	.80000	58 00	.96667
30	.14167	30	.30833	30	.47500	30	.64167	30	.80833	30	.97500
9 00	.15000	19 00	.31667	29 00	.48333	39 00	.65000	49 00	.81667	59 00	.98333
30	.15833	30	.32500	30	.49167	30	.65833	30	.82500	30	.99167
10 00	.16667	20 00	.33333	30 00	.50000	40 00	.66667	50 00	.83333	60 00	1.00000



DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING.

SLOPE $1\frac{1}{2}$ TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0 00	0 15	0 30	0 45	0 60	0 75	0 90	1 05	1 20	1 35	0
1	1 50	1 65	1 80	1 95	2 10	2 25	2 40	2 55	2 70	2 85	1
2	3 00	3 15	3 30	3 45	3 60	3 75	3 90	4 05	4 20	4 35	2
3	4 50	4 65	4 80	4 95	5 10	5 25	5 40	5 55	5 70	5 85	3
4	6 00	6 15	6 30	6 45	6 60	6 75	6 90	7 05	7 20	7 35	4
5	7 50	7 65	7 80	7 95	8 10	8 25	8 40	8 55	8 70	8 85	5
6	9 00	9 15	9 30	9 45	9 60	9 75	9 90	10 05	10 20	10 35	6
7	10 50	10 65	10 80	10 95	11 10	11 25	11 40	11 55	11 70	11 85	7
8	12 00	12 15	12 30	12 45	12 60	12 75	12 90	13 05	13 20	13 35	8
9	13 50	13 65	13 80	13 95	14 10	14 25	14 40	14 55	14 70	14 85	9
10	15 00	15 15	15 30	15 45	15 60	15 75	15 90	16 05	16 20	16 35	10
11	16 50	16 65	16 80	16 95	17 10	17 25	17 40	17 55	17 70	17 85	11
12	18 00	18 15	18 30	18 45	18 60	18 75	18 90	19 05	19 20	19 35	12
13	19 50	19 65	19 80	19 95	20 10	20 25	20 40	20 55	20 70	20 85	13
14	21 00	21 15	21 30	21 45	21 60	21 75	21 90	22 05	22 20	22 35	14
15	22 50	22 65	22 80	22 95	23 10	23 25	23 40	23 55	23 70	23 85	15
16	24 00	24 15	24 30	24 45	24 60	24 75	24 90	25 05	25 20	25 35	16
17	25 50	25 65	25 80	25 95	26 10	26 25	26 40	26 55	26 70	26 85	17
18	27 00	27 15	27 30	27 45	27 60	27 75	27 90	28 05	28 20	28 35	18
19	28 50	28 65	28 80	28 95	29 10	29 25	29 40	29 55	29 70	29 85	19
20	30 00	30 15	30 30	30 45	30 60	30 75	30 90	31 05	31 20	31 35	20
21	31 50	31 65	31 80	31 95	32 10	32 25	32 40	32 55	32 70	32 85	21
22	33 00	33 15	33 30	33 45	33 60	33 75	33 90	34 05	34 20	34 35	22
23	34 50	34 65	34 80	34 95	35 10	35 25	35 40	35 55	35 70	35 85	23
24	36 00	36 15	36 30	36 45	36 60	36 75	36 90	37 05	37 20	37 35	24
25	37 50	37 65	37 80	37 95	38 10	38 25	38 40	38 55	38 70	38 85	25
26	39 00	39 15	39 30	39 45	39 60	39 75	39 90	40 05	40 20	40 35	26
27	40 50	40 65	40 80	40 95	41 10	41 25	41 40	41 55	41 70	41 85	27
28	42 00	42 15	42 30	42 45	42 60	42 75	42 90	43 05	43 20	43 35	28
29	43 50	43 65	43 80	43 95	44 10	44 25	44 40	44 55	44 70	44 85	29
30	45 00	45 15	45 30	45 45	45 60	45 75	45 90	46 05	46 20	46 35	30
31	46 50	46 65	46 80	46 95	47 10	47 25	47 40	47 55	47 70	47 85	31
32	48 00	48 15	48 30	48 45	48 60	48 75	48 90	49 05	49 20	49 35	32
33	49 50	49 65	49 80	49 95	50 10	50 25	50 40	50 55	50 70	50 85	33
34	51 00	51 15	51 30	51 45	51 60	51 75	51 90	52 05	52 20	52 35	34
35	52 50	52 65	52 80	52 95	53 10	53 25	53 40	53 55	53 70	53 85	35
36	54 00	54 15	54 30	54 45	54 60	54 75	54 90	55 05	55 20	55 35	36
37	55 50	55 65	55 80	55 95	56 10	56 25	56 40	56 55	56 70	56 85	37
38	57 00	57 15	57 30	57 45	57 60	57 75	57 90	58 05	58 20	58 35	38
39	58 50	58 65	58 80	58 95	59 10	59 25	59 40	59 55	59 70	59 85	39
40	60 00	60 15	60 30	60 45	60 60	60 75	60 90	61 05	61 20	61 35	40
41	61 50	61 65	61 80	61 95	62 10	62 25	62 40	62 55	62 70	62 85	41
42	63 00	63 15	63 30	63 45	63 60	63 75	63 90	64 05	64 20	64 35	42
43	64 50	64 65	64 80	64 95	65 10	65 25	65 40	65 55	65 70	65 85	43
44	66 00	66 15	66 30	66 45	66 60	66 75	66 90	67 05	67 20	67 35	44
45	67 50	67 65	67 80	67 95	68 10	68 25	68 40	68 55	68 70	68 85	45
46	69 00	69 15	69 30	69 45	69 60	69 75	69 90	70 05	70 20	70 35	46
47	70 50	70 65	70 80	70 95	71 10	71 25	71 40	71 55	71 70	71 85	47
48	72 00	72 15	72 30	72 45	72 60	72 75	72 90	73 05	73 20	73 35	48
49	73 50	73 65	73 80	73 95	74 10	74 25	74 40	74 55	74 70	74 85	49
50	75 00	75 15	75 30	75 45	75 60	75 75	75 90	76 05	76 20	76 35	50

Computed by L. Leland Locke.

116245

326

15917

897

8

916

17401

281

13500

7100

1858.4.10

4.11

1371

2500

1750

1350

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

1750

