

44

FIELD BOOK

740

PLEASE RETURN TO  
GAUGA COUNTY ENGINEER

TABLE FOR REDUCING PERCHES TO FEET AND INCHES.

PERCH	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.
1	16.6 in.	21	3.46 6 in.	41	6.76 6 in.	61	10.06 6 in.	81	13.36 6 in.				
2	33.0	22	3.63 0	42	6.93 0	62	10.23 0	82	13.53 0				
3	49.6	23	3.79 6	43	7.09 6	63	10.39 6	83	13.69 6				
4	66.0	24	3.96 0	44	7.26 0	64	10.50 0	84	13.80 0				
5	82.6	25	4.12 6	45	7.42 6	65	10.72 6	85	14.02 6				
6	99.0	26	4.29 0	46	7.59 0	66	10.89 0	86	14.19 0				
7	1.15 6	27	4.45 6	47	7.75 6	67	11.05 6	87	14.35 6				
8	1.32 0	28	4.62 0	48	7.92 0	68	11.22 0	88	14.52 0				
9	1.48 6	29	4.78 6	49	8.08 6	69	11.38 6	89	14.68 6				
10	1.65 0	30	4.95 0	50	8.25 0	70	11.55 0	90	14.85 0				
11	1.81 6	31	5.11 6	51	8.41 6	71	11.71 6	91	15.01 6				
12	1.98 0	32	5.28 0	52	8.58 0	72	11.88 0	92	15.18 0				
13	2.14 6	33	5.44 6	53	8.74 6	73	12.04 6	93	15.34 6				
14	2.31 0	34	5.61 0	54	8.91 0	74	12.21 0	94	15.51 0				
15	2.47 6	35	5.77 6	55	9.07 6	75	12.37 6	95	15.67 6				
16	2.64 0	36	5.94 0	56	9.24 0	76	12.54 0	96	15.84 0				
17	2.80 6	37	6.10 6	57	9.40 6	77	12.70 6	97	16.00 6				
18	2.97 0	38	6.27 0	58	9.57 0	78	12.87 0	98	16.17 0				
19	3.13 6	39	6.43 6	59	9.73 6	79	13.03 6	99	16.33 6				
20	3.30 0	40	6.60 0	60	9.90 0	80	13.20 0	100	16.50 0				

B. K. ELLIOTT COMPANY, PITTSBURG, PA.  
DRAWING MATERIALS AND SURVEYING INSTRUMENTS

BOOK # 44

Antisac Township

Fowler's Mill - North Road

L. J. McNaughton  
COUNTY ENGR.

1919

Fowler's Mill Road - No. 108 Sec. A

Align. - pg. 2-5  
X-Sect. - pg. 8-16

1965 REP. 47-50  
W. J. SHERMAN

Fowler's Mills Rd #108 Sec A South  
1947


1905 47-50 23-25

MUNSON SCHOOL 1947

26

Fowler's Mills Rd. #108 Sec. C  
SHERMAN - WILSON MILL

Align. & Topo Pg 30  
BMs. Pg 35  
X Secs Pg 37



11/17/74  
Drake  
Thompson

9-5-79  
Hot.

Sta Angle Bearing.

11

10

9

8

7

6

5

4

3

2

1

+81<sup>36</sup> 0°0'

0

Note: See P<sub>9</sub> 47  
for 65 ref.


W 4 1/2° E

Lt.


±

R<sub>1</sub>

2



concrete Bridge



Sta Angle Bearing

22

21

20

19

18

17

16

15

+51° 0' 0°-43' Lt

14

13

12

RR.

Lt

±


Rt



3

1451


1173


278





Sta	Angle	Bearing
34		
+95		
33		
32		
31		
30		
29		
28		
27		
26		
25		
+50	$1^{\circ}02'Lt$	
24		
23		






38

37

36

35

+87<sup>I</sup> ▢ 0° 0'





9-6-17  
Nanning  
Drake  
Tramposer

B. M. S.

Sta.	B.S.	H.	I		
B.M.	0.76	1178	00	1177.24	x on Church Step N.E. Cor.
T.P.	0.97	1167	14	11.83 1166.17	
T.P.	0.08	1154	98	12.24 1154.90	
T.P.	0.04	1142	43	12.59 1142.39	
T.P.	0.64	1131	75	11.32 1131.11	
T.P.	11.05	1130	78	12.02 1119.73	
B.M.				12.25 1118.53	x on S.W. Cor. S.W. Wing Wall to bridge.
T.P.	11.11	1141	40	0.49 1130.29	
T.P.	6.69	1147	91	0.18 1141.22	
B.M.				8.17 1139.74	on N.W. root 12" Maple 28' Rt. Sta 14+53
T.P.	9.41	1156	77	0.55 1147.36	
T.P.	10.03	1166	16	0.64 1156.13	
T.P.	12.38	1178	34	0.20 1165.96	
T.P.	12.32	1189	68	0.98 1177.36	
T.P.	10.36	1199	60	0.44 1189.24	
B.M.				12.73 1186.87	x on rock 80' Rt Sta 29+30
T.P.	11.49	1210	72	0.37 1199.23	
T.P.	10.67	1220	60	0.79 1209.93	
T.P.	11.25	1231	78	0.07 1220.53	
T.P.	11.23	1242	99	0.02 1231.76	
T.P.	10.64	1253	28	0.35 1242.64	
B.M.				2.99 1250.29	on W. root 14" Apple 30' Rt. Sta 33+70

# CROSS-SECTIONS

Sta.	B.S.	H. I.	F. S.	Elev.
B.M.	0.40	1177.64		1177.24
T.P.	9.39	1175.46	11.57	1166.09
0			11.50	64.0
+05			11.3	64.2
+10			10.3	65.2
+50			5.4	70.1
+75			4.9	70.6
1			5.3	70.2
2			13.5	62.0
T.P.	1.12	1164.73	11.85	1163.61
3			11.8	52.9
T.P.	0.99	1153.20	12.52	1152.21
4			10.0	43.2

Lt.      Q      Rt.      8

x on N.E. Cor. Church step


					-1.3	00	+1.4	+3.0	
					<u>12.80</u>	<u>11.50</u>	<u>10.1</u>	<u>8.5</u>	
					20	00	20	50	
					-1.7	00	+1.9	+3.3	
					<u>13</u>	<u>11.3</u>	<u>9.4</u>	<u>8.0</u>	
					25		25	50	
					+1.9	+2.1	+2.3	+0.8	00
					<u>8.4</u>	<u>8.2</u>	<u>8.0</u>	<u>9.5</u>	<u>10.3</u>
					21	17	71	6	9
									9
					+2.4	+1.6	00	+0.4	+0.8
					<u>3.0</u>	<u>3.8</u>	<u>5.4</u>	<u>5.0</u>	<u>3.2</u>
					29	28	25	30	30
									walk stairs
					+2.6	+1.9	walk stairs	-0.1	00
					<u>2.3</u>	<u>3.0</u>	<u>4.0</u>	<u>4.9</u>	<u>5.0</u>
					29	28	25	12	4.9
									5.9
					+1.0	-0.6	00	-0.5	-1.0
					<u>4.3</u>	<u>5.9</u>	<u>5.3</u>	<u>5.8</u>	<u>6.3</u>
					25	11	5.3	9	12
									-0.3
					+0.2	-1.5	-0.5	00	-1.0
					<u>13.3</u>	<u>15.1</u>	<u>14.0</u>	<u>13.5</u>	<u>14.5</u>
					25	12	10	13.5	9
									-2.0
									+1.3
									12.2
									10.6
									18
									+2.9
									8.8
									25
									+4.7
									8.8
									25
					+1.6	+0.2	-0.8	-1.0	-0.2
					<u>10.2</u>	<u>11.6</u>	<u>12.6</u>	<u>12.3</u>	<u>12.0</u>
					25	19	15	11	9
									11.8
									-0.9
									12.7
									8
									-1.7
									13.5
									10
									+1.7
									10.1
									13
									+3.3
									8.5
									18
									7.7
									25
									+4.1
									7.7
									25
					+2.3	+0.7	-1.2	-0.2	-0.8
					<u>7.9</u>	<u>9.3</u>	<u>11.2</u>	<u>10.2</u>	<u>10.8</u>
					25	19	16	14	12
									-0.2
									10.2
									10.2
									9.8
									10.0
									-0.4
									10.4
									4
									-1.2
									11.2
									9
									+0.8
									9.2
									12
									+3.9
									6.1
									17
									+5.3
									4.7
									25

✓


Sta.	B.S.	H. I	F.S.	Elev.
T.P.	2.70	1145.07	10.83	1142.37
+70			5.7	39.4
5			8.2	36.9

T.P.	0.56	1136.90	8.73	1136.34
5+30	⊕	Culvert	1.8	35.1

6			6.2	30.7
---	--	--	-----	------



4.7	-0.1	-0.3	-1.5	-0.9	-0.5	0.0	0.0	-1.1	-1.7	-0.8	+1.0	+2.0	+2.3
50	5.8	6.6	7.2	6.6	6.2	5.7	5.7	6.8	7.4	6.5	4.7	3.7	3.4
25	22	16	15	13	9	4		7	10	13	17	19	25
	+1.1		+0.1		-0.4	0.0	0.0	-0.2	+0.3	+0.6	+1.0		
	7.1		8.1		8.6	8.2	8.2	8.4	7.9	7.6	7.2		
	25		14		11.9	4		8	12	19	25		



section taken thru ⊕ of culv.

-2.8	-0.2	0.0	+0.5
4.6	2.0	1.8	1.3
17.5	17	20	8
F.L.			

-0.8	-0.3	+0.2	+0.8	+0.6	-0.1	0.0	+0.1	+0.7	+0.6
7.0	6.5	6.0	5.4	5.6	6.3	6.2	6.1	5.5	5.6
25	18	15	14	12	10	8	10	17	25


-6.5	+0.4	0.0	+0.3
14.3	7.4	7.8	7.5
Bottom Race	9		4.8

Sta.	BS.	H. I.	F.S.	
7	BS.	1136 90	11.7	25.2
T.P.	018	1125 99	11.09	1125.81
+60			3.5	22.5
8			7.5	18.5
9			7.9	18.1
8+60			9.2	16.8
B.M.	6.78	1125 30	7.47	1118.52

+0.2	-0.2	0.0	-0.7	-0.2	+0.2	0.0	-0.7	+0.3	+0.9	+1.1	+2.4		
11.5	11.9	11.7	12.4	11.9	11.5	11.7	12.4	11.4	10.8	10.6	9.3		
25	19	14	12	9	4	4	4	7	9	15	25		
+2.3	+0.5	-0.4	+0.1	-0.8	-0.2	+0.3	0.0	-0.6	-1.1	+0.1	+0.7	-1.0	-3.2
1.3	3.9	3.9	3.4	4.3	3.7	3.2	3.5	4.1	4.6	3.4	2.8	4.5	6.7
25	19	16	14	11	9	3	1	5	7	9	15	18	22
+0.1	+0.7	+0.5	-0.3	-0.1	+0.3	0.0	-0.1	-1.4	-3.0	-3.2			
7.4	6.8	7.0	7.8	7.6	7.2	7.5	7.6	8.9	10.5	10.7			
25	16	13	12	11	9	3	5	7	10	20	25		
-3.5	-4.7	-2.5	-1.2	-0.1	0.0	-0.2	-4.9	-3.0	-4.4	-3.4			
11.4	12.6	10.4	9.1	8.0	7.9	8.1	12.8	10.9	12.3	11.3			
22	17	13	9	6	6	6	9	13	17	25			
-0.4	-2.5	-0.9	-0.1	+0.1	0.0	-0.3	-0.6	-1.0					
9.6	11.7	10.1	9.3	9.1	9.2	9.5	9.8	10.2					
22	18	12	9	3	4	9	9	25					

9+50			7.0	18.3
------	--	--	-----	------

X 017 S.W. COR. S.W. WING-WALL



-3.2	-1.4	0.0	0.0	0.0	-2.7	-4.5	-5.5
10.2	8.4	7.0	7.0	7.0	9.7	11.5	12.5
25	16	9	6	7	11	16	20

Sta.	B.S.	H, I,	F.S.	Elev.
10	1125	30	7.1	18.2
11			2.6	22.7
T.P.	10.17	1134	98	0.49 1124.81
			7.49	27.49
			7.43	27.55
12			7.3	27.7
+40			5.1	29.9
T.P.	11.55	1145	62	0.91 1134.07
13			10.1	35.5
T.P.	7.91	1151	16	2.37 1143.25
14			7.6	43.6
B.M.			1146	1139.70
15			8.0	43.0
T.P.	4.67	1147	18	9.65 1142.51

$$\begin{array}{r} -2.6 \quad -2.0 \quad 0.0 \quad 0.0 \quad -0.4 \quad -2.2 \quad -2.6 \\ 9.7 \quad 9.1 \quad 7.1 \quad 7.1 \quad 7.5 \quad 9.3 \quad 9.7 \\ \hline 2.5 \quad 7.2 \quad 8 \quad 8 \quad 8 \quad 11 \quad 2.5 \end{array}$$

$$\begin{array}{r} -2.0 \quad -2.7 \quad -0.1 \quad 0.0 \quad -0.9 \quad -1.9 \quad -1.6 \\ 4.4 \quad 5.3 \quad 2.7 \quad 2.6 \quad 3.5 \quad 4.5 \quad 4.2 \\ \hline 2.5 \quad 1.3 \quad 9 \quad 2.6 \quad 9 \quad 1.5 \quad 2.5 \end{array}$$

S. Rail

N. "

$$\begin{array}{r} -1.6 \quad -1.9 \quad -1.7 \quad -0.9 \quad 0.0 \quad 0.0 \quad -0.1 \quad +0.1 \\ 8.9 \quad 9.2 \quad 9.0 \quad 8.2 \quad 7.3 \quad 7.3 \quad 7.4 \quad 7.2 \\ \hline 2.5 \quad 2.0 \quad 1.7 \quad 9 \quad 3 \quad 7.3 \quad 1.0 \quad 2.5 \end{array}$$

$$\begin{array}{r} +1.1 \quad -1.4 \quad -0.6 \quad 0.0 \quad -0.3 \quad -0.7 \quad +0.5 \quad +1.9 \\ 4.0 \quad 6.5 \quad 5.7 \quad 5.1 \quad 5.4 \quad 5.8 \quad 4.6 \quad 3.2 \\ \hline 2.0 \quad 1.4 \quad 1.3 \quad 5.1 \quad 5 \quad 1.2 \quad 1.5 \quad 2.5 \end{array}$$

$$\begin{array}{r} +4.6 \quad +1.4 \quad -0.5 \quad +0.1 \quad 0.0 \quad +0.3 \quad -0.1 \quad +0.9 \quad +2.0 \quad +1.4 \quad +5.2 \\ 5.5 \quad 8.7 \quad 10.6 \quad 10.0 \quad 10.1 \quad 9.8 \quad 10.2 \quad 9.2 \quad 7.2 \quad 5.7 \quad 4.9 \\ \hline 2.5 \quad 2.1 \quad 7.6 \quad 1.2 \quad 1.1 \quad 7 \quad 9 \quad 1.1 \quad 1.4 \quad 7.8 \quad 2.5 \end{array}$$

$$\begin{array}{r} +7.6 \quad +6.7 \quad +1.9 \quad -0.4 \quad -0.1 \quad 0.0 \quad -0.1 \quad -0.5 \quad +2.0 \quad +4.0 \\ 0.0 \quad 0.9 \quad 5.7 \quad 8.0 \quad 7.7 \quad 7.6 \quad 7.7 \quad 8.1 \quad 5.6 \quad 3.5 \\ \hline 3.0 \quad 2.5 \quad 1.6 \quad 1.0 \quad 9 \quad 7.6 \quad 9 \quad 1.3 \quad 1.3 \quad 1.9 \quad 2.5 \end{array}$$


017. N. W. root 12" Maple 28' Pt. Sta 14+53

$$\begin{array}{r} +5.5 \quad +4.5 \quad +0.5 \quad -0.7 \quad -0.3 \quad 0.0 \quad -0.3 \quad -0.8 \quad -0.9 \quad -4.8 \\ 2.5 \quad 3.5 \quad 7.5 \quad 8.7 \quad 8.7 \quad 8.0 \quad 8.3 \quad 8.2 \quad 8.8 \quad 12.4 \\ \hline 2.5 \quad 2.2 \quad 1.5 \quad 1.0 \quad 1.6 \quad 8.0 \quad 9 \quad 1.2 \quad 1.9 \quad 2.5 \end{array}$$

Bank ends at  
+50 Lt.

Sta.	B.S.	H.	I.	F.S.	Elev.
16	1147	18	4.8	42.4	

16+56



VIEW E. END

W. end all stone good.

Temp B.M. 9.78 1151 74 5.22 1141.96

17 74 44.3


18 3.2 48.5

T.P. 11.03 1162 03 0.74 1151.00

19 40 580

✓

-4.7	-3.8	-0.8	0.0	-0.2	-0.8	-3.2	-4.7
<u>9.5</u>	<u>8.6</u>	<u>5.6</u>	<u>4.8</u>	<u>5.0</u>	<u>5.6</u>	<u>8.0</u>	<u>9.5</u>
25-17	11	7		9	11	16	25



-9.0	-1.2	-1.2	-0.6	0.0	-0.2	-0.5	-1.2	-9.0
<u>13.0</u>	<u>5.2</u>	<u>5.8</u>	<u>4.6</u>	<u>4.0</u>	<u>4.2</u>	<u>4.5</u>	<u>5.2</u>	<u>13.0</u>
13 FL	12	10	6		9	13	14	15 FL

X. 017 S.W. cor. W parapet.

-3.9	-2.5	-0.4	-0.2	0.0	+0.1	-2.2	-4.1	-5.4	-4.9
<u>11.3</u>	<u>9.5</u>	<u>7.8</u>	<u>7.6</u>	<u>7.4</u>	<u>7.3</u>	<u>9.6</u>	<u>11.5</u>	<u>12.8</u>	<u>12.2</u>
25-19	11	6	3		10	14	18	20	22-25

-3.9	-2.6	-1.4	-0.2	0.0	+0.2	-0.3	+0.1	0.0
<u>7.1</u>	<u>5.8</u>	<u>4.6</u>	<u>3.4</u>	<u>3.2</u>	<u>3.0</u>	<u>3.5</u>	<u>3.1</u>	<u>3.2</u>
25	13	10	8		11	12	14	25

+5.0	+4.0	+0.8	-0.8	+0.4	0.0	+0.5	-1.0	+1.0	+3.0	+5.5
<u>-1.0</u>	<u>0.0</u>	<u>3.2</u>	<u>4.8</u>	<u>3.6</u>	<u>4.0</u>	<u>3.5</u>	<u>5.0</u>	<u>3.0</u>	<u>7.0</u>	<u>-1.5</u>
25	21	11	9	8		8	10	11	15	25

Sta.	B.S.	H.	I.	F.S.	Elev
T.P.	10.60	1172	2.0	0.43	1161.60

+50				80	64.2
-----	--	--	--	----	------

20				60	66.2
----	--	--	--	----	------

21				14	70.8
----	--	--	--	----	------

T.P.	8.58	1179	68	1.10	1171.10
------	------	------	----	------	---------

22				64	73.3
----	--	--	--	----	------

T.P.	10.30	1187	99	1.99	1147.69
------	-------	------	----	------	---------

23				9.0	78.4
----	--	--	--	-----	------

T.P.	9.05	1194	43	2.61	1185.38
------	------	------	----	------	---------

24				9.8	84.6
----	--	--	--	-----	------

+50				8.3	86.1
-----	--	--	--	-----	------

25				9.3	85.1
----	--	--	--	-----	------

+8.8	+0.2	-1.3	-0.3	00	-0.2	-1.1	+0.7	+3.5	+5.6
-0.8	7.2	9.3	8.3	8.0	8.2	9.1	7.3	4.5	2.4
25	11	8	6		5	7	9	15	25

+7.0	+0.2	-1.1	-0.2	0.0	-0.2	-1.1	+1.2	+2.7	+4.4
-1.0	5.8	7.1	6.2	6.0	6.2	7.1	4.8	3.3	1.6
25	10	9	7		8	10	11	15	25

+0.9	00	-0.3	0.0	0.0	0.0	-0.5	-0.3		
0.5	1.4	1.7	1.4	1.4	1.4	1.9	2.7		
25	11	8	6		9	15	25		

+1.1	-0.1	-0.4	-0.3	00	-0.2	-0.5	00	+4.1	
5.3	4.5	4.8	4.7	6.4	6.6	6.9	6.4	6.3	
25	13	11	9		9	12	16	25	

+5.4	+5.1	+0.6	-0.5	+0.2	00	-0.3	-1.3	-0.1	+4.2
4.0	4.5	9.0	10.1	9.4	9.6	9.9	10.3	9.7	5.4
27	25	14	12	10		9	10-11	13	24-25


+8.1	+4.5	-0.1	-0.9	-0.4	00	-0.3	-0.9	-0.2	+4.2
1.7	5.3	9.9	10.7	10.2	9.8	10.1	10.7	10.0	5.6
30	25	16	14	10		8	10	12	21-25

+10.5	+5.5	+0.6	00	+0.2	00	-0.1	-0.3	+0.3	+5.2	+4.6
-2.2	2.8	7.7	8.3	8.1	8.3	8.4	8.6	8.0	3.1	3.7
30	25	16	14	12		7	9	11	21	25

+6.8	+3.4	-0.2	-0.9	-0.4	00	-0.5	00	+5.3	
5.9	5.9	9.5	10.2	9.7	9.3	9.4	9.7	4.0	2.2-25
25	25	18	15	12		9	12		

Sta.	B.S.	H.	I.	F.S.	Elev.
T.P.	2.99	1194	43	10.29	1184.14
26				5.4	81.7
27				6.2	80.9
+72	section thru pipe			4.8	82.3

+5.4	+2.7	-1.1	-0.2	0.0	-0.4	-0.8	+1.4
<u>0.0</u>	<u>3.2</u>	<u>6.5</u>	<u>5.6</u>	<u>5.4</u>	<u>5.8</u>	<u>6.2</u>	<u>4.0</u>
28	25	19-12	11		9	14-16	23-25
	-0.4	-1.1	-0.6	-0.3	0.0	-0.1	-1.1
	<u>6.6</u>	<u>7.3</u>	<u>6.8</u>	<u>6.5</u>	<u>6.2</u>	<u>6.3</u>	<u>7.3</u>
25-22	13	10	7		11	15	25
	-2.2	-5.1	-3.1	-0.1	0.0	-0.4	-5.1
	<u>7.0</u>	<u>9.9</u>	<u>7.9</u>	<u>4.9</u>	<u>4.8</u>	<u>5.2</u>	<u>9.9</u>
25	18	17.	8		11	18	19 FL




28				3.8	83.3
T.P.	11.64	1197	09	1.68	1185.45
29				4.3	92.8
B.M.				10.24	1186.85
T.P.	10.47	1206	80	0.76	1196.33
30				3.5	83.3
T.P.	10.99	1217	60	0.19	1206.61

5.4	-5.7	-0.5	0.0	-0.5	-5.7	-5.9
<u>9.2</u>	<u>9.5</u>	<u>4.3</u>	<u>3.8</u>	<u>4.3</u>	<u>9.5</u>	<u>9.7</u>
25	15	6		9	17	25

-0.7	-0.5	0.0	-0.3	-4.4
<u>12.0</u>	<u>4.8</u>	<u>4.3</u>	<u>4.6</u>	<u>8.7</u>
25-19	6		10	19-25

X 017 Rock 80' Rt. Sta. 29 + 30

-4.9	-4.7	-0.5	0.0	-1.3	-6.0	-4.0	-3.0
<u>8.4</u>	<u>8.2</u>	<u>4.0</u>	<u>3.5</u>	<u>4.8</u>	<u>9.5</u>	<u>7.5</u>	<u>6.5</u>
25	17	6		10	16	18	25



Sta. B.S. H. I. F.S. Elev.  
 31 1217 60 3.6 14.0

5.0 -4.4 -0.1 0.0 -0.3 -3.8 3.9 -2.3 -4.7  
 8.6 8.0 3.7 3.6 3.9 7.4 7.5 5.9 5.3  
 25 14 C 11 16 20 22 25

T.P. 12.77 1230 16 0.21 1217.39

+50 8.9 21.3

-2.0 -4.0 -0.5 0.0 -0.2 -3.3 -1.0 +2.2 +0.7  
 10.9 12.9 9.4 8.9 9.1 12.2 9.9 6.7 8.2  
 14 10 6 9 17<sub>rock</sub> 21<sub>rock</sub> 27 50

32 42 26.0

+0.5 +2.7 +0.2 +0.1 -0.4 +0.2 0.0 +0.2 -1.3 +2.8 +4.1 +5.2 +5.6  
 3.7 1.5 4.0 4.1 4.6 4.0 4.2 4.0 5.5 1.4 0.0 -1.0 1.4  
 50 22 17 11 9 7 12 16 25 30 40 45

T.P. 13.04 1243 00 0.20 1229.96

33 5.2 37.8

+2.5 +4.5 +3.5 -0.1 -0.8 -0.4 0.0 -0.3 -1.1 +4.2 +4.4 +5.2  
 2.7 0.7 1.7 5.3 6.0 5.6 5.2 5.5 6.3 1.0 0.8 0.0  
 50 25 22 17 12 10 10-14 16 25 30 50

T.P. 11.20 1253 99 0.21 1242.79

B.M. 3.72 1250.27<sup>29</sup>

34 4.1 49.9

+0.1 +0.3 +0.1 0.0 +0.3 -0.5  
 4.0 3.8 4.0 4.1 3.8 4.6  
 25 11 5 10 25

X Road 5.0 49.0  
 " 8.3 45.7  
 " 10.5 43.5  
 " 5.5 48.5  
 " 8.1 45.9  
 " 15.9 38.1

25' RT on L  
 50' " " "  
 100' " " "  
 50' Lt. " "  
 100' " " "  
 200' " " "

✓

T.P. 11.01 1253.99 0.23 1253.76

750 9.4 55.4


35 6.9 57.9

T.P. 10.96 1275.57 0.16 1264.61

36 10.7 64.9

37 4.4 71.2

38 0.6 75.0



+1.5	-0.8	-2.4	-0.5	0.0	-0.4	-1.0	-1.3	+1.4
<u>7.5</u>	<u>10.2</u>	<u>11.8</u>	<u>9.9</u>	<u>9.4</u>	<u>9.8</u>	<u>10.4</u>	<u>10.7</u>	<u>8.0</u>
23	16	14-13	11		6	11	18	22-25




+2.7	+0.7	-0.8	-0.3	0.0	-0.8	-1.1	+3.1	+3.6
<u>4.2</u>	<u>6.2</u>	<u>7.7</u>	<u>7.2</u>	<u>6.9</u>	<u>7.7</u>	<u>8.0</u>	<u>3.8</u>	<u>3.3</u>
25	14	11	9		8	14	19	25

+2.8	+1.7	-0.7	0.0	0.0	+0.1	-1.0	-0.1	+3.0
<u>7.9</u>	<u>9.0</u>	<u>11.4</u>	<u>10.7</u>	<u>10.7</u>	<u>10.6</u>	<u>11.7</u>	<u>10.8</u>	<u>7.7</u>
25	14	10-9	6		8	12	15	21

+1.8	-0.4	-1.1	-0.4	0.0	-0.1	-0.9	+1.5	+2.0
<u>2.6</u>	<u>4.8</u>	<u>5.5</u>	<u>4.8</u>	<u>4.4</u>	<u>4.5</u>	<u>5.3</u>	<u>2.9</u>	<u>2.4</u>
22	17	11	7		10	14	16	20

2.1	+1.6	-0.4	0.0	0.0	-0.5	-1.2	+1.4
<u>-1.5</u>	<u>1.0</u>	<u>1.0</u>	<u>0.6</u>	<u>0.6</u>	<u>1.1</u>	<u>1.8</u>	<u>-0.8</u>
25	22	7	4		14	17	23

# TOPO




A.B. Carlson

F. Beech

Pease


P.F. Fremson

Stone Box  
18" X 18"



+

+50  
▽




|| -7 25 0



← 100' →  
P.L.

+50  
+70  
+60




P.L.

+ 15'

+24

+10 ← 28' →



+90  
+80 ← 28' →

+75 DW

+71 P.L.



+20 ← 50' →

+15

+05

5



+85

+32

P.L.

+

A

C

5

A

School

SH

PL

RL1 + 40  
 = + 30  
 16 ————— 40 ———> [ 30 ] 40  
 + 80 25 0  
 + 55  
 + 50 ← 30' → 0  
 + 25 24' 0  
 14  
 + 90 24' 0  
 + 70 = DW.  
 + 24

+ 30 ← 40 ———> [ H ]  
 13 — 25 0  
 + 10 30 †

† 25' + 20  
 12

MS

C 8 E

---

+ 85 [ 0 ]

+ 30 28' 0 50' [ 25 ]  
 [ 4 ] 20

† 20

11 — 0

+ 39 ——— PL.  
 10

Carrol

RL? ——— 12

+ 70 ← 40 ———> [ 30 ] 4  
 31

Panoroy

Yoga

24



23

22


21

20

Hayey



slupe



cemetery

willow Hedge 20

34




33

32

31

30


29




- ⊙ 24 +10/10
- ⊙ 24 +10
- ⊙ 24 +03
- ⊙ 24 +02
- ⊙ 24 +82
- ⊙ 24 +36
- ⊙ 24 +05

- +02 200
- 30
- ⊙ 24 +75
- ⊙ 23 +14
- 29




PL 2




- ⊙ 24 +50
- ⊙ 24 +30
- ⊙ 24 +15
- ⊙ 24 +10
- ⊙ 24 +05
- ⊙ 24 +02
- ⊙ 24 +01



SOUTH EXTENSION  
OF  
FOWLE'S MILLS  
Aug 1 47



80-11-40  
 72-13-20  
 27°35'-00"  
 18000000



I.P. + dot & fence  
 N 5 S W

FOWLER'S MILLS South  
of #322 FINAL

8-4-47

9+0


1.P. set  
3" under




P.O.T.

SEE FILE





0+0 Bolt set ± 2"  
S of Sedge  
part








I.P. Fd 9 to



1/2 I.P. flush immediately N of 3" iron fence post  
NE edge spring hole Make case ±10' longer







H. Patterson  
P. Young  
F. Dull  
Cloudy - Rain

6-15-60


Fowler Mill Rd.

Sec C

123345

Spr. N side  
12" cherry

5785.86



- 10761 12" x 16' Cip drive pipe 10'
- 790 30" Osage 30'
- 156 11'
- 125 10" cherry 26'
- 571.4 21' 14" cherry
- 199 12" cherry 28'
- 796 12" Osage 30'
- 4724 12" cherry 25'

Brushy

Drive No pipe

Brushy

Brushy

585.86

- 2731
- 197 8" Ash 28'
- 195 12" Cherry 28'
- 772 12" Cherry 28'
- 150 10" Cherry 26'
- 127 10" Cherry 26'
- 1400 10" 3" Cherry 27'
- 193 12" cherry 30'


21 12" Quad Elm

Brushy

(Sherman Rd)  
0+0

SE. side 13" cherry

SE. side 14" cherry



I. Pin rd 6-15-60


10731

Brushy

21 30" Osage stump


666.99'

26+41.85



822.51'

18+19.34



1233.45'

- ✓ +50
- ✓ +39
- ✓ 28+16
- ✓ +56
- ✓ +45

- ✓ 27+41 CEI 29'
- ✓ +98 12" X 36' Conc. pipe 15'
- ✓ 26+74

- ✓ 25+95
- ✓ +57
- ✓ +38

- ✓ 24+01
- ✓ 175
- ✓ 23+65

- ✓ +55
- ✓ +76 12" Maple 15'
- ✓ 21+70

- ✓ 20+50

- 25' 13" Elm
- 22' 12" Basswood
- 21' 30" Elm
- 9' 12" X 20' C.I.P.
- 16 Wood Light Post
- 20' CEI

- 22' 12" Ash


- 26' 13" Beach
- 23' 10" Osage
- 21' 8" Basswood
- 22' 8" Maple
- 21' 14" Maple
- 21' 10" Maple

- 20' 12 Maple


- 20' 15" Osage

Brush


31+98.69



37+27.04



33+08.54



+34		26	2 Maple
30+13		20	2" Maple
+88		20	2" Maple
+72		29	15" Doub. Elm
+40	C.E.T.	29	
35715		36" X 33" Conc. R.C.P.	
+45		18' 15"	
+44		21	10" Ash
34715		25	13" Ash
+87	12" X 16 CIP Drive	25	13" Ash
33+43	C.E.T.	24	24" Maple
+94		27	Double Ash 20"
+58		29	Trip Ash 12"
32759	Drive No pipe	15	Basswood Clump ±15'
+76		19	10" Maple
+43	C.E.T.	29	
31+02		9	(12" Road Drive) 4" X 33" steel casing pipe
+68	Osege 15" stump	29	Spash
+47	Twin 30" willow stems	29	25' 12" Ash
+24	Twin <sup>40"</sup> willow stems	29	25' Twin 36" willows
+10		24	15" Elm
30+03		15" X 27' Conc.	18' 9"
+60		25	14" Ash
+39		26	12" Beech
+75	C.E.T.	27	9' Drive No pipe
29+16			13" Ash
+80		23	12" Beech
+66		23	12" Basswood
28+50		15	20" Basswood

Wilson Mills Rd

63+49.57

SPK Rd


63+30 ± S. Edge Pavement

1490.90'-m

SPK SW side 36" Maple

SPK S. side  
C.E.I.

4  
28+58.62



SPK NE  
Root 14" Maple

44+00

+79

+64

+58

43+12

C.E.I.

29'

+49

42+48

+93

+65

+25

C.E.I.

29'

41+03

+96

+83

+80

+60

+40

+36

40+27

12" x 29" Conc & Vix

13' 14"

+95

+29

+78

+63

+45

+37

C.E.I.

29'

39+14

28' Turn area  
Drive No pipe

38+44

37+40

C.E.I.

29'

+85

36+60

23

fence begin

93

7'

12" x 20" C.I.P. Drive

25

fence end

21

Steel Post

22'

fence

26'

10' Ash

22'

Begin Rail fence

21'

30" Apple

Drive

11'

12" x 24" Conc & C.I.P.

BRUNN

25'

14" Basswood

27'

15" Apple

24'

12" Cherry

24'

12" Green Ash

26'

14" Cherry

25'

12" Locust

27'

20" Ash

17'

14" Walnut

19'

14" Walnut

29'

12" Elm

19'

13" Walnut

19'

12" Elm

15" Turn Area

12'

Drive No pipe

19'

14" Walnut

22" Turn Area

12'

Drive No pipe

20

2" Evergreen

12

12" x 20" R.C.P.

Cont. Pg 45 This Book

✓	+69		23	17" Apple
✓	+60	CET.	29'	
✓	52+02		20'	12" Basswood
✓	793		29.5'	36" Maple
✓	+81		22'	10" Basswood
✓	+79		22'	10" Basswood
✓	+50		29'	12" Maple
✓	51+27		15'	18" Basswood
✓	+77		30'	24" Dead Maple
✓	+62	CET	29'	Brush
✓	50+15		25'	30" Ash & Maple
✓	+94		9'	2 1/2" x 16" C&P Drive
✓	49+74	CET	28.5'	
✓	+20		23'	12" Beech
✓	+55		23'	36" Elm
✓	+35			12" Elm
✓	+32			12" Elm
✓	+29			12" Elm
✓	47+01		9'	Drive No pipe
✓	+86	CET	25'	Brush
✓	+52		26'	12" Beech
✓	46+40		23'	12" Beech
✓	+98	CET	29'	
✓	+95		11'	12" x 21" conc drive
✓	44+51		23'	End fence

12x25 Conc Drive  
 17' 6" → 9'

B  
i  
h  
s  
n

H. Patterson  
P. Young  
B. Moss

B.M.s Fowlers Mills Rd.

6-27-60 Clear-warm 70°

	+	HI	-	Elev.
B.M.	6.93	1320.17		1313.24
T.P.	8.85	1328.77	0.25	1319.92
T.P.	1.51	1325.86	4.42	1324.35
T.P.	1.33	1316.37	10.82	1315.04
T.P.	0.12	1305.73	10.76	1305.61
T.P.	0.72	1294.69	11.76	1293.97
T.P.	1.52	1284.43	11.78	1282.91
T.P.	0.70	1274.13	11.00	1273.43
T.P.	0.47	1262.89	11.71	1262.42
T.P.	2.70	1257.56	8.03	1254.86
B.M. #1			5.16	1252. <del>46</del> <sup>26</sup>
T.P.	8.47	1263.36	2.69	1254.87
T.P.	11.89	1275.03	0.22	1263.14
T.P.	10.55	1285.55	0.03	1275.00
T.P.	11.60	1296.20	0.95	1284.60
T.P.	11.95	1306.85	1.30	1294.90
T.P.	11.48	1318.18	0.15	1306.70
T.P.	10.75	1328.83	0.10	1318.08
T.P.	2.78	1326.86	4.75	1324.68
T.P.	3.76	1320.19	10.45	1316.43
B.M.			6.63	1313.56

(Bent)

Spt W. Root 30" Maple 100' Rt. Sta. 0+30 Auburn Rd  
N. of Wilson Mills Rd.

use

X NE 4 Hdwl. S.E. Quad. Fowler Mills & Wilson Mills

	+	HI	-	Elev.
BM # 1	3.56	1255.82		1252.26
T.P.	0.00	1248.55	7.27	1248.55
BM # 2			5.66	1242.89 ✓
T.P.	3.80	1243.82	8.53	1240.02
T.P.	11.51	1255.14	0.19	1243.63
T.P.	<del>4.23</del> 4.23	1259.30	0.07	1255.07
BM # 3	3.58	1259.14	3.74	1255.56
T.P.	11.62	1269.92	0.84	1258.30
T.P.	11.76	1280.53	1.15	1268.77
T.P.	1.44	1276.93	5.04	1275.49
BM # 4			11.41	1265.52
T.P.	11.33	1276.58	11.68	1265.25
T.P.	8.60	1283.26	1.92	1274.66
T.P.	11.84	1294.99	0.11	1283.15
BM # 5			2.07	1292.92
T.P.	8.16	1302.09	1.06	1293.93
T.P.	0.34	1297.23	5.20	1296.89
T.P.	0.12	1288.11	9.24	1287.99
BM # 6			5.21	1282.90
T.P.	0.36	1279.52	8.95	1279.16
T.P.	0.74	1268.80	11.46	1268.06
T.P.	1.65	1258.93	11.52	1257.28
BM # 7			8.67	1250.26

Vert spk. NW Root 20" Ash 21' Rt. Sta. 67+42

Vert spk NW Root 15" Maple 36' Rt Sta 47+85

Hort. spk. W. side 12" Elm 2' up 33' Rt. Sta. 35+75

Vert spk NW Root 24" Maple 36' Rt. Sta. 23+10

Hort. Ref. spk N. side 12" Cherry 30' Rt Sta. 6+0

Hort. Ref. spk SE Side 24" Cherry Sta 0-36

H. Patterson  
 P. Young  
 B. Moss

Foulers Mills Rd  
 #108 sec c X. Sec  
 6-25-60

	+	HZ	-	Elev.
BM #9	10.82	1261.08		1250.26
0+0				1251.22 ✓
T.P	8.60	1268.43	1.25	1259.83
1+0				1258.71 ✓
T.P	8.55	1276.73	0.25	1269.18
2+0				1265.33 ✓
3+0				1271.93 ✓
T.P	6.29	1282.00	-1.02	1275.71
4+0				1275.70 ✓
T.P	6.67	1285.62	3.05	1278.95
5+0				1278.72 ✓
6+0				1280.72 ✓
BM #6	5.78	1288.68	2.72	1282.90
7+0				1281.78 ✓
8+0				1283.18 ✓
9+0				1284.58 ✓
T.P	9.23	1297.17	0.74	1288.94
10+0				1286.27 ✓

	W	E	F
		9.86	
6.50	9.80	11.40	10.30
30	21	16	11
		9.72	10.40
			11
			13
			20
			6.40
			out
8.0	8.20	12.60	11.80
30	23	14	11
			11.40
			12.0
			9
			12.60
			7.00
			7.90
2.20	2.90	5.0	9.10
30	26	20	15
			5.60
			4.80
			5.10
			6.0
			2.50
			2.60
			30
3.70	4.40	7.80	6.80
30	20	15	10
			6.30
			6.80
			7.90
			4.10
			4.50
4.10		8.40	7.60
30		20	16
			6.90
			7.30
			8.30
			5.60
			5.40
			24 out
2.80	4.90	6.20	5.60
30	15	12	9
			4.70
			5.70
			4.20
			3.90
			out
			12
			13
			23
			4.90
			5.50
			7.80
			6.90
			7.20
			7.70
			6.70
			6.90
			30
3.70	3.80	6.60	6.20
30	14	10	8
			5.50
			5.90
			6.40
			5.70
			4.20
			30
2.40	2.40	5.0	4.60
30	15	10	8
			4.10
			4.40
			5.0
			3.10
			2.20
			30
9.0	8.90	11.80	11.20
30	18	11	9
			10.90
			11.40
			11.70
			10.0
			8.60
			30

	+	1297.77 H.I.	-	Elev.
11+0				1288.17 ✓
12+0				1289.67 ✓
13+0				1291.57 ✓
14+0				1293.37 ✓
T.P.	8.35	1302.58 <sup>3</sup>	1.94	1294.23 <sup>5</sup>
15+0				1295.28 ✓
16+0				1297.28 ✓
17+0				1297.78 ✗
18+0				1296.88 ✓
19+0				1295.78 ✓
T.P.	6.35	1300.87 <sup>1</sup>	8.06	1294.57 <sup>5</sup>
20+0				1294.77 ✓
21+0				1294.17 ✓
22+0				1293.57
TP	3.82	1298.83	8.86	1292.01
BM <sup>5</sup>			3.88	1292.95

W				\$	E			
7.70	7.80	10.10	9.50	9.0	9.50	9.90	8.10	7.10
30	16	11	9		11	12	17	30
5.80	5.90	8.40	7.80	7.50	7.90	8.30	6.40	5.40
30	16	11	9		10	13	18	30
3.60	3.40	6.50	6.0	5.60	6.0	6.40	4.50	3.20
30	18	12	10		11	13	18	30
2.10	2.0	4.60	4.30	3.80	4.20	4.50	2.90	1.50
30	17	11	9		10	13	18	30
6.50	7.0	9.0	8.80	8.30	9.0	7.70	6.50	
30	14	10	8		14	18	30	
4.90	5.20	7.20	6.80	6.30	7.0	5.90	5.60	
30	13	10	8		14	18	30	
4.70	4.80	7.0	6.20	5.80	6.40	6.10	5.80	
30	14	10	8		12	16	30	
4.90	5.90	7.70	7.10	6.70	7.10	7.10	6.80	
30	12	8	7		15	19	30	
6.0	7.0	8.80	8.30	7.80	8.20	8.30	8.30	
30	12	8	6		14	20	30	
5.0	6.30	8.0	7.60	7.10	7.50	8.30	8.40	
30	12	8	7		13	17	30	
8.90	7.60	8.50	8.0	7.70	8.30	8.0	9.40	out
30	14	9	7		17	19	27	
5.40	6.30	9.20	8.70	8.30	8.80	7.50	7.30	out
30	17	13	10		12	15	20	

	+	HI	-	Elev
1 B Ms	4.73	1300.68		1292.95
23+0				1291.78 ✓
T.P.	4.96	1294.48	11.16	1289.52
24+0				1287.68 ✓
TP	1.43	1284.18	11.73	1282.75
25+0				1284.08 ✓
26+0				1278.88 ✓
27+0				1276.18 ✓
28+0				1275.08 ✓
T.P.	8.38	1283.56	9.00	1275.18
28+50				1274.16 ✓
T.P.	7.63	1280.56	10.63	1272.93
29+0				1271.96 ✓
29+50				1269.16 ✓
TP <sup>Temp</sup>	8.08	1277.85	10.79	1269.77
T.P.	0.15	1275.25	2.75	1275.10
B.M.			9.64	1265.71
<sup>Temp</sup> B.M.	5.71	1275.48		1269.77
30+0				1267.88 ✓

W		E		E		E		E	
4.00	5.50	8.80	9.30	8.90	9.50	10.0	8.10	8.70	
30	20	13	10		11	13	16		3
2.30	3.10	7.70	7.30	6.80	7.30	8.10	5.0	5.40	
30	14	13	11		11	13	20	30	
6.70	7.10	12.10	11.10	10.00	10.80	11.50	8.30	7.10	10.0
30	19	15	12		10	12	16	22	10.0
3.20	2.90	6.60	6.0	5.30	5.70	6.10	1.70	1.30	
30	18	15	13		8	10	14	30	
8.10	drive			8.0	8.40	9.10	8.60	8.60	
30					6	9	12	30	
6.80	8.60	10.50	9.60	9.10	9.80	10.60	9.90	10.80	10.0
30	20	17	14		7	9	18	20	10.0
4.20	5.70	11.20	9.80	9.40	10.10	10.60	8.40	10.70	
30	21	15	13		7	9	12	30	
3.10	4.0	7.60	9.30	8.60	9.10	9.60	5.70	8.70	
30	23	15	14		7	10	13	30	
8.90	11.50	12.80	12.30	11.40				13.0	
30	21	19	16					30	
Boulder	5.0	30+50	20	14					
8.50	8.50	9.90	7.60	7.60	8.70	10.50	10.90	11.0	
30	22	20	15		8	13	25	30	

Top

Boulder

	+	1275.48 HI	-	Elev.
30450				1268.18 ✓
3140				1269.88 ✓
T.P.	5.69	1278.35	2.82	1272.66
31450				1272.35 ✓
3240				1273.35 ✓
32450				1272.45 ✓
3340				1268.65 ✓
T.P.	3.35	1270.33	11.37	1266.98
33450				1264.93 ✓
3440				1262.13 ✓
T.P.	6.42	1268.28	8.47	1261.86
34450				1261.38 ✓
3540				1261.88 ✓
35450				1263.38 ✓
BM 42			2.50	1265.75 (+23)
T.P.	7.25	1273.00		
3640				1266.40 ✓
T.P.	8.48	1280.43	1.05	1279.5

W	E	E	E	E	E	E	E	E	E
8.30 30	9.10 26	8.0 23	7.70	7.90	8.90	9.80	11.6		
1.00 30	1.60 21	6.10 18	5.70 16	5.60	drive		7.0 30		
2.50 30	3.40 21	6.50 18	6.20 16	6.0	6.70	7.70	6.0 15	8.0 30	
2.20 30	2.20 19	5.30 16	5.0	5.90	5.20	5.8	18 30		
2.0 30	2.90 20	6.60 15	5.90	7.0	5.20	5.60	18 30		
5.20 30	3.0 20	10.30 15	9.70	10.20	10.80	9.30 14	6.0 27		
2.20 30	3.60 21	6.40 16	5.70 15	5.40	5.90	6.40 9	3.90 14	2.10 30	
7.60 30	8.30 19	8.10 17	8.60 14	8.70	9.10	8.90	10.20 30		
3.90 30	4.60 22	7.20 17	8.20 16	7.60 13	6.90	8.30	11.20 30		
9.60 30	9.40 20	7.30 13	6.40	6.90	7.30	10.20 30			
8.10 30	6.40 23	6.0 13	5.50 16	4.90	5.40	8.10 12	8.90 30		
5.30 30	5.40 18	7.50 13	7.10 12	6.60	7.0	7.60	6.40 13	4.70 30	

1280.43

+ HI - Clue

36+50 1270.83 ✓

T.P. 7.99 1284.89 4.53 1276.90

370 1274.19 ✓

37+50 1277.69 ✓

38+0 1279.09 ✓

38+50 1279.09 ✓

T.P. 4.29 1282.62 4.56 1280.33

39+0 1276.52 ✓

39+50 1273.62 ✓

T.P. 3.91 1278.62 10.91 1273.71

40+0 1272.02 ✓

40+50 1271.32 ✓

41+0 1271.62 ✓

T.P. 5.52 1279.75 3.39 1274.25

41+50 1272.75 ✓

42+0 1273.85 ✓

42+50 1273.35 ✓

W) \$ E

1.30 220 6.80 10.20 9.60 9.80 drive 8.60  
30 20 15 10 11 30

340 4.70 9.40 10.30 9.90 10.40 11.10 10.50 9.70  
30 17 13 10 11 13 15 30

3.90 5.90 6.60 6.80 6.80 7.20 6.40 6.90  
30 13 10 11 13 14 30

2.60 5.40 4.80 5.20 5.90 out  
30 10 25

3.50 drive 5.0 4.80 5.10 5.20  
30 9 10 30

3.10 6.90 7.60 7.10 7.40 6.30 8.0  
30 12 9 9 11 30

5.0 10.70 10.60 10.30 10.0 10.50 10.80 11.20 14.0  
30 13 11 10 10 13 20 30

4.60 5.90 5.70 4.90 4.60 5.30 7.6 7.60 10.6  
30 10 12 9 10 14 18 30

6.80 6.80 5.50 5.30 5.90 7.30 7.60 8.80  
30 15 12 8 11 17 30

1.30 2.30 6.60 5.20 5.0 5.40 6.20 4.60 4.50  
30 10 12 11 5 11 13 30

2.90 3.40 6.70 6.30 6.00 6.40 7.0 4.80 5.60  
30 18 14 12 7 9 13 30

2.40 3.60 5.80 5.40 4.90 5.60 6.0 4.80 5.40  
30 16 12 10 8 10 13 30

2.40 2.90 6.20 5.70 6.0 6.50 5.80 6.30  
30 20 14 8 9 10 30

	+	1278.75 H.I.	-	Elev.
T.P.	391	1278.27	6.37	1273.36
4340				1271.47
43450				1269.77
4440				1267.77
44450				1266.37
T.P.	371	1272.43	9.50	1268.77
4540				1266.18
45450				1263.98
4640				1260.18
T.P.	456	1262.35	11.49	1264.77
46450				1257.35
4740				1255.95
47450				1255.35
B.M. #3			9.09	1258.80
T.P.	5.11	1262.91		
4840				1254.61

2.60	1.40	5.50	5.10	4.80	5.30	5.70	4.90	5.70
30	18	12	11		8	10	12	30
2.40		3.70	7.20	6.50	6.80	7.40	6.50	6.20
30		11	25		7	8	10	30
5.30	6.10	9.10	8.80	8.50	8.90	9.40	7.80	8.10
30	17	12	11		7	9	11	30
9.20	9.00	10.50		9.90	10.40	10.70	9.40	11.40
30	15	12			8	9	11	30
3.80	4.80	6.0	5.80	5.30	5.70	6.10	4.50	5.20
30	15	14	12		8	9	11	21 0.41
2.80	4.20	8.10	7.60	7.50	7.80	8.20	4.40	6.50
30	20	15	12		5	7	12	30
5.50	7.40	12.20	11.60	11.30	11.60	12.10	6.10	7.40
30	19	14	13		5	7	12	
0.9	2.0	3.50	3.30	3.0	3.40	3.80	1.70	1.0
30	20	10	15		6	8	16	25
5.50	5.60	4.70	4.40	4.50	deive		7.40	
30	22	16		4			30	
6.0	6.20	5.0	5.0	5.20	6.40	10.60	10.80	
30	23	15		7	14	23	30	
2.30	2.80	6.70	6.50	6.30	6.80	7.40	5.70	4.60
30	22	15	14		7	10	12	30


	+	1260.91 HI	-	Elev
48+50				1256.01 X
49+0				1254.81 X
49+50				1251.41 X
T.P.	378	1257.92	10.77	1250.14
50+0				1247.72 X
50+50				1245.02 ✓
T.P.	425	1248.24	9.93	1248.99
51+0				1243.24 ✓
52+0				1241.14 X
53+0				1239.74 ✓
54+0				1239.14 X
T.P.	6.95	1248.96	9.23	1240.01
55+0				1239.16 X
56+0				1239.96 X
57+0				1241.16 X
B.M. #2			274	1243.22

	WA	↓	E
	190 30	4.0 15	5.40 14
	5.20 13	4.90	5.50 8
	260 13	370 18	70 13
	5.20 30	6.50 20	10.50 15
	9.90 13	9.50	10.0 7
	7.20 12	6.50 11	7.20 30
	1.0 30	2.0 21	7.10 14
	6.80 12	6.20	6.30
	drive	5.30 30	
	6.0 30	7.60 19	9.90 14
	9.50 13	8.90	9.50
	10.10 12	8.30 12	8.40 30
	2.60 30	3.50 18	5.40 13
	5.0	5.40 9	5.90 70
	4.50 13	4.8 20	4.6 30
	6.70 30	7.50 17	8.30 15
	7.70 13	7.10	7.60 8
	8.40 11	7.80 12	8.20 30
	8.30 30	9.10 17	9.50 16
	9.20 14	8.50	9.20 10
	9.80 12	9.40 13	10.60 30
	8.90 30	10.0 17	10.30 15
	9.60 14	9.10	9.90 10
	10.60 12	10.00 13	11.80 30
	9.50 30	8.80 23	7.90 21
	7.20 11	6.80	7.60 10
	9.40 13	8.10 16	8.70 25
	8.50 30	8.10 18	6.70 14
	6.0	6.80 11	8.0 13
	7.20 14	7.20 14	7.20 30
	5.50 30	5.60 16	6.10 15
	5.50 12	4.80	5.50 10
	6.40 12	5.40 11	6.40 30

	+	HI	-	Elev	
BM #2	9.17	1252.39		1243.22	+ .30
58+0				1242.99	x
59+0				1245.59	x
60+0				1247.59	x
T.P.	6.12	1252.87 <sup>3</sup>	464	1246.75	
61+0				1249.17	x
T.P.	5.33	1252.77 <sup>5</sup>	3.43	1249.44 <sup>50</sup>	1
62+0				1250.17	x
63+0				1251.97	x
BM #1			3.16	1252.61	+ .35
63+35		Wilson	11.16		x


	W	E	E	
290	230	1060	100	9.10
30	12	12	1	9.90
430	440	850	70	6.80
30	20	13	11	7.30
270		720	510	4.80
27		17	11	5.30
290	8.30	5.20	4.90	5.10
30	18	11		7.20
370	6.60	5.90	5.60	3.80
30	20	12		5.70
290	5.70	5.50	4.80	3.80
30	23	18	14	5.50
				3.20
	4.0			3.0
	30			3.50
				3.0

Cont. from Pg 34



+71	24	36" Cherry	45
+47	25'	Trip Ash + Locust	
+39	28'	13" Elm	
+30	25'	15" Elm	
+10	25'	Cherry Clump	
61+02	25'	12" Double Elm	
+98	27'	12" Elm	
+84	27'	10" Elm	
+65	28'	12" Elm	
60+0	CEI	29'	
59+51		27'	13" Maple
58+12	CEI	29'	
+53		21'	30" Ash
+32		22'	Begin Road fence
+51		26'	End fence
57+39		25'	13" Cherry
+38		24"	20" Ash
56+26	CEI	29'	
+83		27'	Start fence
+73		12'	12" X 20" CIP Drive
+65		27'	End fence
55+60		20'	13" Elm
		24" X 36" X 27"	Box + 30" Conc.
+74		13	14
+34	CEI	29'	
54+20		13'	12" X 20" Conc. Bed
+13		26'	Start Rail fence
53+02		29	30" Maple
52+51		24	14" cherry

Wilson Mills

63+20	23'	
+90	29'	fence
+60	23'	fence
+15	27'	30" Maple
62+04	13'	12" x 23" C.P. & Vit. Pipe
61+91	CEI	29'

Winkell  
Moore  
Rahal

8/18/65

Fowlers Mill Road Set A,  
Cloudy & Warm

47

8

7

6

5

4

3

2

1

0+81<sup>56</sup>


0

N



0'-00'-00"

see Pg. 2 this book



20

19

18

17

16

15

14+50<sup>80</sup>

14

13


12

11


10

9

N



178-17'-30"



31

30

29

28

27

26

25


24+49<sup>85</sup>

24


23

22


21



178°-57'-10"



N



33+97<sup>05</sup>

← Sherman Rd

33

32

179 59 60

179 17 30

42 30'

179 59 60

178 57 10

1 02 50

SPK SW side

CE# 277322

4781

NW Side

Signpost 124" up

2747

7006

4251

SPK SE side


26" Cherry


SPK N side 30"

Twin W. Cherry















































































DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope 1 1/2 to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in the column and top row. The number in body

of table in same row and column gives distance level estimate the distance in elevation between the side stake and the lower target by this amount if cut, elevation. Add this amount to cut or fill and find distance in table. Set up rod at side stake and find distance in table. If it does not make the right adjustment

**IMPROVED TABLES  
AND  
INFORMATION**

TABLE No. 2.

To find Tangent and External for curve of any other degree divide by degree of curve and add correction found in column of corrections. Degree of curve with a given  $L$  may be found by dividing tangent (or external), opposite  $L$  by given tangent (or external). The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.

## DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope  $1\frac{1}{2}$  to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in left column and top row. The number in body of table in same row and column gives distance from side stake to slope stake. If ground is not level estimate the difference in elevation between the side stake and slope stake, lower target by this amount if cut, elevate if fill. Add this amount to cut or fill and find distance in table. Set up rod at this point, and line of sight should cut target. If it does not make the slight adjustment necessary.

TABLE No. 9.

To find Tangent and External for curve of any other degree, divide by degree of curve and add correction found in column of corrections.

Degree of curve with a given I may be found by dividing tangent, (or external), opposite I by given tangent, (or external).

The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.




TABLE II  
TRIGONOMETRIC FORMULÆ.

$$\angle A = \angle MOP \quad \angle B = \angle PON = \angle OPL$$

$$R = OB = c = 1$$

$$\sin A = \frac{a}{c} = \frac{a}{1} = a = \cos B = LP$$

$$\cos A = \frac{b}{c} = \frac{b}{1} = b = \sin B = OL$$

$$\tan A = \frac{a}{b} = \frac{MQ}{OM} = \frac{MQ}{1} = MQ = \cot B = MQ$$

$$\cot A = \frac{NT}{ON} = \frac{NT}{1} = NT = \tan B = NT$$

$$\sec A = \frac{OQ}{OM} = \frac{OQ}{1} = OQ = \csc B = OQ$$

$$\csc A = \frac{OT}{ON} = \frac{OT}{1} = OT = \sec B = OT$$

$$\text{vers } A = \frac{LM}{OP} = LM = \text{covers } B \#$$

$$\text{covers } A = \frac{OP - LP}{OP} = OP - LP = \text{vers } B$$

$$\text{exsec } A = PQ = \text{coexsec } B$$

$$\text{coexsec } A = PT = \text{exsec } B$$

$$\sin \frac{1}{2} A = \sqrt{\frac{1 - \cos A}{2}} \quad \cos \frac{1}{2} A = \sqrt{\frac{1 + \cos A}{2}}$$

$$\sin 2A = 2 \sin A \cos A \quad \cos 2A = \cos^2 A - \sin^2 A$$

$$\text{Law of Lines} \quad \frac{\sin A}{a} = \frac{\sin B}{B} = \frac{\sin C}{C}$$

$$\text{Law of Cosines} \quad c^2 = a^2 + b^2 - 2ab \cos C$$

$$\text{Law of Tangents} \quad \frac{a+b}{a-b} = \frac{\tan \frac{1}{2}(A+B)}{\tan \frac{1}{2}(A-B)}$$

TABLE II—Continued  
TRIGONOMETRIC FORMULAE (continued)

In any triangle:

Given a, b, C; to find c, B, A.

Use Law of Lines.

Given A, B, c; to find a, b, C.

Use Law of Lines.

Given a, b, c; to find A, B, C.

$$\text{Let } \frac{a+b+c}{2} = s, \sqrt{\frac{(s-a)(s-b)(s-c)}{s}} = r$$

$$\cos \frac{1}{2} A = \sqrt{\frac{s(s-a)}{bc}}$$

$$\tan \frac{1}{2} A = \frac{r}{s-a}$$

$$\tan \frac{1}{2} B = \frac{r}{s-b}$$

$$\tan \frac{1}{2} C = \frac{r}{s-c}$$

Area of a triangle:

Area =  $\frac{1}{2} ab \sin C$

$$\text{Area} = \sqrt{s(s-a)(s-b)(s-c)}$$

PRISMOIDAL FORMULA.

$$\text{Vol.} = \frac{h}{6} (B + b + 4M)$$

h = altitude; b, B = bases; M = midsection

TABLE III  
INCHES AND FRACTIONS OF AN INCH IN DECIMALS OF A FOOT

	0	1	2	3	4	5	6	7	8	9	10	11
$\frac{1}{16}$	.0052	.0885	.1719	.2552	.3385	.4219	.5052	.5885	.6719	.7552	.8385	.9219
$\frac{1}{8}$	.0104	.0938	.1771	.2604	.3438	.4271	.5104	.5938	.6771	.7604	.8438	.9271
$\frac{3}{16}$	.0156	.0990	.1823	.2656	.3490	.4323	.5156	.5990	.6823	.7656	.8490	.9323
$\frac{1}{4}$	.0208	.1042	.1875	.2708	.3542	.4375	.5208	.6042	.6875	.7708	.8542	.9375
$\frac{5}{16}$	.0260	.1094	.1927	.2760	.3594	.4427	.5260	.6094	.6927	.7760	.8594	.9427
$\frac{3}{8}$	.0313	.1146	.1979	.2813	.3646	.4479	.5313	.6146	.6979	.7813	.8646	.9479
$\frac{7}{16}$	.0365	.1198	.2031	.2865	.3698	.4531	.5365	.6198	.7031	.7865	.8698	.9531
$\frac{1}{2}$	.0417	.1250	.2083	.2917	.3750	.4583	.5417	.6250	.7083	.7917	.8750	.9583
$\frac{9}{16}$	.0469	.1302	.2135	.2969	.3803	.4635	.5469	.6302	.7135	.7969	.8802	.9635
$\frac{5}{8}$	.0521	.1354	.2188	.3021	.3854	.4688	.5521	.6354	.7188	.8021	.8854	.9688
$\frac{11}{16}$	.0573	.1406	.2240	.3073	.3906	.4740	.5573	.6406	.7240	.8073	.8906	.9740
$\frac{3}{4}$	.0625	.1458	.2292	.3125	.3958	.4792	.5625	.6458	.7292	.8125	.8958	.9792
$\frac{13}{16}$	.0677	.1510	.2344	.3177	.4010	.4844	.5677	.6510	.7344	.8177	.9010	.9844
$\frac{7}{8}$	.0729	.1563	.2396	.3229	.4063	.4896	.5729	.6563	.7396	.8229	.9063	.9896
$\frac{15}{16}$	.0781	.1615	.2448	.3281	.4115	.4948	.5781	.6615	.7448	.8281	.9115	.9948
1	.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167	1.0000
	0	1	2	3	4	5	6	7	8	9	10	11

TABLE IV  
USEFUL RELATIONS.

Lineal feet	×.00019	= miles
Lineal yards	×.0006	= miles
Square inches	×.007	= square feet
Square feet	×.111	= square yards
Square yards	×.0002067	= acres
Acres	×4840	= square yards
Cubic inches	×.00058	= cubic feet
Cubic feet	×.03704	= cubic yards
Links	×.22	= yards
Links	×.66	= feet
Feet	×1.5	= links

$$360^\circ = 21600' = 1296000''$$

$$\text{Radius} = \text{arc of } 57.2957790^\circ$$

$$\text{Arc of } 1^\circ (\text{radius} = 1) = .017453292$$

$$\text{Arc of } 1' (\text{radius} = 1) = .000290888$$

$$\text{Arc of } 1'' (\text{radius} = 1) = .000004848$$

$$\pi = 3.141592654 \quad \sqrt{\frac{1}{4}} = 0.564190$$

$$\frac{\pi}{4} = 0.785398163 \quad \sqrt[3]{\frac{6}{\pi}} = 1.240700982$$

$$\frac{\pi}{6} = 0.523598776 \quad \pi^2 = 9.869604401$$

$$\sqrt{\frac{4}{\pi}} = 1.128379167 \quad \frac{1}{\pi^2} = 0.101321184$$

$$\frac{\pi}{6} = 0.523598776 \quad \sqrt{\pi} = 1.772453851$$

$$\frac{4\pi}{3} = 4.188790205 \quad \frac{1}{\pi} = 0.3183099$$

Curvature of Earth's surface = about 0.7 feet in 1 mile

Curvature in feet =  $0.667 (\text{Dist. in miles})^2$

Difference between arc and chord length, 0.05 feet in  $11\frac{1}{2}$  miles

$$\text{Probable error of a single observation} = 0.6754 \sqrt{\frac{M}{n-1}}$$

Error in chaining of 0.01 feet in 100 feet:

Due to—

1. Length of tape error of 0.01 feet
2. Alignment. One end 1.4 feet out of line
3. Sag of tape at centre of 0.61 feet.
4. Temperature difference of  $15^\circ$
5. Difference of pull of 15 lbs.

STADIA REDUCTION FORMULAE.

Horizontal Distance =  $R - R \sin^2 a + C \cos a$

Vertical Distance =  $R \frac{1}{2} \sin 2a + C \sin a$

$$R = \text{Reading} \times \frac{\text{distance from Object glass to cross hairs}}{\text{distance between cross hairs}}$$

C = distance from Object glass to cross hairs + distance from Object glass to center of instrument.

a = angle of elevation for mid Reading



TABLE VI (continued)  
SINES, COSINES, TANGENTS, COTANGENTS (continued)

deg	sin 0'	tan 0'	sin 10'	tan 10'	sin 20'	tan 20'	sin 30'	tan 30'	sin 40'	tan 40'	sin 50'	tan 50'	deg
46	7193	1.0355	7214	1.0416	7234	1.0477	7254	1.0533	7274	1.0599	7294	1.0661	43
47	314	.0724	333	.0786	353	.0850	373	.0913	392	.0977	412	.1041	42
48	431	.1106	451	.1171	470	.1237	490	.1303	509	.1369	528	.1436	41
49	547	.1504	566	.1571	585	.1640	604	.1708	623	.1778	642	.1847	40
50	660	1.1918	7679	1.1988	7698	1.2059	7716	1.2131	7735	1.2203	7753	1.2276	39
51	771	.2349	790	.2423	808	.2497	826	.2572	844	.2647	862	.2723	38
52	880	.2799	898	.2876	916	.2954	934	.3032	951	.3111	969	.3190	37
53	986	.3270	8004	.3351	8021	.3452	8039	.3514	8056	.3597	8073	.3680	36
54	8090	.3764	107	.3848	124	.3934	141	.4019	158	.4106	175	.4193	35
55	192	.4281	208	.4370	225	.4460	241	.4550	258	.4641	274	.4733	34
56	290	.4826	307	.4919	323	.5013	339	.5108	355	.5204	371	.5301	33
57	387	.5399	403	.5497	418	.5597	434	.5697	450	.5798	465	.5900	32
58	480	.6003	496	.6107	511	.6212	526	.6319	542	.6426	557	.6534	31
59	572	.6643	587	.6753	601	.6864	616	.6977	631	.7090	646	.7205	30
60	660	1.7321	8675	1.7437	8689	1.7556	8704	1.7675	8718	1.7797	8732	1.7917	29
61	746	.8040	760	.8165	774	.8291	788	.8418	802	.8546	816	.8676	28
62	829	.8807	843	.8940	857	.9074	870	.9210	884	.9347	897	.9486	27
63	910	.9626	923	.9768	936	.9912	949	2.0057	962	2.0204	975	2.0353	26
64	988	2.0503	9001	2.0655	9013	2.0809	9026	.0965	9038	.1123	9051	.1283	25
65	9063	.1445	075	.1609	088	.1775	100	.1943	112	.2113	124	.2286	24
66	135	.2460	147	.2637	159	.2817	171	.2998	182	.3183	194	.3369	23
67	205	.3559	216	.3750	228	.3945	239	.4142	250	.4342	261	.4545	22
68	272	.4751	283	.4960	293	.5172	304	.5386	315	.5605	325	.5826	21
69	336	.6051	346	.6279	356	.6511	367	.6746	377	.6985	387	.7228	20
70	397	2.7475	9407	2.7725	9417	2.7980	9426	2.8239	9436	2.8502	9446	2.8770	19
71	455	.9042	465	.9319	474	.9600	483	.9887	492	3.0178	502	3.0475	18
72	511	3.0777	520	3.1084	528	3.1397	537	3.1716	546	.2041	555	.2371	17
73	563	.2709	572	.3052	580	.3402	588	.3759	596	.4124	605	.4495	16
74	613	.4874	621	.5261	628	.5656	636	.6059	644	.6470	652	.6891	15
75	659	.7321	667	.7760	674	.8208	681	.8657	689	.9136	696	.9617	14
76	703	4.0108	710	4.0611	717	4.1126	724	4.1653	730	4.2193	737	4.2747	13
77	744	.3315	750	.3897	757	.4494	763	.5107	769	.5736	775	.6382	12
78	781	.7046	787	.7729	793	.8430	799	.9152	805	.9894	811	5.0658	11
79	816	.1446	822	5.2257	827	5.3093	833	5.3955	838	5.4845	843	.5764	10
80	9848	5.6713	9853	5.7694	9858	5.8708	9863	5.9758	9868	6.0844	9872	6.1970	9
81	877	6.3138	881	6.4348	886	6.5606	890	6.6912	894	.8269	899	.9682	8
82	903	7.1154	907	7.2687	911	7.4287	914	7.5958	918	7.7704	922	7.9530	7
83	925	8.1443	929	8.3450	932	8.5555	936	8.7769	939	9.0098	942	9.2553	6
84	945	9.5144	948	9.7882	951	10.078	954	10.385	957	10.711	959	11.059	5
85	962	11.430	964	11.826	967	12.250	969	12.706	971	13.197	974	13.727	4
86	976	14.300	978	14.924	980	15.605	981	16.350	983	17.169	985	18.075	3
87	986	19.081	988	20.206	989	21.470	990	22.903	992	24.542	993	26.432	2
88	994	28.636	995	31.242	996	34.368	997	38.189	997	42.964	998	49.104	1
89	999	57.290	999	68.750	999	85.940	999	114.58	1.000	171.88	1.000	343.77	0
90	60'	60'	50'	50'	40'	40'	30'	30'	20'	20'	10'	10'	0
	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	deg

TABLE VII  
RODS IN FEET AND INCHES

Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches
1	16-6	21	346-6	41	676-6	61	1006-6	81	1336-6
2	33-0	22	363-0	42	693-0	62	1023-0	82	1353-0
3	49-6	23	379-6	43	709-6	63	1039-6	83	1369-6
4	66-0	24	396-0	44	726-0	64	1056-0	84	1386-0
5	82-6	25	412-6	45	742-6	65	1072-6	85	1402-6
6	99-0	26	429-0	46	759-0	66	1089-0	86	1419-0
7	115-6	27	445-6	47	775-6	67	1105-6	87	1435-6
8	132-0	28	462-0	48	792-0	68	1122-0	88	1452-0
9	148-6	29	478-6	49	808-6	69	1138-6	89	1468-6
10	165-0	30	495-0	50	825-0	70	1155-0	90	1485-0
11	181-6	31	511-6	51	841-6	71	1171-6	91	1501-6
12	198-0	32	528-0	52	858-0	72	1188-0	92	1518-0
13	214-6	33	544-6	53	874-6	73	1204-6	93	1534-6
14	231-0	34	561-0	54	891-0	74	1221-0	94	1551-0
15	247-6	35	577-6	55	907-6	75	1237-6	95	1567-6
16	264-0	36	594-0	56	924-0	76	1254-0	96	1584-0
17	280-6	37	610-6	57	940-6	77	1270-6	97	1600-6
18	297-0	38	627-0	58	957-0	78	1287-0	98	1617-0
19	313-6	39	643-6	59	973-6	79	1303-6	99	1633-6
20	330-0	40	660-0	60	990-0	80	1320-0	100	1650-0

TABLE VIII  
LINKS IN FEET AND INCHES

Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches
1	0-7.92	18	11-10.56	35	23-1.20	52	34-3.84	69	45-6.48
2	1-3.84	19	12-6.48	36	23-9.12	53	34-11.76	70	46-2.40
3	1-11.76	20	13-2.40	37	24-5.04	54	35-7.68	71	46-10.32
4	2-7.68	21	13-10.32	38	25-0.96	55	36-3.60	72	47-6.24
5	3-3.60	22	14-6.24	39	25-8.88	56	36-11.52	73	48-2.16
6	3-11.52	23	15-2.16	40	26-4.80	57	37-7.44	74	48-10.08
7	4-7.44	24	15-10.08	41	27-0.72	58	38-3.36	75	49-6.00
8	5-3.36	25	16-6.00	42	27-8.64	59	38-11.28	76	50-1.92
9	5-11.28	26	17-1.92	43	28-4.56	60	39-7.20	77	50-9.84
10	6-7.20	27	17-9.84	44	29-0.48	61	40-3.12	78	51-5.76
11	7-3.12	28	18-5.76	45	29-8.40	62	40-11.04	79	52-1.68
12	7-11.04	29	19-1.68	46	30-4.32	63	41-6.96	80	52-9.60
13	8-6.96	30	19-9.60	47	31-0.24	64	42-2.88	81	53-5.52
14	9-2.88	31	20-5.52	48	31-8.16	65	42-10.80	82	54-1.44
15	9-10.80	32	21-1.44	49	32-4.08	66	43-6.72	83	54-9.36
16	10-6.72	33	21-9.36	50	33-0.00	67	44-2.64	84	55-5.28
17	11-2.64	34	22-5.28	51	33-7.92	68	44-10.56	85	56-1.20

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=10°	I	T	E	I=20°	I	T	E	I=30°
1°	50.00	.218	+	11°	551.70	26.500	+	21°	1061.9	97.577	+
10'	58.34	.297	5° C.	10'	560.11	27.313	5° C	10'	1070.6	99.155	5° C
20'	66.67	.388	T	20'	568.53	28.137	T	20'	1079.2	100.75	T
30'	75.01	.491	E	30'	576.95	28.974	E	30'	1087.8	102.35	E
40'	83.34	.606	.03	40'	585.36	29.824	.06	40'	1096.4	103.97	.10
50'	91.68	.733	E	50'	593.79	30.686	E	50'	1105.1	105.60	E
2°	100.01	.873	.001	12°	602.21	31.561	.006	22°	1113.7	107.24	.013
10'	108.35	1.024		10'	610.64	32.447		10'	1122.4	108.90	
20'	116.68	1.188		20'	619.07	33.347		20'	1131.0	110.57	
30'	125.02	1.364		30'	627.50	34.259		30'	1139.7	112.25	
40'	133.36	1.552		40'	635.93	35.183		40'	1148.4	113.95	
50'	141.70	1.752		50'	644.37	36.120		50'	1157.0	115.66	
3°	150.04	1.964	10° C.	13°	652.81	37.070	10° C.	23°	1165.7	117.38	10° C.
10'	158.38	2.188	T	10'	661.25	38.031	T	10'	1174.4	119.12	T
20'	166.72	2.425	.06	20'	669.70	39.006	.13	20'	1183.1	120.87	.19
30'	175.06	2.674	E	30'	678.15	39.993	E	30'	1191.8	122.63	E
40'	183.40	2.934	.003	40'	686.60	40.992	.011	40'	1200.5	124.41	.025
50'	191.74	3.207		50'	695.06	42.004		50'	1209.2	126.20	
4°	200.08	3.492		14°	703.51	43.029		24°	1217.9	128.00	
10'	208.43	3.790		10'	711.97	44.066		10'	1226.6	129.82	
20'	216.77	4.099		20'	720.44	45.116		20'	1235.3	131.65	
30'	225.12	4.421		30'	728.90	46.178		30'	1244.0	133.50	
40'	233.47	4.755		40'	737.37	47.253		40'	1252.8	135.35	
50'	241.81	5.100	15° C.	50'	745.85	48.341	15° C.	50'	1261.5	137.23	15° C.
5°	250.16	5.459	T	15°	754.32	49.441	T	25°	1270.2	139.11	T
10'	258.51	5.829	.09	10'	762.80	50.554	.19	10'	1279.0	141.01	.29
20'	266.86	6.211	E	20'	771.29	51.679	E	20'	1287.7	142.93	E
30'	275.21	6.606	.004	30'	779.77	52.818	.017	30'	1296.5	144.85	.038
40'	283.57	7.013		40'	788.26	53.969		40'	1305.3	146.79	
50'	291.92	7.432		50'	796.75	55.132		50'	1314.0	148.75	
6°	300.28	7.863		16°	805.25	56.309		26°	1322.8	150.71	
10'	308.64	8.307		10'	813.75	57.498		10'	1331.6	152.69	
20'	316.99	8.762		20'	822.25	58.699		20'	1340.4	154.69	
30'	325.35	9.230		30'	830.76	59.914		30'	1349.2	156.70	
40'	333.71	9.710	20° C.	40'	839.27	61.141	20° C.	40'	1358.0	158.72	20° C.
50'	342.08	10.202	T	50'	847.78	62.381	T	50'	1366.8	160.76	T
7°	350.44	10.707	.13	17°	856.30	63.634	.26	27°	1375.6	162.81	.39
10'	358.81	11.224	E	10'	864.82	64.900	E	10'	1384.4	164.86	E
20'	367.17	11.753	.006	20'	873.35	66.178	.022	20'	1393.2	166.95	.051
30'	375.54	12.294		30'	881.88	67.470		30'	1402.0	169.04	
40'	383.91	12.847		40'	890.41	68.774		40'	1410.9	171.15	
50'	392.28	13.413		50'	898.95	70.091		50'	1419.7	173.27	
8°	400.66	13.991		18°	907.49	71.421		28°	1428.6	175.41	
10'	409.03	14.582	25° C.	10'	916.03	72.764	25° C.	10'	1437.4	177.55	25° C.
20'	417.41	15.184	T	20'	924.58	74.119	T	20'	1446.3	179.72	T
30'	425.79	15.799	.16	30'	933.13	75.488	.32	30'	1455.1	181.89	.49
40'	434.17	16.426	E	40'	941.69	76.869	E	40'	1464.0	184.08	E
50'	442.55	17.065		50'	950.25	78.264		50'	1472.9	186.29	
9°	450.93	17.717	.007	19°	958.81	79.671	.028	29°	1481.8	188.51	.065
10'	459.32	18.381		10'	967.38	81.092		10'	1490.7	190.74	
20'	467.71	19.058		20'	975.96	82.525		20'	1499.6	192.99	
30'	476.10	19.746		30'	984.53	83.972		30'	1508.5	195.25	
40'	484.49	20.447		40'	993.12	85.431		40'	1517.4	197.53	
50'	492.88	21.161		50'	1001.7	86.904		50'	1526.3	199.82	
10°	501.28	21.887	30° C.	20°	1010.3	88.389	30° C.	30°	1535.3	202.12	30° C.
10'	509.68	22.624	T	10'	1018.9	89.888	T	10'	1544.2	204.44	T
20'	518.08	23.375	.19	20'	1027.5	91.399	.39	20'	1553.1	206.77	.59
30'	526.48	24.138	E	30'	1036.1	92.924	E	30'	1562.1	209.12	E
40'	534.89	24.913	.008	40'	1044.7	94.462	.034	40'	1571.0	211.48	.078
50'	543.29	25.700		50'	1053.3	96.013		50'	1580.0	213.86	

T = R tan 1/2 I

E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=40°	I	T	E	I=50°	I	T	E	I=60°
31°	1589.0	216.3	+	41°	2142.2	387.4	+	51°	2732.9	618.4	+
10'	1598.0	218.7	5° C.	10'	2151.7	390.7	5° C.	10'	2743.1	622.8	5° C.
20'	1606.9	221.1	T	20'	2161.2	394.1	T	20'	2753.4	627.2	T
30'	1615.9	223.5	E	30'	2170.8	397.4	E	30'	2763.7	631.7	E
40'	1624.9	226.0	.13	40'	2180.3	400.8	.17	40'	2773.9	636.2	.21
50'	1633.9	228.4	E	50'	2189.9	404.2	E	50'	2784.2	640.7	E
32°	1643.0	230.9	.023	42°	2199.4	407.6	.037	52°	2794.5	645.2	.056
10'	1652.0	233.4		10'	2209.0	411.1		10'	2804.9	649.7	
20'	1661.0	235.9		20'	2218.6	414.5		20'	2815.2	654.3	
30'	1670.0	238.4		30'	2228.1	418.0		30'	2825.6	658.8	
40'	1679.1	241.0		40'	2237.7	421.4		40'	2835.9	663.4	
50'	1688.1	243.5		50'	2247.3	425.0		50'	2846.3	668.0	
33°	1697.2	246.1	10° C.	43°	2257.0	428.5	10° C.	53°	2856.7	672.7	10° C.
10'	1706.3	248.7	T	10'	2266.6	432.0	T	10'	2867.1	677.3	T
20'	1715.3	251.3	.26	20'	2276.2	435.6	.34	20'	2877.5	682.0	.42
30'	1724.4	253.9	E	30'	2285.9	439.2	E	30'	2888.0	686.7	E
40'	1733.5	256.5	.046	40'	2295.6	442.8	.075	40'	2898.4	691.4	.112
50'	1742.6	259.1		50'	2305.2	446.4		50'	2908.9	696.1	
34°	1751.7	261.8		44°	2314.9	450.0		54°	2919.4	700.9	
10'	1760.8	264.5		10'	2324.6	453.6		10'	2929.9	705.7	
20'	1770.0	267.2		20'	2334.3	457.3		20'	2940.4	710.5	
30'	1779.1	269.9		30'	2344.1	461.0		30'	2951.0	715.3	
40'	1788.2	272.6		40'	2353.8	464.6		40'	2961.5	720.1	
50'	1797.4	275.3	15° C.	50'	2363.5	468.4	15° C.	50'	2972.1	725.0	15° C.
35°	1806.6	278.1	T	45°	2373.3	472.1	T	55°	2982.7	729.9	T
10'	1815.7	280.8	.40	10'	2383.1	475.8	.51	10'	2993.3	734.8	.63
20'	1824.9	283.6	E	20'	2392.8	479.6	E	20'	3003.9	739.7	E
30'	1834.1	286.4	.070	30'	2402.6	483.4	.116	30'	3014.5	744.6	.168
40'	1843.3	289.2		40'	2412.4	487.2		40'	3025.2	749.6	
50'	1852.5	292.0		50'	2422.3	491.0		50'	3035.8	754.6	
36°	1861.7	294.9		46°	2432.1	494.8		56°	3046.5	759.6	
10'	1870.9	297.7		10'	2441.9	498.7		10'	3057.2	764.6	
20'	1880.1	300.6		20'	2451.8	502.5		20'	3067.9	769.7	
30'	1889.4	303.5		30'	2461.7	506.4		30'	3078.7	774.7	
40'	1898.6	306.4	20° C.	40'	2471.5	510.3	20° C.	40'	3089.4	779.8	20° C.
50'	1907.9	309.3	T	50'	2481.4	514.3	T	50'	3100.2	784.9	T
37°	1917.1	312.2	.53	47°	2491.3	518.2	.68	57°	3110.9	790.1	.84
10'	1926.4	315.2	E	10'	2501.2	522.2	E	10'	3121.7	795.2	E
20'	1935.7	318.1	.093	20'	2511.2	526.1	.151	20'	3132.6	800.4	.225
30'	1945.0	321.1		30'	2521.1	530.1		30'	3143.4	805.6	
40'	1954.3	324.1		40'	2531.1	534.2		40'	3154.2	810.9	
50'	1963.6	327.1		50'	2541.0	538.2		50'	3165.1	816.1	
38°	1972.9	330.2		48°	2551.0	542.2		58°	3176.0	821.4	
10'	1982.2	333.2	25° C.	10'	2561.0	546.3	25° C.	10'	3186.9	826.7	25° C.
20'	1991.5	336.3	T	20'	2571.0	550.4	T	20'	3197.8	832.0	T
30'	2000.9	339.3	.67	30'	2581.0	554.5	.85	30'	3208.8	837.3	.105
40'	2010.2	342.4	E	40'	2591.0	558.6	E				

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=70°	I	T	E	I=80°	I	T	E	I=90°
61°	3375.0	920.2	+	71°	4086.9	1308.2	+	81°	4893.6	1805.3	+
10'	3386.3	925.9	5° C.	10'	4099.5	1315.6	5° C.	10'	4908.0	1814.7	5° C.
20'	3397.5	931.6	T	20'	4112.1	1322.9	T	20'	4922.5	1824.1	T
30'	3408.8	937.3	.25	30'	4124.8	1330.3	.30	30'	4937.0	1833.6	.36
40'	3420.1	943.1	E	40'	4137.4	1337.7	E	40'	4951.5	1843.1	E
50'	3431.4	948.9	E	50'	4150.1	1345.1	E	50'	4966.1	1852.6	E
62°	3442.7	954.8	.080	72°	4162.8	1352.6	.110	82°	4980.7	1862.2	.149
10'	3454.1	960.6	T	10'	4175.6	1360.1	T	10'	4995.4	1871.8	T
20'	3465.4	966.5	E	20'	4188.5	1367.6	E	20'	5010.0	1881.5	E
30'	3476.8	972.4	.51	30'	4201.2	1375.2	.61	30'	5024.8	1891.2	.72
40'	3488.3	978.3	E	40'	4214.0	1382.8	E	40'	5039.5	1900.9	E
50'	3499.7	984.3	E	50'	4226.8	1390.4	E	50'	5054.3	1910.7	E
63°	3511.1	990.2	10° C.	73°	4239.7	1398.0	10° C.	83°	5069.2	1920.5	10° C.
10'	3522.6	996.2	T	10'	4252.6	1405.7	T	10'	5084.0	1930.4	T
20'	3534.1	1002.3	.51	20'	4265.6	1413.5	.61	20'	5099.0	1940.3	.72
30'	3545.6	1008.3	E	30'	4278.5	1421.2	E	30'	5113.9	1950.3	E
40'	3557.2	1014.4	.159	40'	4291.5	1429.0	.220	40'	5128.9	1960.2	.299
50'	3568.7	1020.5	E	50'	4304.6	1436.8	E	50'	5143.9	1970.3	E
64°	3580.3	1026.6	15° C.	74°	4317.6	1444.6	15° C.	84°	5159.0	1980.4	15° C.
10'	3591.9	1032.8	T	10'	4330.7	1452.5	T	10'	5174.1	1990.5	T
20'	3603.5	1039.0	.76	20'	4343.8	1460.4	.91	20'	5189.3	2000.6	.109
30'	3615.1	1045.2	E	30'	4356.9	1468.4	E	30'	5204.4	2010.8	E
40'	3626.8	1051.4	.240	40'	4370.1	1476.4	.332	40'	5219.7	2021.1	.450
50'	3638.5	1057.7	E	50'	4383.3	1484.4	E	50'	5234.9	2031.4	E
65°	3650.2	1063.9	20° C.	75°	4396.5	1492.4	20° C.	85°	5250.3	2041.7	20° C.
10'	3661.9	1070.2	T	10'	4409.8	1500.5	T	10'	5265.6	2052.1	T
20'	3673.7	1076.6	.76	20'	4423.1	1508.6	.91	20'	5281.0	2062.5	.109
30'	3685.4	1082.9	E	30'	4436.4	1516.7	E	30'	5296.4	2073.0	E
40'	3697.2	1089.3	.240	40'	4449.7	1524.9	.332	40'	5311.9	2083.5	.450
50'	3709.0	1095.7	E	50'	4463.1	1533.1	E	50'	5327.4	2094.1	E
66°	3720.9	1102.2	25° C.	76°	4476.5	1541.4	25° C.	86°	5343.0	2104.7	25° C.
10'	3732.7	1108.6	T	10'	4489.9	1549.7	T	10'	5358.6	2115.3	T
20'	3744.6	1115.1	.102	20'	4503.4	1558.0	.122	20'	5374.2	2126.0	.145
30'	3756.5	1121.7	E	30'	4516.9	1566.3	E	30'	5389.9	2136.7	E
40'	3768.5	1128.2	.200	40'	4530.4	1574.7	.220	40'	5405.6	2147.5	.299
50'	3780.4	1134.8	E	50'	4544.0	1583.1	E	50'	5421.4	2158.4	E
67°	3792.4	1141.4	30° C.	77°	4557.6	1591.6	30° C.	87°	5437.2	2169.2	30° C.
10'	3804.4	1148.0	T	10'	4571.2	1600.1	T	10'	5453.1	2180.2	T
20'	3816.4	1154.7	.321	20'	4584.8	1608.6	.445	20'	5469.0	2191.1	.603
30'	3828.4	1161.3	E	30'	4598.5	1617.1	E	30'	5484.9	2202.2	E
40'	3840.5	1168.1	.128	40'	4612.2	1625.7	.153	40'	5500.9	2213.2	.183
50'	3852.6	1174.8	E	50'	4626.0	1634.4	E	50'	5517.0	2224.3	E
68°	3864.7	1181.6	35° C.	78°	4639.8	1643.0	35° C.	88°	5533.1	2235.5	35° C.
10'	3876.8	1188.4	T	10'	4653.6	1651.7	T	10'	5549.2	2246.7	T
20'	3889.0	1195.2	.128	20'	4667.4	1660.5	.153	20'	5565.4	2258.0	.183
30'	3901.2	1202.0	E	30'	4681.3	1669.2	E	30'	5581.6	2269.3	E
40'	3913.4	1208.9	.154	40'	4695.2	1678.1	.183	40'	5597.8	2280.6	.220
50'	3925.6	1215.8	E	50'	4709.2	1686.9	E	50'	5614.2	2292.0	E
69°	3937.9	1222.7	40° C.	79°	4723.2	1695.8	40° C.	89°	5630.5	2303.5	40° C.
10'	3950.2	1229.7	T	10'	4737.2	1704.7	T	10'	5646.9	2315.0	T
20'	3962.5	1236.7	.154	20'	4751.2	1713.7	.184	20'	5663.4	2326.6	.220
30'	3974.8	1243.7	E	30'	4765.3	1722.7	E	30'	5679.9	2338.2	E
40'	3987.2	1250.8	.184	40'	4779.4	1731.7	.220	40'	5696.4	2349.8	.260
50'	3999.5	1257.9	E	50'	4793.6	1740.8	E	50'	5713.0	2361.5	E
70°	4011.9	1265.0	45° C.	80°	4807.7	1749.9	45° C.	90°	5729.7	2373.3	45° C.
10'	4024.4	1272.1	T	10'	4822.0	1759.0	T	10'	5746.3	2385.1	T
20'	4036.8	1279.3	.184	20'	4836.2	1768.2	.220	20'	5763.1	2397.0	.260
30'	4049.3	1286.5	E	30'	4850.5	1777.4	E	30'	5779.9	2408.9	E
40'	4061.8	1293.6	.220	40'	4864.8	1786.7	.260	40'	5796.7	2420.9	.299
50'	4074.4	1300.9	E	50'	4879.2	1796.0	E	50'	5813.6	2432.9	E

T = R tan 1/2 I

E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=100°	I	T	E	I=110°	I	T	E	I=120°
91°	5830.5	2444.9	+	101°	6950.6	3278.1	+	111°	8336.7	4386.1	+
10'	5847.5	2457.1	5° C.	10'	6971.3	3294.1	5° C.	10'	8362.7	4407.6	5° C.
20'	5864.6	2469.3	T	20'	6992.0	3310.1	T	20'	8388.9	4429.2	T
30'	5881.7	2481.5	.36	30'	7012.7	3326.1	.36	30'	8415.1	4450.9	.36
40'	5898.8	2493.8	E	40'	7033.6	3342.3	E	40'	8441.5	4472.7	E
50'	5916.0	2506.1	E	50'	7054.5	3358.5	E	50'	8468.0	4494.6	E
92°	5933.2	2518.5	.200	102°	7075.5	3374.9	.268	112°	8494.6	4516.6	.360
10'	5950.5	2531.0	T	10'	7096.6	3391.2	T	10'	8521.3	4538.8	T
20'	5967.9	2543.5	.72	20'	7117.8	3407.7	.72	20'	8548.1	4561.1	.72
30'	5985.3	2556.0	E	30'	7139.0	3424.3	E	30'	8575.0	4583.4	E
40'	6002.7	2568.3	.401	40'	7160.3	3440.9	.401	40'	8602.1	4606.0	.401
50'	6020.2	2581.3	E	50'	7181.7	3457.6	E	50'	8629.3	4628.6	E
93°	6037.8	2594.0	10° C.	103°	7203.2	3474.4	10° C.	113°	8656.6	4651.3	10° C.
10'	6055.4	2606.8	T	10'	7224.7	3491.3	T	10'	8684.0	4674.2	T
20'	6073.1	2619.7	.86	20'	7246.3	3508.2	.86	20'	8711.5	4697.2	.86
30'	6090.8	2632.6	E	30'	7268.0	3525.2	E	30'	8739.0	4720.3	E
40'	6108.6	2645.5	.401	40'	7289.8	3542.4	.401	40'	8767.0	4743.6	.401
50'	6126.4	2658.5	E	50'	7311.7	3559.6	E	50'	8794.9	4766.9	E
94°	6144.3	2671.6	15° C.	104°	7333.6	3576.8	15° C.	114°	8822.9	4790.4	15° C.
10'	6162.2	2684.7	T	10'	7355.6	3594.2	T	10'	8851.0	4814.1	T
20'	6180.2	2697.9	.86	20'	7377.8	3611.7	.86	20'	8879.3	4837.8	.86
30'	6198.3	2711.2	E	30'	7399.9	3629.2	E	30'	8907.7	4861.7	E
40'	6216.4	2724.5	.401	40'	7422.2	3646.8	.401	40'	8936.3	4885.7	.401
50'	6234.6	2737.9	E	50'	7444.6	3664.5	E	50'	8965.0	4909.9	E
95°	6252.8	2751.3	20° C.	105°	7467.0	3682.3	20° C.	115°	8993.8	4934.1	20° C.
10'	6271.1	2764.8	T	10'	7489.6	3700.2	T	10'	9022.7	4958.6	T
20'	6289.4	2778.3	.86	20'	7512.2	3718.2	.86	20'	9051.7	4983.1	.86
30'	6307.9	2792.0	E	30'	7534.9	3736.2	E	30'	9080.9	5007.8	E
40'	6326.3	2805.6	.401	40'	7557.7	3754.4	.401	40'	9110.3	5032.6	.401
50'	6344.8	2819.4	E	50'	7580.5	3772.6	E	50'	9139.8	5057.6	E
96°	6363.4	2833.2	25° C.	106°	7603.5	3791.0	25° C.	116°	9169.4	5082.7	25° C.
10'	6382.1	2847.0	T	10'	7626.6	3809.4	T	10'	9199.1	5107.9	T
20'	6400.8	2861.0	.86	20'	7649.7	3827.9	.86	20'	9229.0	5133.3	.86
30'	6419.5	2875.0	E	30'	7672.9	3846.5	E	30'	9259.0	5158.8	E
40'	6438.4	2889.0	.401	40'	7696.3	3865.2	.401	40'	9289.2	5184.5	.401
50'	6457.3	2903.1	E	50'	7719.7	3884.0	E	50'	9319.5	5210.3	E
97°	6476.2	2917.3	30° C.	107°	7743.2	3902.9	30° C.	117°	9349.9	5236.2	30° C.
10'	6495.2	2931.6	T	10'	7766.8	3921.9	T	10'	9380.5	5262.3	T
20'	6514.3	2945.9	.86	20'	7790.5	3940.9	.86	20'	9411.3	5288.6	.86
30'	6533.4	2960.3	E	30'	7814.3	3960.1	E	30'	9442.2	5315.0	E
40'	6552.6	2974.7	.401	40'	7838.1	3979.4	.401	40'	9473.2	5341.5	.401
50'	6571.9	2989.2	E	50'	7862.1	3998.7	E	50'	9504.4	5368.2	E
98°	6591.2	3003.8	35° C.	108°	7886.2	4018.2	35° C.	118°	9535.7	5395.1	35° C.
10'	6610.6	3018.4	T	10'	7910.4	4037.8	T	10'	9567.2	54	

TABLE X.  
MIDDLE ORDINATES OF RAILS  
Length of Rail (feet)

C	R	30	28	26	24	22	20	O	R	30	28	26	24	22	20
o /	Feet	Inch	Inch	Inch	Inch	Inch	Inch	o	Feet	Inch	Inch	Inch	Inch	Inch	Inch
0-20	17189	.08	.07	.06	.05	.04	.03	8	716.8	1.88	1.64	1.42	1.20	1.01	.84
0-40	8594	.16	.14	.12	.10	.08	.07	9	637.3	2.12	1.84	1.60	1.35	1.14	.94
1-0	5730	.24	.20	.18	.15	.13	.10	10	573.7	2.36	2.05	1.78	1.50	1.27	1.04
1-20	4297	.31	.27	.23	.20	.17	.13	11	521.7	2.59	2.26	1.95	1.65	1.39	1.15
1-40	3438	.39	.34	.29	.25	.21	.17	12	478.3	3.83	3.47	3.15	2.81	2.54	2.26
2-0	2865	.47	.41	.35	.30	.25	.20	13	441.7	3.05	2.66	2.30	1.96	1.66	1.36
2-20	2456	.55	.48	.41	.35	.29	.23	14	410.3	3.30	2.87	2.48	2.10	1.78	1.46
2-40	2149	.63	.55	.47	.40	.33	.27	15	383.1	3.54	3.08	2.68	2.26	1.91	1.57
3-0	1910	.71	.62	.53	.45	.38	.31	16	359.3	3.76	3.28	2.83	2.40	2.04	1.67
3-20	1719	.78	.68	.59	.50	.42	.35	17	338.3	4.00	3.48	3.02	2.57	2.16	1.78
3-40	1563	.86	.75	.65	.55	.46	.38	18	319.6	4.21	3.67	3.18	2.70	2.28	1.87
4-0	1433	.94	.82	.71	.60	.50	.42	19	302.9	4.45	3.89	3.36	2.86	2.41	1.98
4-20	1323	1.02	.89	.77	.65	.55	.45	20	287.9	4.70	4.09	3.55	3.00	2.54	2.09
4-40	1228	1.10	.96	.83	.70	.59	.48	22	262.0	5.16	4.44	3.84	3.30	2.80	2.29
5	1146	1.18	1.03	.89	.75	.63	.52	24	240.5	5.64	4.92	4.20	3.59	3.04	2.50
6	955.3	1.41	1.23	1.06	.90	.76	.62	26	222.3	6.07	5.29	4.58	3.88	3.29	2.70
7	819.0	1.65	1.44	1.24	1.05	.89	.73								

TABLE XI.  
SHORT RADIUS CURVES

Radius Feet	Chord Feet	Central Angle	Deflection Angle	Deflection for 1 Foot
35	10	16-26	8-13	49.3
45	10	12-46	6-23	38.3
50	15	17-16	8-38	34.5
60	15	14-22	7-11	28.8
75	15	11-30	5-45	23.0
100	20	11-30	5-45	17.3
120	20	9-34	4-47	14.3
150	20	7-39	3-49	11.5
190	25	7-32	3-46	9.15
200	25	7-10	3-35	8.6
225	25	6-25	3-12	7.7
240	25	5-58	2-59	7.2
250	25	5-44	2-52	6.9
275	25	5-12	2-36	6.2
288	50	9-58	4-59	6.0
300	50	9-32	4-46	5.7
350	50	8-12	4-06	4.9
376	50	7-40	3-50	4.6
400	50	7-10	3-35	4.3
410	50	7-00	3-30	4.2

To find length of curve divide angle from P. C. to P. T. by central angle of chord, and multiply by length of chord.


TABLE XII.  
INCLINED DISTANCE OF 100 FT. REDUCED TO HORIZONTAL

Slope	Horizontal Distance	Correction	Rise	Slope	Horizontal Distance	Correction	Rise
0°00'	100.000	0.000	0.000	8°00'	99.027	0.973	0.139
15'	99.999	0.001	0.004	15'	98.965	1.035	0.143
30'	99.996	0.004	0.009	30'	98.902	1.098	0.148
45'	99.991	0.009	0.013	45'	98.836	1.164	0.152
1 00	99.985	0.015	0.017	9 00	98.769	1.231	0.156
15	99.976	0.024	0.022	15	98.700	1.300	0.161
30	99.966	0.034	0.026	30	98.629	1.371	0.165
45	99.953	0.047	0.031	45	98.556	1.444	0.169
2 00	99.939	0.061	0.035	10 00	98.481	1.519	0.174
15	99.923	0.077	0.039	15	98.404	1.596	0.178
30	99.905	0.095	0.044	30	98.325	1.675	0.182
45	99.885	0.115	0.048	45	98.245	1.755	0.187
3 00	99.863	0.137	0.052	11 00	98.163	1.837	0.191
15	99.839	0.161	0.057	15	98.079	1.921	0.195
30	99.813	0.187	0.061	30	97.992	2.008	0.199
45	99.786	0.214	0.065	45	97.905	2.095	0.204
4 00	99.756	0.244	0.070	12 00	97.815	2.185	0.208
15	99.725	0.275	0.074	15	97.723	2.277	0.212
30	99.692	0.308	0.078	30	97.630	2.370	0.216
45	99.657	0.343	0.083	45	97.534	2.466	0.221
5 00	99.619	0.381	0.087	13 00	97.437	2.563	0.225
15	99.580	0.420	0.092	15	97.338	2.662	0.229
30	99.540	0.460	0.096	30	97.237	2.763	0.233
45	99.497	0.503	0.100	45	97.134	2.866	0.238
6 00	99.452	0.548	0.105	14 00	97.030	2.970	0.242
15	99.406	0.594	0.109	15	96.923	3.077	0.246
30	99.357	0.643	0.113	30	96.815	3.185	0.250
45	99.307	0.693	0.118	45	96.705	3.295	0.255
7 00	99.255	0.745	0.122	15 00	96.593	3.407	0.259
15	99.200	0.800	0.126	15	96.479	3.521	0.263
30	99.144	0.856	0.131	30	96.363	3.637	0.267
45	99.087	0.913	0.135	45	96.246	3.754	0.271

For each foot take one one-hundredth of each reading.

TABLE XIII.  
MINUTES IN DECIMALS OF A DEGREE.

0 30"	.00833	10' 30"	.17500	20' 30"	.34167	30' 10"	.50833	40' 30"	.67500	50' 10"	.84167
1 00	.01667	11 00	.18333	21 00	.35000	31 00	.51667	41 00	.68333	51 00	.85000
30	.02500	30	.19167	30	.35833	30	.52500	30	.69167	30	.85833
2 00	.03333	12 00	.20000	22 00	.36667	32 00	.53333	42 00	.70000	52 00	.86667
30	.04167	30	.20833	30	.37500	30	.54167	30	.70833	30	.87500
3 00	.05000	13 00	.21667	23 00	.38333	33 00	.55000	43 00	.71667	53 00	.88333
30	.05833	30	.22500	30	.39167	30	.55833	30	.72500	30	.89167
4 00	.06667	14 00	.23333	24 00	.40000	34 00	.56667	44 00	.73333	54 00	.90000
30	.07500	30	.24167	30	.40833	30	.57500	30	.74167	30	.90833
5 00	.08333	15 00	.25000	25 00	.41667	35 00	.58333	45 00	.75000	55 00	.91667
30	.09167	30	.25833	30	.42500	30	.59167	30	.75833	30	.92500
6 00	.10000	16 00	.26667	26 00	.43333	36 00	.60000	46 00	.76667	56 00	.93333
30	.10833	30	.27500	30	.44167	30	.60833	30	.77500	30	.94167
7 00	.11667	17 00	.28333	27 00	.45000	37 00	.61667	47 00	.78333	57 00	.95000
30	.12500	30	.29167	30	.45833	30	.62500	30	.79167	30	.95833
8 00	.13333	18 00	.30000	28 00	.46667	38 00	.63333	48 00	.80000	58 00	.96667
30	.14167	30	.30833	30	.47500	30	.64167	30	.80833	30	.97500
9 00	.15000	19 00	.31667	29 00	.48333	39 00	.65000	49 00	.81667	59 00	.98333
30	.15833	30	.32500	30	.49167	30	.65833	30	.82500	30	.99167
10 00	.16667	20 00	.33333	30 00	.50000	40 00	.66667	50 00	.83333	60 00	1.00000



**DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING.**

SLOPE  $\frac{1}{2}$  TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0 00	0 15	0 30	0 45	0 60	0 75	0 90	1 05	1 20	1 35	0
1	1 50	1 65	1 80	1 95	2 10	2 25	2 40	2 55	2 70	2 85	1
2	3 00	3 15	3 30	3 45	3 60	3 75	3 90	4 05	4 20	4 35	2
3	4 50	4 65	4 80	4 95	5 10	5 25	5 40	5 55	5 70	5 85	3
4	6 00	6 15	6 30	6 45	6 60	6 75	6 90	7 05	7 20	7 35	4
5	7 50	7 65	7 80	7 95	8 10	8 25	8 40	8 55	8 70	8 85	5
6	9 00	9 15	9 30	9 45	9 60	9 75	9 90	10 05	10 20	10 35	6
7	10 50	10 65	10 80	10 95	11 10	11 25	11 40	11 55	11 70	11 85	7
8	12 00	12 15	12 30	12 45	12 60	12 75	12 90	13 05	13 20	13 35	8
9	13 50	13 65	13 80	13 95	14 10	14 25	14 40	14 55	14 70	14 85	9
10	15 00	15 15	15 30	15 45	15 60	15 75	15 90	16 05	16 20	16 35	10
11	16 50	16 65	16 80	16 95	17 10	17 25	17 40	17 55	17 70	17 85	11
12	18 00	18 15	18 30	18 45	18 60	18 75	18 90	19 05	19 20	19 35	12
13	19 50	19 65	19 80	19 95	20 10	20 25	20 40	20 55	20 70	20 85	13
14	21 00	21 15	21 30	21 45	21 60	21 75	21 90	22 05	22 20	22 35	14
15	22 50	22 65	22 80	22 95	23 10	23 25	23 40	23 55	23 70	23 85	15
16	24 00	24 15	24 30	24 45	24 60	24 75	24 90	25 05	25 20	25 35	16
17	25 50	25 65	25 80	25 95	26 10	26 25	26 40	26 55	26 70	26 85	17
18	27 00	27 15	27 30	27 45	27 60	27 75	27 90	28 05	28 20	28 35	18
19	28 50	28 65	28 80	28 95	29 10	29 25	29 40	29 55	29 70	29 85	19
20	30 00	30 15	30 30	30 45	30 60	30 75	30 90	31 05	31 20	31 35	20
21	31 50	31 65	31 80	31 95	32 10	32 25	32 40	32 55	32 70	32 85	21
22	33 00	33 15	33 30	33 45	33 60	33 75	33 90	34 05	34 20	34 35	22
23	34 50	34 65	34 80	34 95	35 10	35 25	35 40	35 55	35 70	35 85	23
24	36 00	36 15	36 30	36 45	36 60	36 75	36 90	37 05	37 20	37 35	24
25	37 50	37 65	37 80	37 95	38 10	38 25	38 40	38 55	38 70	38 85	25
26	39 00	39 15	39 30	39 45	39 60	39 75	39 90	40 05	40 20	40 35	26
27	40 50	40 65	40 80	40 95	41 10	41 25	41 40	41 55	41 70	41 85	27
28	42 00	42 15	42 30	42 45	42 60	42 75	42 90	43 05	43 20	43 35	28
29	43 50	43 65	43 80	43 95	44 10	44 25	44 40	44 55	44 70	44 85	29
30	45 00	45 15	45 30	45 45	45 60	45 75	45 90	46 05	46 20	46 35	30
31	46 50	46 65	46 80	46 95	47 10	47 25	47 40	47 55	47 70	47 85	31
32	48 00	48 15	48 30	48 45	48 60	48 75	48 90	49 05	49 20	49 35	32
33	49 50	49 65	49 80	49 95	50 10	50 25	50 40	50 55	50 70	50 85	33
34	51 00	51 15	51 30	51 45	51 60	51 75	51 90	52 05	52 20	52 35	34
35	52 50	52 65	52 80	52 95	53 10	53 25	53 40	53 55	53 70	53 85	35
36	54 00	54 15	54 30	54 45	54 60	54 75	54 90	55 05	55 20	55 35	36
37	55 50	55 65	55 80	55 95	56 10	56 25	56 40	56 55	56 70	56 85	37
38	57 00	57 15	57 30	57 45	57 60	57 75	57 90	58 05	58 20	58 35	38
39	58 50	58 65	58 80	58 95	59 10	59 25	59 40	59 55	59 70	59 85	39
40	60 00	60 15	60 30	60 45	60 60	60 75	60 90	61 05	61 20	61 35	40
41	61 50	61 65	61 80	61 95	62 10	62 25	62 40	62 55	62 70	62 85	41
42	63 00	63 15	63 30	63 45	63 60	63 75	63 90	64 05	64 20	64 35	42
43	64 50	64 65	64 80	64 95	65 10	65 25	65 40	65 55	65 70	65 85	43
44	66 00	66 15	66 30	66 45	66 60	66 75	66 90	67 05	67 20	67 35	44
45	67 50	67 65	67 80	67 95	68 10	68 25	68 40	68 55	68 70	68 85	45
46	69 00	69 15	69 30	69 45	69 60	69 75	69 90	70 05	70 20	70 35	46
47	70 50	70 65	70 80	70 95	71 10	71 25	71 40	71 55	71 70	71 85	47
48	72 00	72 15	72 30	72 45	72 60	72 75	72 90	73 05	73 20	73 35	48
49	73 50	73 65	73 80	73 95	74 10	74 25	74 40	74 55	74 70	74 85	49
50	75 00	75 15	75 30	75 45	75 60	75 75	75 90	76 05	76 20	76 35	50

Computed by L. Leland Locke.

+ 10.57 - 0.90  
 + 5.37 - 7.66  
 + 0.27 - 9.88  
 + 0.30 - 8.54

PLEASE RETURN TO  
 GAUGA COUNTY ENGINEER

CHARDON, O  
 PHONE 250-X

TABLE OF INCHES REDUCED TO DECIMALS OF A FOOT.

Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.
1	.0000	11	.0088	21	.0176	31	.0264	41	.0352	51	.0440	61	.0528
2	.0018	12	.0099	22	.0198	32	.0297	42	.0396	52	.0495	62	.0594
3	.0036	13	.0118	23	.0236	33	.0354	43	.0472	53	.0590	63	.0708
4	.0054	14	.0136	24	.0272	34	.0408	44	.0544	54	.0680	64	.0816
5	.0073	15	.0155	25	.0310	35	.0450	45	.0590	55	.0730	65	.0870
6	.0091	16	.0173	26	.0346	36	.0495	46	.0644	56	.0793	66	.0942
7	.0109	17	.0194	27	.0382	37	.0531	47	.0680	57	.0829	67	.0978
8	.0127	18	.0212	28	.0418	38	.0567	48	.0716	58	.0865	68	.1014
9	.0145	19	.0231	29	.0454	39	.0604	49	.0753	59	.0902	69	.1051
10	.0164	20	.0250	30	.0490	40	.0641	50	.0790	60	.0939	70	.1088
11	.0182	21	.0269	31	.0526	41	.0678	51	.0827	61	.0976	71	.1125
12	.0200	22	.0288	32	.0562	42	.0715	52	.0864	62	.1013	72	.1162
13	.0218	23	.0307	33	.0598	43	.0752	53	.0901	63	.1050	73	.1200
14	.0237	24	.0325	34	.0634	44	.0789	54	.0938	64	.1087	74	.1238
15	.0255	25	.0344	35	.0670	45	.0826	55	.0975	65	.1125	75	.1276
16	.0273	26	.0363	36	.0706	46	.0863	56	.1012	66	.1161	76	.1314
17	.0292	27	.0382	37	.0742	47	.0900	57	.1049	67	.1199	77	.1352
18	.0310	28	.0400	38	.0778	48	.0937	58	.1086	68	.1237	78	.1390
19	.0328	29	.0419	39	.0814	49	.0974	59	.1123	69	.1275	79	.1428
20	.0347	30	.0438	40	.0850	50	.1011	60	.1160	70	.1313	80	.1466
21	.0365	31	.0457	41	.0886	51	.1048	61	.1197	71	.1350	81	.1504
22	.0384	32	.0476	42	.0922	52	.1085	62	.1234	72	.1387	82	.1542
23	.0402	33	.0495	43	.0958	53	.1122	63	.1271	73	.1424	83	.1580
24	.0421	34	.0514	44	.0994	54	.1159	64	.1308	74	.1461	84	.1618
25	.0439	35	.0533	45	.1030	55	.1196	65	.1345	75	.1498	85	.1656
26	.0458	36	.0552	46	.1066	56	.1233	66	.1382	76	.1535	86	.1694
27	.0476	37	.0571	47	.1102	57	.1270	67	.1419	77	.1572	87	.1732
28	.0495	38	.0590	48	.1138	58	.1307	68	.1456	78	.1609	88	.1770
29	.0513	39	.0609	49	.1174	59	.1344	69	.1493	79	.1646	89	.1808
30	.0532	40	.0628	50	.1210	60	.1381	70	.1530	80	.1683	90	.1846
31	.0550	41	.0647	51	.1246	61	.1418	71	.1567	81	.1720	91	.1884
32	.0569	42	.0666	52	.1282	62	.1455	72	.1604	82	.1757	92	.1922
33	.0587	43	.0685	53	.1318	63	.1492	73	.1641	83	.1794	93	.1960
34	.0606	44	.0704	54	.1354	64	.1529	74	.1678	84	.1831	94	.2000
35	.0625	45	.0723	55	.1390	65	.1566	75	.1715	85	.1868	95	.2038
36	.0643	46	.0742	56	.1426	66	.1603	76	.1752	86	.1905	96	.2076
37	.0662	47	.0761	57	.1462	67	.1640	77	.1789	87	.1942	97	.2114
38	.0680	48	.0780	58	.1498	68	.1677	78	.1826	88	.1979	98	.2152
39	.0699	49	.0800	59	.1534	69	.1714	79	.1863	89	.2016	99	.2190
40	.0717	50	.0819	60	.1570	70	.1751	80	.1900	90	.2053	100	.2228

B. K. ELLIOTT COMPANY, PITTSBURGH, PA.  
 DRAWING MATERIALS AND SURVEYING INSTRUMENTS

4198.69  
 659.95

1120 1268.28  
 18 253

1232.26  
 51 6.65

829.3065  
 822.31 25.679

2651.85  
 666.99 40-48-30  
 3378.84 181-37  
 415.88 10000  
 8.84

666.99

3727.84  
 471.65 91.16  
 4198.69 16-30  
 105-33

2641.85  
 666.99 210-33  
 3308.84 74-43-30  
 418.20

3727.004  
 471.6542  
 3198.69  
 659.95

3855.62

4859.57  
 4198.69  
 659.95

67.2

47.20 3.0

82

88 255

