

Watt Rd.
Russel Tp.

109

FIELD BOOK

740

TABLE FOR REDUCING PERCHES TO FEET AND INCHES.

58-0 @ 214 = 19250

100 200 300

PLEASE RETURN TO
GEAUGA COUNTY ENGINEER

COURT HOUSE
CHARDON, O.
PHONE 250-X

PERCH	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.
1	16 6 in.	21	3 46 6 in.	41	6 76 6 in.	61	10 06 6 in.	81	13 36 6 in.		
2	33.0	22	3 63.0	42	6 93.0	62	10 23.0	82	13 53.0		
3	49.6	23	3 79.6	43	7 09.6	63	10 39.6	83	13 69.6		
4	66.0	24	3 96.0	44	7 26.0	64	10 56.0	84	13 86.0		
5	82.6	25	4 12.6	45	7 42.6	65	10 72.6	85	14 02.6		
6	99.0	26	4 29.0	46	7 59.0	66	10 89.0	86	14 19.0		
7	1 15.6	27	4 45.6	47	7 75.6	67	11 05.6	87	14 35.6		
8	1 32.0	28	4 62.0	48	7 92.0	68	11 22.0	88	14 52.0		
9	1 48.6	29	4 78.6	49	8 08.6	69	11 38.6	89	15 08.6		
10	1 65.0	30	4 95.0	50	8 25.0	70	11 55.0	90	15 25.0		
11	1 81.6	31	5 11.6	51	8 41.6	71	11 71.6	91	15 41.6		
12	1 98.0	32	5 28.0	52	8 58.0	72	11 88.0	92	15 58.0		
13	2 14.6	33	5 44.6	53	8 74.0	73	12 04.6	93	16 14.6		
14	2 31.0	34	5 61.0	54	8 91.0	74	12 21.0	94	16 31.0		
15	2 47.6	35	5 77.6	55	9 07.6	75	12 37.6	95	16 47.6		
16	2 64.0	36	5 94.0	56	9 24.0	76	12 54.0	96	17 04.0		
17	2 80.6	37	6 10.6	57	9 40.6	77	12 70.6	97	17 20.6		
18	2 97.0	38	6 27.0	58	9 57.0	78	12 87.0	98	17 37.0		
19	3 13.6	39	6 43.6	59	9 73.6	79	13 03.6	99	17 53.6		
20	3 30.0	40	6 60.0	60	9 90.0	80	13 20.0	100	18 10.0		

B. K. ELLIOTT COMPANY, PITTSBURG, PA.
DRAWING MATERIALS AND SURVEYING INSTRUMENTS

109

Thompson Twp ditch

Pg
2

Watt Road T.H.*158

15

Geolog. R.M. Thompson Trif. E. side of Park
S.W. corner Stone, Foundation of Gong Oh

Bronze Tablet Stamped "1277 Cleveland".

Elevation 1276.266 (9/20-1923)

Thompson Top. Litch Sept. 15th 1923.
Hickler

+ 10 $\Delta R 230^\circ$

6

5

4

3


+ 75

2



1 $\Delta R 6^\circ - 00'$

6100 Δ

230-00



Pasture
wire fence
meadow
P. G. Randall



Loomis

+ 33 Δ L $43^{\circ} 00'$

12

+ 68 Δ R $10^{\circ} 00''$

+ 14 Δ R $13^{\circ} -00''$

11

10

+ 53 Δ R $43^{\circ} -00''$

+ 40

9

8

7

McClain Est.

$\angle 43^{\circ}$

McClain Est.

stake Prop. Line

10'

18' stake

$\angle 13^{\circ}$

B. G. Crandall

B. G. Crandall

10' stake

$\angle 43^{\circ} -00''$

N. 75° - 45' E mag.

10' stake

Granny Ditch

15'

10' stake

10' stake

\times

10' stake

12+90 Δ L. 20° 00

20°

Thompson Ditch

Sept. 27 - 1923
Riedler & Seatt.

Sta 148 Red Lick

Geo. B.M. 1279.71 + 3.44 1276.27

T.P. - 3.48 1276.23

T.P. 1277.23 + 1.00
- 10.21 1267.02

1268.47 + 1.45

BM 2 - 4.18 1264.29

8.50 1259.97

8.80 1259.67

7.30 1261.2

6.80 1261.67

100 ft W. of Culvert

M.A. Goodrich's W. line

40' west of " " outlet of 6" tile in S. ditch

E. line of Loomis
{ (about 30' E. of ")
W. line (Loomis cornfield)

Jos. Ferguson cellar drain
B.G. Grandall " "

Basquin masonry

B.M.
1276.266
Comp. Okerich

store

+ on S. side
S. hole at
outlet ditch

S. side Culvert over ditch Top of plank grillage

N " " " " " "

Top of ground in 2"

" " 10' from top to culvert (underside cover stone)
 $\frac{4.2}{30.}$ S. ditch 5'-0" 3.6 5.0 N. $\frac{5.2}{30.}$

$\frac{2.9}{30.}$

3.2

$\frac{3.7}{ditch}$

$\frac{3.0}{30.}$

$\frac{5.0}{12. approx.}$

$\frac{5.0}{30}$

$\frac{2.0}{200.}$

$\frac{4.0}{180.}$

$\frac{6.3}{35.}$

7.35' ditch 15' offset

Travelled Road

(M.H. Russ. Next W. of
M.A. Goodrich)

(masonry) on Basquin place E. of Goodrich

Gas Ferguson between
Grandall & Loomis 5

Sta.	HD	Red	Total
0	1268.49	6.5	1262.0
0+50		10.0 no rock on E.	7.0 1261.5
1		11.0 no rock on E.	7.3 1261.2
2		10.3 Rock or subit ground	7.8 1260.7

2+25 Outlet (B.G. Grandell Residence) Sewer

3		11.5 Rock or hardpan	8.3 1260.2
---	--	----------------------	------------

T.P. -7.33 1261.14

4	1263.41	+2.27 6.8 Rock	5.6 1259.8
---	---------	-------------------	------------

5		7.0 rock	4.3 1259.1
---	--	----------	------------

6		5.0 Rock	5.1 1258.3
---	--	----------	------------

90' E. of N.E. cor. School house Lot
" " " S.E.

7		{ 8.0 } solid bottom	{ 5.6 } 1257.8
---	--	----------------------	----------------

		ditch		
	+0.6	00	+0.7	
	$\frac{6.0}{3.}$	6.6	$\frac{5.9}{4.}$	
+1.1	L. or +1.3	00	+1.3	R. or E
$\frac{5.9}{10.}$	$\frac{5.7}{5.}$	7.0	$\frac{5.9}{5.}$	$\frac{5.6}{10.}$
+0.9	+1.0	00	+0.4	+0.8
$\frac{6.4}{10.}$	$\frac{6.7}{5.}$	7.3	$\frac{6.9}{5.0}$	$\frac{6.5}{10.}$
+0.9	+0.2	00	+0.2	+0.3
$\frac{6.9}{10.}$	$\frac{7.6}{5.}$	7.8	$\frac{7.6}{5.}$	$\frac{7.5}{10.}$

$\frac{8.4}{5.}$

+0.4	+0.2	00	0.0	+0.3
$\frac{7.9}{10.}$	$\frac{8.1}{5.}$	8.3	$\frac{8.2}{5.}$	$\frac{8.0}{10.}$

Top of slake Sta. 3"

+0.3	-0.1	00	0.0	+0.2
$\frac{3.3}{10.}$	$\frac{3.7}{5.}$	3.6	$\frac{3.6}{5.}$	$\frac{3.4}{10.}$
+0.1	0.0	00	+0.1	-0.1 -0.9
$\frac{4.7}{10.}$	$\frac{4.3}{5.}$	4.3	$\frac{4.3}{5.}$	$\frac{4.4}{10.}$ $\frac{5.6}{20}$
0.0	0.0	0.0	+0.2	+0.7 +0.1
$\frac{5.1}{10}$	$\frac{5.1}{5.}$	5.1	$\frac{4.9}{5.}$	$\frac{4.4}{10}$ $\frac{5.0}{20}$

$\frac{3.0}{}$

$\frac{3.0}{}$

+0.4	+0.2	00	+0.3	+0.7	0.0
$\frac{5.2}{10}$	$\frac{5.4}{5.}$	5.6	$\frac{5.3}{5.}$	$\frac{4.9}{10.}$	$\frac{5.6}{20}$

$\frac{3.00}{300}$ ft

H.V. Rod Elev.

8 1263.41
 9.5 Solid bottom might be rock
 6.2 1257.2

9
 9.4 = Rock
 6.6 1256.8

E. line Creamery prop. at ^{creamy} ditch crossing

T.T? - 6.88 1256.53

10 1260.74 + 4.21
 7.0 = Rock
 4.7 1256.0

11
 5.3 = Rock
 5.0 1255.7

12 5.6 1255.1

T.P - 5.54 1255.20

Solid Rock 1254.3

angle 1260.33 + 5.13
 12 + 90 5.6 1254.7

13
 + 67 7.6 1252.7

13 + 75 8.5 1251.8

13 + 55 6.6 1253.7

Rock out

Rock out

Rock out

2. £ R 7

0.0	+ 0.1	00	+ 0.2	+ 0.4	+ 0.2
<u>6.2</u>	<u>6.1</u>	6.2	<u>6.0</u>	<u>5.8</u>	<u>6.0</u>
10.7	5.		5.	10.	2.0

+ 0.6	0.0	00	+ 0.1	+ 0.3
<u>6.0</u>	<u>6.6</u>	6.6	<u>6.5</u>	<u>6.3</u>
10.	5.		5.	10.

Top of ang. stk.

2.6

+ 0.9	+ 0.3	+ 0.3	00	+ 0.3	+ 1.3	+ 1.7
<u>3.8</u>	<u>3.4</u>	<u>4.4</u>	4.7	<u>4.4</u>	<u>3.4</u>	<u>3.0</u>
10.	6	3		5.	7.0	7.0

+ 1.0	+ 0.5	+ 0.2	00	- 0.7	+ 1.0	+ 1.4
<u>4.0</u>	<u>4.5</u>	<u>4.3</u>	5.0	<u>5.7</u>	<u>4.0</u>	<u>3.6</u>
10.	6.	3.		3.	5.	10.

+ 2.3	+ 1.3	00	+ 0.1	+ 1.6	+ 1.5
<u>3.3</u>	<u>4.3</u>	5.6	<u>5.5</u>	<u>4.0</u>	<u>4.1</u>
10.	5.0		2.	1.	10.

T.P. Stone near prop. line

+ 3.1	+ 0.6	00	+ 1.3	+ 1.9
<u>2.5</u>	<u>5.0</u>	5.6	<u>4.3</u>	<u>3.7</u>
10.	5.		5.0	10.

+ 2.0	+ 0.6	00	+ 1.3	+ 2.6
<u>5.6</u>	<u>7.0</u>	7.6	<u>6.3</u>	<u>5.0</u>
10	3		3	8

+ 2.5		00		+ 2.4
<u>6.0</u>		8.5	<u>00</u>	<u>6.4</u>
10.			5.0	10.

+ 2.0		00	+ 2.1	
<u>4.2</u>		6.6	<u>4.5</u>	
10.			10.0	

1260.33

T.P. -6.55 1253.78

1256.10 +2.32

14+35 =
B.M. = 3

-5.03 1251.07

14+85

Terminal E on rock B.M. on edge of ledge (over
" " " " ledge below Terminal point

14+35 =

-8.09 1248.01

+35.2

Check Levels

Ter. B.M.

1251.07

1259.69 +8.62

-1.21 1258.48

+7.64

1266.72 -1.04 1265.08


1271.77 +6.39


-7.19 1264.28

Culvert B.M.

1264.29

5150+15





Sta	Surf. Elev	Rock Elev.	Grade
0	1262.0		
+50	1261.5		1258.40
1	61.2		58.15
+50			57.9
2	60.7		57.65
+50			57.40
3	60.2		57.15
+50			56.9
4	59.8		56.65
+50			56.40
5	59.1		56.15
+50			55.9
6	58.3		55.65

Sta	Surface	Rock Elv	Grade Elv.
+50			1255.40
7	1257.8		537.15
+50			54.90
8	57.2		54.65
+50			54.40
9	56.8		54.15
+50			53.90
angle +53	A		1253.885
10	56.0		53.65
+50			53.40
11	55.7		53.15
angle +14	A		53.08
+50			52.90
angle +68	A		52.81
12	55.1		52.65
+33			1252.985
+50			52.40

Surface Elev. ² _{affine} Rock Elev. Grade Elev.

+90 Δ 1259.7 1262.20
 13 0 5' 2.15
 +55 1253.7 53.7 51.875
 +67 Δ 52.7
 +75 51.8 51.775 emb.
 +55
 14

13+25 1252.025
 +30- 150 25 on 223 R
 B.M. # 1259.10 +8.03 1251.07 (grade Pol.)
 13+75 51.775 7.32

13+25 1262.025 7.07
 TP -3.07 1256.03
 1262.63 +6.60

12+90 1252.20 10.43

12+33 1252.49 10.14

12 52.65 9.98

11+68 52.81 9.82

11+14 53.08 9.55

TP -5.05 1257.53
 1262.05 +4.47

1252.15
 .125
 1252.27

.25
 0.5
 125

Grade stakes set 10 ft R&L & with
 "marker"

Stakes

Stakes

Nov. 2 - Richards 1 ^{rod} ^{auto} ^{also} - 3 1/2
 N.W. ^{left} ^{rod} ² Right S.E.
 C 2.5 4.82 7.32 4.72 C 2.5

C 4.5 2.57 7.07 3.07 C 4.0

C 6.0 4.43 10.43 5.93 C 4.5

C 4.5 5.64 10.14 5.14 C 5.0

C 5.0 4.95 9.95 5.19 C 4.5

C 5.0 4.52 9.52 5.32 C 4.5

C 4.5 5.05 9.55 5.05 C 4.5

AD

126205

10+50

Elev.

53.40

Grade
RD

8.65

Left.

Station

C 4.0

Red

4.65


Right

Red

4.65


Station

C. 4.0



T.H. 158

Watt Road



0+30

J. Griswold
S. Merritt
W. Barton
W.

July 12, 1929

15

F0994

E.

H 50

0+81

0+66


0+63

0+55

0+52

0+45

0+30



W Louis Rose

W Louis Rose

Tel pole

18" Cor I.P.
20'

18" Cor I.P.
50'

± of 18' Macadam I.C.H. No 33
sta 0+0 (S.R. 87)

W.

E.

+12

3+06 Fence

3+00 12' gate

2+94 6" B. Walnut 18"

2+86

7' 13"

15" Cov. T.P.
20'

< 19'

F. Ends

Brush 23' from
E of Road

18' F. begins

2+43

2+40


< 26' > 8" B. Walnut


2+25

2+15

< 29' > 10" B Walnut
low

1+75





W.		E.
6+53	13'0"	18" maple
6+42	14'0"	16" maple
6+15	Twin maples 6" x 8" 8'3"	
5+66	8" B Wal. x 16'	
5+26	9" Ash x 22'	Brush ends
5+23	8" B Wal. x 16'	
5+00	Fence <16' x 20' >	Fence
4+92	< 31 >	40" Maple
4+89	< 32' >	16" Ironwood
4+71	10" Elm x 15'	
4+59	< 32' >	12" Locust
4+48	< 29' >	10" Locust
4+10	< 24' >	10" Locust
3+70	Brush ends	
3+28	< 19' >	

fence begins

From 50' wide brush at
Sta 7+75 it tapers to
5' at Sta 9+00

At Sta 7+40 brush
thickens to 50' width
to 7+75.

	W.	E.
705	10" Hickory 28'	
+03		18' 0" 20" Willow
9+00	6" Ash 25'	20' to fence
	to fence 19'	
+98		18' 0" 28" Willow
+93	8" Hickory 23'	
+92		16' 0" 28" Willow
+88		16' 0" 20" Willow
+82		16' 0" 16" Willow
+76		16' 0" 16" Willow
+65	24" tree 27'	
+57		16' 0" 22" Willow
+50		17' 0" 20" Willow
+48	8" Beech 17'	17' 0" 18" Willow
+46	8" Ash 19'	
+34	8" Elm 21'	
+32		17' 0" 22" Willow
+22		22' 0" 6" Twins
7+20	12" Elm 20'	
7+10		
+98	10" Maple 19'	() clump of brush behind fence for 42'
+68	Brush starts 15'	
+59	10" Maple 18'	
6+58		< 16' Fence


W.

E.

9+53		3 17'	15" Cor. I.P. 20'
+44	8" Maple	21'	
+43		19' 0	14" stump
+35	8" Maple	19'	
+33	6" Maple	23'	
+31	12" Maple	22'	
+25		20' 0	20" stump
+15		18' 0	20" stump
+07	8" stump	13'	
9+05		16'	
9+00		< 19' x 19' >	
+83	16" cherry	22'	
+81		17' 0	30" Willow
+74		18" 0	12" Elm
+55		18' 0	10" Willow
+42		18' 0	36" Willow
+40		7' 9'	15" C.I.P. 16'
+30		17' 0	30' Willow
+26		18' 0	20" stump
+22		19' 0	10" stump
+20	12" Ash	24'	
8+10		16' 0	30" Willow

W

E



+66		17'	18" Elm
+60	14" Willow	21'	
10+38		65' 13.5' -55°	15" Cor IP 20'
+35	10" Willow	23'	
+33	20' stump	23'	
+24		21'	22" stump
+14	fence	<20' 24'	fence
+13	14" stub	22' 22'	16" stump
+05	36" Willow	22'	
+04		22'	16' stump
10+00	26" Willow	24'	
+97		24'	12" stump
+83	fence	<20' 16'	Brush starts
+82	Brush retreats to 20' from ♀		
+81	14" Willow	21'	
+78	12" Willow	21'	
+75		19'	12" B Walnut
+70	14" Willow	22'	
+63	20" Willow	21'	
9+50	Brush from ♀ 50' back		

July 2, 1929. Clear-Cool²¹

J. Griswold
S. Merritt
H. Barton

W				E
+19	14" Willow	19 ⁵		
+12	14" Willow	19 ⁵	33 ⁵	o 13" Basswood
+08	24" Willow	18 ⁵		
+05			20 ⁵	12" Elm
	Brush goes back 50'			
12+00	fence	< 16' x 19'		fence
+99			19 ⁵	18" Stub
+92	28" Willow	20'		
+82	Brush begins		18' 0	18" Stump
+76	12" Willow	o 19'		
+74			17' 0	14" Stump
+70	12" Willow	o 19'		
+67	14" Willow	o 19'		
+61			16' 0	18" Stump
+61	24" Willow	o 19'		
+54			18' 0	14" Stub
+46			18' 0	20" Willow
+07	20" Willow	o 22'	19' 0	20" Stump
+03	22" Willow	o 22'		
+02			19' 0	12" Stub
11+00	fence	20'	20'	fence
+96			18' 0	16" Willow
+95	12" Willow	o 22'		
87			20' 0	14" stump
10+87	14" stub	23'		


W

E


+92	12" Willow	o 18'	19'	o	16" B Wal
+64	4" B Wal	o 16'			Brush ends
+58		=	21'		12" Stump
+52	8" Maple	o 20'			
+51			20'	o	12" Stump
+48	12" Elm	o 16'			
+44			20'	o	14" Stump
+35	6" Basswood	o 16'			
+33		=	24'	o	10" Elm
+29	26" Cherry	o 18'			
+20'	12" Maple	o 22"			
+09	10" Maple	o 20'			
+08	10" Maple	o 23'			
+02			25'	o	12" Stump
+00	Brush	x 1' < 15' x			Brush
13700	fence	< 19' x	25'	>	fence
+78	^{Twin} 15" B Wal	20'			
+77			21'	o	10" Stump
+73			30'	o	10" Maple
+71	12" Maple	o 20'	21'	o	12" Stump
+67			20'	o	12" Stump
+53	10" Maple	o 33'	30"	o	8" Cherry
+47	6" Maple	o 27'	20'	o	8" Stub
+40			30'	o	10" Ash
12+20			19'	o	10" Stub

W	E
+15 8" Elm	21'
+13	20' = 14" Willow
+09	20' 14" Willow
+04	20' 12" Willow
+02 12" Willow	o 18'
15+00 fence	<19' <22'> fence
+99	21' = 8" Stump
+91	20' 8" Stump
+90 14" Twin Elm	18'
+87	19' 10" Willow
+82 16" Willow	o 18'
+78	31' = o 10" Stub
+78	20' 14" Willow
+66	20' o 12" Stump
+59	20' o 7" Stub
+58 22" Willow	o 19'
+56	= 20' o 14" Stump
+55.5	Culvert
+50 6" Maple	o 19'
+46	20' o 20" Willow
+39 ± 12' Gate	<21'
+36	20' o 12" Stub
+14 10" Willow	o 20'
+07 <small>Brush ends</small>	20' o 14" Willow
14+00 fence	15' 20'>

14+55.5



Sketch stone culvert





Opening
3' x 3'

Angle to ± 80°

			over 50' thick
+60			← 2' West tam
+60		21' 0"	Brush starts
+60	20' Gate	29'	8" Cherry
+49		37'	0 10" Oak
+48	20" Elm	27'	
+41	10" Oak	26'	
+24		12' 0"	12" Oak
+21	20" Oak	27'	Brush ends
PC		46' 7"	Brush
DC	Sta 16 + 20	32'	
+13	10" Oak	25'	
16+00	fence	21' 19"	Fence
+95	Brush starts	21'	
+79	8" Basswood	19'	
+70		14' 7"	Brush starts
+65	12" Willow	21'	
+63		32'	8" Maple
+63		30'	0 8" Oak
+59	10" Stump	20'	
+58		22' 0"	12' Oak
+43		26' 0"	8" Maple
+33	30" Willow	23' 28'	0 10" Maple
+30	26" Willow	30'	
+29	16" Willow	27'	
15+25	8" Elm	21'	


Jesse Jaitz




Janet P. Watt

+20	14" Maple	22'	=	
+07	12" Maple	22'	12"	14" stump fence
23+00	fence	23'	10"	
+99	10" Maple	28'	=	Brush begins
+95	fence starts	10'		
+94			10 ⁶	12" stump
+84	24" stump	27'	17'	6" Maple
+65			13'	6" Hickory
+59			9'	8" Cherry
+53			7 ⁰	8" Maple
+18			6 ⁰	6" Maple
+11			15'	16" stump
+10	28" Maple	22'	=	
+04	28" Maple	35'		CW Careas
22+00				A- Drop line " "
+98	22" Maple	32'		JP Watt
+96			4 ⁵	14" Oak
+85			14 ⁰	6" Elm
+71			12 ⁰	10" Oak
+69			4 ⁰	8" Oak
+63			9'	Triple cherry
+60			7 ⁰	8"-8"-9"
21+00			4 ⁵	6" Ash
+88			11 ⁰	Fence
20+76			7 ⁰	8" Pignut
				12" Elm

Brush stops



+19	16" Maple	17'	
26+00	fence	16' 16'	fence
+94		16'	8" Maple
+86		15'	10" Maple
+80		25'	14" stump
+72	14" Maple	14'	
+49	12" Maple	26'	
+49		7' 13'	12" Cor. I.P
		-85°	20'
+31		17'	28" Maple
+25	6" Maple	14'	
+10		29'	18" Maple
25+00	fence	14' 15'	fence



+90			
+83		11' x	Brush stops
+55		18'	10" stump
+36	16" Maple	15'	
+17		16'	8" stump
24+10	20" Maple	26'	
23+79.05	fence	17' 16'	fence
+79	12" Elm	18'	
+60		19'	16" stump
23+45	fence	16'	14" stump

32.55
27.46


28 + 21.82

28

+16 10" Cherry 29'
+11 6" Maple 24'
+05 12" Maple 22'
28+00 fence 23' 17' = fence
+66 14" B Wal 28"
+60 8" Maple 22'
+51 14" Elm 29'
+42 10" Maple 26'
+36 8" cherry 26'
+35 10" Maple 25'
+16 " Prop line ← 26' →
fence

27+00 fence 24' 18' = fence
+97 8" Maple 28'
+93 10" Maple 22'
+85 8" Maple 22'
+79 26" stump 26'
+79

+65 36" Maple 32' #32'
+57
+51
+46
+34 19'
26+32 16' " fence "



- +10 8" Maple } 23'
- +08 8" B Wal } 22'
- 31400 fence ← 22' 15' } fence
- +78 14" Cherry } 23'
- +44 14" Maple } 23'
- +36 10" Cherry } 20'
- +28 12" Maple } 22'
- +16 10" B Wal } 23'
- +08 12" Maple } 22'
- +08 10" Maple } 21'
- 30+00 fence } 23' 15' } fence
- +96 8" Thorn apple } 24'
- +84 30" Elm } 29'
- +81 6" B Wal } 25'
- +64 14" B Wal } 27'
- +48 8" Maple } 27'
- +45 Brush starts } 10'
- 29+00 fence } 26' 17' } fence
- +80 18" B Wal } 25'
- +54 12" B Wal } 24'
- +42 12" Elm } 25'
- +41 12" Elm } 24'
- +37 10" Maple } 22'
- +23 8" Maple } 22'
- +18 18" Cherry } 26'

Brush 12" thick

S in NE side 12" Elm

33.53

27.46


S in NW side 12" Maple

Sta 28 + 21.82

W

E

34+00 fence	20'	13'7"	fence
+46 14" Cherry	23'		
+31 Brush starts	16'		=
+24			
Marsh starts	4'		
	10'		
400 Marsh starts			
33+00 fence	18'	14"	fence
+95 8" Maple	18'		
+92 12" Cherry	17'		
+85 8" B Wal	22'		
+70 6" B. Wal	20'		=
+67 8" Maple	21'		
+50 12" B Wal	21'		
+30 6" B Wal	22'		
+20 6" B Wal	20'		
32+00 Brush ends	40'		
32+00 fence	21'	14"	fence
+99 6" B Wal	24'		
+85 30" Elm	21'		
+41 6" Maple	23'		=
+40 8" Maple	19'		
+14 10" B Wal	22'		
31+12 10" B Wal	27'		



Geo. P. Louisa Brubach

BF & MG Nichoff


J Griswold
S Merritt
H Barton

July 3, 1929. Fair 31


W			
+36	19'	}	12" stump
+26	24'		14" stump
38+00 fence	10' 27'	}	fence
+06	25'		24" stump
+01 16" stump	17'		
PT+00		25'	12" stump
PT 37+82.94			• Iron pipe
+30	27'	}	14" stump
PI+05 22" Basswood	54'		Brush starts
		PI	iron pipe
+59 Prop line	11' x 9'		fence
+53 ± 12" Gate			
+47 Brush ends			
+45 24" Maple	34'		
PC+24 26" Maple	47'		
P.C. fence	21' 21'		Iron pipe fence
+54 8" B Wal	21'		
+39 16" Elm	20'		
+17 8" B Wal	18'		
+08 12" B Wal	20'		
36+00 fence	20' 16'		fence
+23 16" Elm	22'		
+00 brush	41'		
35+00 fence	21' 13'		fence
34+53 8" B Wal	20'		

C.W. Cores

+67	Geo. Brubach + Louisa Brubach	"	24"	"	22" stump
+65		"	23'	0"	16" stump
+50		"	17'	"	8" stump
+49		"	22'	p	14" stump
+40		"	22'	"	12" stump
+39		"	28"	"	10" stump
+25		"	25'	"	16" stump
+17		14" Maple	30'	"	"
+40+00		fence	< 17' 26' >	"	fence
+96			$\frac{6}{14}$ 75'	"	12" Cor IP 20'
+85			27'	12" stump	
+77	12" stump	21'	"	"	
+59			28'	10" stump	
+49	15' Gate				
+35			24'	10" stump	
+20		"	17'	10" stump	
+17		"	28'	14" stump	
+04	12" Maple	21'	"	"	
+00			"	Brush ends	
39+00	fence	14' 27'	"	fence	
+95			22'	10" stump	
+84		"	25'	10" stump	
+82		"	25'	14" stump	
38+49			22'	12" stump	



	W	E
	43+00 fence	27' 24' = fence
	+93 14" Maple	24' =
	+60 ± 9' Gate	17' 14" Maple
	+55 fence	25' =
	+51 ± 9' Gate	=
	+42	23' 12" Basswood
	+41	= 23' 12" Basswood
	+39	23' 14" stump
	+18	17' 12" Maple
	+16	Concrete box
	42+00 fence	27' 25' = fence
	+83 24" Maple	32' =
	+37 10" stump	33'
	+36 16" Maple	= 36'
	+30 12" stump	= 36'
	+18	16' 10" stump
	+04	17' 10" stump
	41+00 fence	21' 25' = fence
	+96	27' 18" stump
	+95	15' 8" stump
	+93 16" Maple	33' =
	+80	= 16' = 8" stump
	40+78	18' 10" stump





P.I. 46+84.20
Ref. Lt.


Tacked Hub

+77 18" Maple	30'	
51+60	7' 13'	16" Cor. I.P.
	150	20'
+52	23'	fence
+52	23' 0	12" Cherry
49+00 fence	20' 23'	fence
+67	11' 9' 9/16"	10" Cor. I.P.
		20'
48+49	16'	12" Apple
P.I. 46+84.20		Iron pipe
+15 12" stump	26'	
+04 12" stump	25'	
+00	20'	6" Elm
45+00 fence	< 22' 21' >	fence
+98	20'	Twin 8"
+92	18'	Elms
+74	18	10" Cherry
+20 14" Maple	22'	12" Cherry
44+00 fence	23' 24'	fence
+91	40	4' x 3' x 2.5'
+60	22'	boulder
+45	20'	10" B Walnut
43+33 10" Maple	25'	8" Maple

5 in. N side
14" Maple




POT 64+00



Spk in SE side
14" Apple

Spk NW side CEI # 275655
 I Pipe fd
 Nov. 3 1958
 Spk in SW side
 CEI # 277884


Spk SW side
hale pole



Spk NW side
24" Elm

Spk N side
24" Maple

IP fd. 9-1-72



64+75
 POT 64+00
 63+85
 63+44 scattered
 apple
 orchard
 +73
 12'⊕ CEI Pole
 Iron pipe
 36'
 12'⊕ CEI Pole
 23'

Fr. Barn
 +12 ← 102'
 62+06 8" Ash 32'
 +99
 14'⊕ CEI Pole

+91 ± 12' Drive
 2 St. Fr. house
 61+40 ← 80'

+95 14" Ash 27'
 +58
 60+31
 59+09
 58+03
 57+88.19
 14'⊕ CEI Pole
 16.5' 1.5'
 12" Tile
 16'⊕ CEI Co P
 16" Cor. I. Pipe
 40'
 27' 13'
 E of E-W Road Pekin

Fred
Nuernberger

68+17 £15' Drive

+97 3" Maple

+67 3" Maple

2 St. Fr.
House

+56

+38 3" Maple

+07 Prop line

67+07 24" Maple

+44

+34 £12' Drive

66+17 16" Maple

1/2 St.
Fr.
House

+84

+66 6" cherry

+30 16" Maple

+14 12" stump

65+01 Prop line

Albert Buchner

Chas Heap

25' 13' ⊕

25'

26'

24'

12' ⊕

24'

70'

26'

25'

25'


CEI Pole

CEI Co Pole

Fred
Huernburger

Luther Dines

+100	Propuliner			
72100	fence	24'	16'	fence
+90	Albert Buchner		31'	18" Maple
+30			16'	16" Elm
+10			14'	20" Elm
71100		fence	25'	17'
+98			15'	CEI Pole
+79			26'	10" Tulip
+68			21'	8" B. Walnut
+63			35'	8" Shagbark
+53			30'	8" Maple
+52			32'	10" Tulip
70100	fence	25'	18'	fence
+75			32'	16" Maple
+72			22'	14" Maple
+62			23'	16" Maple
+49			15'	CEI Pole
6915			19'	fence
+77	20" Maple	24'		
+61		25'		



68136 128'

+64	12' 5"	15" C.I.P. 17'
+48	16'	CEI Pole
+48	29'	12" Elm
+48	26'	10" Maple
+22	35'	14" Ash
+00	19'	fence
+75+00	31'	8" Elm
+69	27'	26" Elm
+03 8" Tulip	24'	
+74+00	17'	fence
+99	15'	CEI Pole
+98	31'	18" Maple
+83	20'	20" stump
+70	28'	16" stump
+31	27'	16" stump
+73+09	32'	14" stump
+48	15'	CEI Pole

1/2 Fr.
House

+32	115' >	
+26	29'	20" Basswood
+18	26'	8" Shagbark
+72+13	≠ 16' Drive	

July 5 - 1929 Fair
Hot

J Griswold 4'
S Merritt
H Barton

+88
+86

33'
30'

14" Tulip
10" Maple

2 Fr.
House

+65

26"

8" Maple

+48 16" Apple

23'

+47

70'

+41

33'

12" Chestnut

+22

stone pillar □ 20'

+14 15' Drive

34'

26" Beech

+07

stone pillar □ 20'

C.I. Eck

+77+00

Fr.

128'

19'

fence

+97

Bank

C.I. Eck

16'

CEI Pole

+95

31'

28" Elm

+84

28'

8" shagbark

+60

Prop line

28'

fence

+76+00

20'

24" Beech

+92

32'

+75+70


Brush starts →

8'

W Harry Gilllette fence	22'	15.6	iron pin	Ed. WH Kirby fence
80 to 1 prop line				prop line
CE Eck				grad Huernburger fence
80 to 0	27'			
+99	15'	⊙		CEI Pole
+94 18" Elm	20'	20		
+87	15'			Brush ends
+55	30'			14" Maple
+42	35'			8" Ash
+38	32'			10" Elm
+37'	30'			10" Elm
79 to 0	24'			fence
+82	30'			8" Elm
+75	32'			10" Tulip
+71	33'			10" Ash
+65	35'			8" Tulip
+94	15'			CEI pole
+46 Talpole	⊙ 12'			
+34				
+27 16" stump	25'			<u>14' Gate</u>
+05	29'			10" Elm
+03	30'			10" Tulip
+02	12'			Brush
78 to 0	24'			fence
77 to 95	30'			10" Maple

Carl Boyd


81768



- +00 fence ← 20'
- +82+00 4" stub ← 19'
- +92 12" Willow ← 20'
- +90 8" stub ← 18'
- +86 14" stub ← 19'
- +77 16" stub ← 18'
- +70
- +68

prop line
Stone culvert

- +67 30" Willow ← 20'
- +58 10" Willow ← 20'
- +55 8" Willow ← 20'
- +50 12" Willow ← 23'
- +47 16" Willow ← 20'
- +39 16" Willow ← 19'
- +33 Tel pole ← 13'
- +25 brush starts ← 13'
- 81700 fence ← 22'
- +99 10" Elm ← 16'
- +79 8" Elm ← 16'
- +53 12" Maple ← 22'
- +42 8" Maple ← 23'
- +09
- 80706




60°

W H Kirby

+54	12" Ash	17'	
+24			20' 10" stump
+22	6" Cherry	18'	
+10	Tel pole	14'	20' 12" stump
B4	too fence	20'	
+99	8" Elm	18'	
+72	16" Ash	15'	
+45			35' 10" Hickory
+44	14" Elm	18'	1 st. Fr. Cottage
+20			10' Drive
+15	8" Elm	18'	
+05			90' →
B3	too fence	19'	
+92	6" Ash	18'	
+91	6" Elm	18'	
+91			16' ⊕ CEI pole
+69	6" Willow	18'	
+68	6" stub	19'	→ Wire fence changes to rail fence
+46	10" Willow	18'	
+37	8" stub	18'	
+23			30' 8" Elm
+19	8" stub	18'	
B2	+14	4" Willow	19'

POT



- +96 Tel pole - 40'
- +85 10" Cherry 16'
- +48 12" Elm 16'
- +02 10" Ash 20'
- 88+00 fence 21'
- +74 14" Elm 18'
- +61 Brush 15' 15'
- +23 12" cherry 21'
- +18 25'
- 87+00 fence x 21'
- +81 12" Ash 19'
- +72 17'
- +72 15'
- +52 Tel pole 12'
- +39 12" Cherry x 20'
- 86+00 fence 21'
- +99 14" Elm 17'
- +57 10" Elm 17'
- +25 14" Ash 17'
- +00 fence 22'
- 85+00 P.O.T.
- +93 8" Elm 15'
- 84+68 10" stump 15'

Geo. P. Elliot
Maud Elliot

Brush ends
Tulip
Brush starts
~~Post set~~
Prop line


Carl Boyd

Iron pipe

+87	8" Cherry	18"	Board Sluice 20'
+23		8" 12"	
94+00	fence	22'	
+36	10" Cherry	17'	
93+00	fence	22'	
+83	10" Cherry	16'	
+53	Tel pole	8'	
+24	10" Cherry	17'	
92+00	fence	21'	
+79	10" Ash	16'	
+54	12" CUCUMBER	19'	
+23	12" cherry	19'	
91+00	fence	24'	
+87		20'	18" Maple
+70		20'	12" Maple
+59	12" Ash	18'	
	End of rail fence		
+36	start of wire		
+17	8" Cherry	18'	
+04		20'	8" Maple
90+00	fence	22'	
+87		20'	8" Maple
+83	8" Maple	16'	
89+48	8" Ash	16'	

Spike in E side 16"
Apple
76.38
90.89
S in SE side
24" Apple

101+19.70



4 of N Woodland Rd Pipeset 46
1. Pipeset

+70 Ditch on North side Woodland
Prop line
(C.#=16)

+41 fence

101+35 12" cherry 21'

101+19.70

Harry
Gillette

44.85
obs.
44.38
Pipeset by
Mark

Prop line

Iron pin
Geo. P. Elliot
+
Maud

+42 Small stone culvert

100+00 fence 21'

+52 12" Cucumber 18'

99+00 fence 18'

+96 Tal pole 12'

+48 12" Ash 18'

+32

98+00 fence 18' 27' fence

+16 10" Cherry 18'

+06 23' 12" Ash

+04 27' fence

97+00 fence 19'


+81 10" Cherry 15' Brush stops


+48 10" Cherry 15'


96+00 fence 20'


+58 16" Ash 19'


95+00 fence 21'

















C W Cares

DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope $1\frac{1}{2}$ to 1. If ground is nearly level, the cut or fill at side stake is located by the simple entry method in

IMPROVED TABLES
AND
INFORMATION

TABLE No. 2.

To find Tangent and External for curve of any other degree divide by degree of curve and add connection found in column of connections. Degree of curve with a given T may be found by dividing tangent (or external) opposite T by given tangent (or external). The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.

DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope $1\frac{1}{2}$ to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in left column and top row. The number in body of table in same row and column gives distance from side stake to slope stake. If ground is not level estimate the difference in elevation between the side stake and slope stake, lower target by this amount if cut, elevate if fill. Add this amount to cut or fill and find distance in table. Set up rod at this point, and line of sight should cut target. If it does not make the slight adjustment necessary.

TABLE No. 9.

To find Tangent and External for curve of any other degree, divide by degree of curve and add correction found in column of corrections.

Degree of curve with a given I may be found by dividing tangent, (or external), opposite I by given tangent, (or external).

The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.




TABLE II
TRIGONOMETRIC FORMULÆ.

$$\angle A = \angle MOP \quad \angle B = \angle PON = \angle OPL$$

$$R = OB = c = 1$$

$$\sin A = \frac{a}{c} = \frac{a}{1} = a = \cos B = LP$$

$$\cos A = \frac{b}{c} = \frac{b}{1} = b = \sin B = OL$$

$$\tan A = \frac{a}{b} = \frac{MQ}{OM} = \frac{MQ}{1} = MQ = \cot B = MQ$$

$$\cot A = \frac{NT}{ON} = \frac{NT}{1} = NT = \tan B = NT$$

$$\sec A = \frac{OQ}{OM} = \frac{OQ}{1} = OQ = \csc B = OQ$$

$$\csc A = \frac{OT}{ON} = \frac{OT}{1} = OT = \sec B = OT$$

$$\text{vers } A = \frac{LM}{OP} = LM = \text{covers } B \#$$

$$\text{covers } A = \frac{OP - LP}{OP} = OP - LP = \text{vers } B$$

$$\text{exsec } A = PQ = \text{coexsec } B$$

$$\text{coexsec } A = PT = \text{exsec } B$$

$$\sin \frac{1}{2} A = \sqrt{\frac{1 - \cos A}{2}} \quad \cos \frac{1}{2} A = \sqrt{\frac{1 + \cos A}{2}}$$

$$\sin 2A = 2 \sin A \cos A \quad \cos 2A = \cos^2 A - \sin^2 A$$

$$\text{Law of Lines} \quad \frac{\sin A}{a} = \frac{\sin B}{B} = \frac{\sin C}{C}$$

$$\text{Law of Cosines} \quad c^2 = a^2 + b^2 - 2ab \cos C$$

$$\text{Law of Tangents} \quad \frac{a+b}{a-b} = \frac{\tan \frac{1}{2}(A+B)}{\tan \frac{1}{2}(A-B)}$$

TABLE II—Continued
TRIGONOMETRIC FORMULAE (continued)

In any triangle:

Given a, b, C; to find c, B, A.

Use Law of Lines.

Given A, B, c; to find a, b, C.

Use Law of Lines.

Given a, b, c; to find A, B, C.

$$\text{Let } \frac{a+b+c}{2} = s, \sqrt{\frac{(s-a)(s-b)(s-c)}{s}} = r$$

$$\cos \frac{1}{2} A = \sqrt{\frac{s(s-a)}{bc}}$$

$$\tan \frac{1}{2} A = \frac{r}{s-a}$$

$$\tan \frac{1}{2} B = \frac{r}{s-b}$$

$$\tan \frac{1}{2} C = \frac{r}{s-c}$$

Area of a triangle:

$$\text{Area} = \frac{1}{2} ab \sin C$$

$$\text{Area} = \sqrt{s(s-a)(s-b)(s-c)}$$

PRISMOIDAL FORMULA.

$$\text{Vol.} = \frac{h}{6} (B+b+4M)$$

h = altitude; b, B = bases; M = midsection

TABLE III
INCHES AND FRACTIONS OF AN INCH IN DECIMALS OF A FOOT

	0	1	2	3	4	5	6	7	8	9	10	11	
$\frac{1}{16}$.0052	.0885	.1719	.2552	.3385	.4219	.5052	.5885	.6719	.7552	.8385	.9219	$\frac{1}{16}$
$\frac{1}{8}$.0104	.0938	.1771	.2604	.3438	.4271	.5104	.5938	.6771	.7604	.8438	.9271	$\frac{1}{8}$
$\frac{3}{16}$.0156	.0990	.1823	.2656	.3490	.4323	.5156	.5990	.6823	.7656	.8490	.9323	$\frac{3}{16}$
$\frac{1}{4}$.0208	.1042	.1875	.2708	.3542	.4375	.5208	.6042	.6875	.7708	.8542	.9375	$\frac{1}{4}$
$\frac{5}{16}$.0260	.1094	.1927	.2760	.3594	.4427	.5260	.6094	.6927	.7760	.8594	.9427	$\frac{5}{16}$
$\frac{3}{8}$.0313	.1146	.1979	.2813	.3646	.4479	.5313	.6146	.6979	.7813	.8646	.9479	$\frac{3}{8}$
$\frac{7}{16}$.0365	.1198	.2031	.2865	.3698	.4531	.5365	.6198	.7031	.7865	.8698	.9531	$\frac{7}{16}$
$\frac{1}{2}$.0417	.1250	.2083	.2917	.3750	.4583	.5417	.6250	.7083	.7917	.8750	.9583	$\frac{1}{2}$
$\frac{9}{16}$.0469	.1302	.2135	.2969	.3803	.4635	.5469	.6302	.7135	.7969	.8802	.9635	$\frac{9}{16}$
$\frac{5}{8}$.0521	.1354	.2188	.3021	.3854	.4688	.5521	.6354	.7188	.8021	.8854	.9688	$\frac{5}{8}$
$\frac{11}{16}$.0573	.1406	.2240	.3073	.3906	.4740	.5573	.6406	.7240	.8073	.8906	.9740	$\frac{11}{16}$
$\frac{3}{4}$.0625	.1458	.2292	.3125	.3958	.4792	.5625	.6458	.7292	.8125	.8958	.9792	$\frac{3}{4}$
$\frac{7}{8}$.0677	.1510	.2344	.3177	.4010	.4844	.5677	.6510	.7344	.8177	.9010	.9844	$\frac{7}{8}$
$\frac{15}{16}$.0729	.1563	.2396	.3229	.4063	.4896	.5729	.6563	.7396	.8229	.9063	.9896	$\frac{15}{16}$
$\frac{1}{1}$.0781	.1615	.2448	.3281	.4115	.4948	.5781	.6615	.7448	.8281	.9115	.9948	$\frac{1}{1}$
	.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167	1.0000	
	0	1	2	3	4	5	6	7	8	9	10	11	

TABLE IV
USEFUL RELATIONS.

Lineal feet	×.00019	= miles
Lineal yards	×.0006	= miles
Square inches	×.007	= square feet
Square feet	×.111	= square yards
Square yards	×.0002067	= acres
Acres	×4840	= square yards
Cubic inches	×.00058	= cubic feet
Cubic feet	×.03704	= cubic yards
Links	×.22	= yards
Links	×.66	= feet
Feet	×1.5	= links
360°	= 21600'	= 1296000"
Radius	= arc of 57.2957790°	
Arc of 1° (radius = 1)	= .017453292	
Arc of 1' (radius = 1)	= .000290888	
Arc of 1" (radius = 1)	= .000004848	

$$\pi = 3.141592654 \quad \sqrt{\frac{1}{4}} = 0.564190$$

$$\frac{\pi}{4} = 0.785398163 \quad \sqrt[3]{\frac{6}{\pi}} = 1.240700982$$

$$\frac{\pi}{6} = 0.523598776 \quad \pi^2 = 9.869604401$$

$$\sqrt{\frac{4}{\pi}} = 1.128379167 \quad \frac{1}{\pi^2} = 0.101321184$$

$$\frac{\pi}{6} = 0.523598776 \quad \sqrt{\pi} = 1.772453851$$

$$\frac{4\pi}{3} = 4.188790205 \quad \frac{1}{\pi} = 0.3183099$$

Curvature of Earth's surface = about 0.7 feet in 1 mile

Curvature in feet = 0.667 (Dist. in miles)²

Difference between arc and chord length, 0.05 feet in 11½ miles

$$\text{Probable error of a single observation} = 0.6754 \sqrt{\frac{Mv^2}{n-1}}$$

Error in chaining of 0.01 feet in 100 feet:

Due to—

1. Length of tape error of 0.01 feet
2. Alignment. One end 1.4 feet out of line
3. Sag of tape at centre of 0.61 feet.
4. Temperature difference of 15°
5. Difference of pull of 15 lbs.

STADIA REDUCTION FORMULÆ.

$$\text{Horizontal Distance} = R - R \sin^2 a + C \cos a$$

$$\text{Vertical Distance} = R \frac{1}{2} \sin 2a + C \sin a$$

$$R = \text{Reading} \times \frac{\text{distance from Object glass to cross hairs}}{\text{distance between cross hairs}}$$

C = distance from Object glass to cross hairs + distance from Object glass to center of instrument.

a = angle of elevation for mid Reading

TABLE VI (continued)
SINES, COSINES, TANGENTS, COTANGENTS (continued)

deg	sin 0'	tan 0'	sin 10'	tan 10'	sin 20'	tan 20'	sin 30'	tan 30'	sin 40'	tan 40'	sin 50'	tan 50'	deg
46	7193	1.0355	7214	1.0416	7234	1.0477	7254	1.0533	7274	1.0599	7294	1.0661	43
47	314	.0724	333	.0786	353	.0850	373	.0913	392	.0977	412	.1041	42
48	431	.1106	451	.1171	470	.1237	490	.1303	509	.1369	528	.1436	41
49	547	.1504	566	.1571	585	.1640	604	.1708	623	.1778	642	.1847	40
50	660	1.1918	7679	1.1988	7698	1.2059	7716	1.2131	7735	1.2203	7753	1.2276	39
51	771	2.349	790	2.423	808	2.497	826	2.572	844	2.647	862	2.723	38
52	880	2.799	898	2.876	916	2.954	934	3.032	951	3.111	969	3.190	37
53	986	3.270	8004	3.351	8021	3.432	8039	3.514	8056	3.597	8073	3.680	36
54	8090	.3764	107	.3848	124	.3934	141	.4019	158	.4106	175	.4193	35
55	192	4.281	208	4.370	225	4.460	241	4.550	258	4.641	274	4.733	34
56	290	4.826	307	4.919	323	5.013	339	5.108	355	5.204	371	5.301	33
57	387	5.399	403	5.497	418	5.597	434	5.697	450	5.798	465	5.900	32
58	480	6.003	496	6.107	511	6.212	526	6.319	542	6.426	557	6.534	31
59	572	6.643	587	6.753	601	6.864	616	6.977	631	7.090	646	7.205	30
60	660	1.7321	8675	1.7437	8689	1.7556	8704	1.7675	8718	1.7797	8732	1.7917	29
61	746	8.040	760	8.165	774	8.291	788	8.418	802	8.546	816	8.676	28
62	829	8.807	843	8.940	857	9.074	870	9.210	884	9.347	897	9.486	27
63	910	9.926	923	9.768	936	9.912	949	2.0057	962	2.0204	975	2.0353	26
64	988	2.0503	9001	2.0655	9013	2.0809	9026	.0965	9038	1.123	9051	1.233	25
65	9063	1.445	075	1.609	088	1.775	100	.1943	112	.2113	124	2.236	24
66	135	2.460	147	2.637	159	2.817	171	2.998	182	3.183	194	3.369	23
67	205	3.559	216	3.750	228	3.945	239	4.142	250	4.342	261	4.545	22
68	272	4.751	283	4.960	293	5.172	304	5.386	315	5.605	325	5.826	21
69	336	6.051	346	6.279	356	6.511	367	6.746	377	6.985	387	7.228	20
70	397	2.7475	9407	2.7725	9417	2.7980	9426	2.8239	9436	2.8502	9446	2.8770	19
71	455	.9042	465	.9319	474	.9600	483	.9887	492	3.0178	502	3.0475	18
72	511	3.0777	520	3.1084	528	3.1397	537	3.1716	546	3.2041	555	3.2371	17
73	563	2.709	572	3.052	580	3.402	588	3.759	596	4.124	605	4.495	16
74	613	4.874	621	5.261	628	5.656	636	6.059	644	6.470	652	6.891	15
75	659	7.321	667	7.760	674	8.208	681	8.657	689	9.136	696	9.617	14
76	703	4.0108	710	4.0611	717	4.1126	724	4.1653	730	4.2193	737	4.2747	13
77	744	.3315	750	.3897	757	.4494	763	.5107	769	.5736	775	.6382	12
78	781	7.046	787	7.729	793	8.430	799	9.152	805	9.894	811	5.0658	11
79	816	1.446	822	5.2257	827	5.8093	833	5.3955	838	5.4845	843	5.5764	10
80	9848	5.6713	9853	5.7694	9858	5.8708	9863	5.9758	9868	6.0844	9872	6.1970	9
81	877	6.3138	881	6.4348	886	6.5606	890	6.6912	894	6.8269	899	6.9682	8
82	903	7.1154	907	7.2687	911	7.4287	914	7.5958	918	7.7704	922	7.9530	7
83	925	8.1443	929	8.3450	932	8.5555	936	8.7769	939	9.0098	942	9.2553	6
84	945	9.5144	948	9.7882	951	10.078	954	10.385	957	10.711	959	11.059	5
85	962	11.430	964	11.826	967	12.250	969	12.706	971	13.197	974	13.727	4
86	976	14.300	978	14.924	980	15.605	981	16.350	983	17.169	985	18.075	3
87	986	19.081	988	20.206	989	21.470	990	22.903	992	24.542	993	26.432	2
88	994	28.636	995	31.242	996	34.368	997	38.189	997	42.964	998	49.104	1
89	999	57.290	999	63.750	999	85.940	999	114.58	1.000	171.88	1.000	343.77	0
90	60'	60'	50'	50'	40'	40'	30'	30'	20'	30'	10'	10'	deg
90	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	deg

TABLE VII
RODS IN FEET AND INCHES

Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches
1	16-6	21	346-6	41	676-6	61	1006-6	81	1336-6
2	32-0	22	363-0	42	693-0	62	1023-0	82	1353-0
3	48-6	23	379-6	43	709-6	63	1039-6	83	1369-6
4	66-0	24	396-0	44	726-0	64	1056-0	84	1386-0
5	82-6	25	412-6	45	742-6	65	1072-6	85	1402-6
6	99-0	26	429-0	46	759-0	66	1089-0	86	1419-0
7	115-6	27	445-6	47	775-6	67	1105-6	87	1435-6
8	132-0	28	462-0	48	792-0	68	1122-0	88	1452-0
9	148-6	29	478-6	49	808-6	69	1138-6	89	1468-6
10	165-0	30	495-0	50	825-0	70	1155-0	90	1485-0
11	181-6	31	511-6	51	841-6	71	1171-6	91	1501-6
12	198-0	32	528-0	52	858-0	72	1188-0	92	1518-0
13	214-6	33	544-6	53	874-6	73	1204-6	93	1534-6
14	231-0	34	561-0	54	891-0	74	1221-0	94	1551-0
15	247-6	35	577-6	55	907-6	75	1237-6	95	1567-6
16	264-0	36	594-0	56	924-0	76	1254-0	96	1584-0
17	280-6	37	610-6	57	940-6	77	1270-6	97	1600-6
18	297-0	38	627-0	58	957-0	78	1287-0	98	1617-0
19	313-6	39	643-6	59	973-6	79	1303-6	99	1633-6
20	330-0	40	660-0	60	990-0	80	1320-0	100	1650-0

TABLE VIII
LINKS IN FEET AND INCHES

Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches
1	0-7.92	18	11-10.56	35	23-1.20	52	34-3.84	69	45-6.48
2	1-3.84	19	12-6.48	36	23-9.12	53	34-11.76	70	46-2.40
3	1-11.76	20	13-2.40	37	24-5.04	54	35-7.68	71	46-10.32
4	2-7.68	21	13-10.32	38	25-0.96	55	36-3.60	72	47-6.24
5	3-3.60	22	14-6.24	39	25-8.88	56	36-11.52	73	48-2.16
6	3-11.52	23	15-2.16	40	26-4.80	57	37-7.44	74	48-10.08
7	4-7.44	24	15-10.08	41	27-0.72	58	38-3.36	75	49-6.00
8	5-3.36	25	16-6.00	42	27-8.64	59	38-11.28	76	50-1.92
9	5-11.28	26	17-1.92	43	28-4.56	60	39-7.20	77	50-9.84
10	6-7.20	27	17-9.84	44	29-0.48	61	40-3.12	78	51-5.76
11	7-3.12	28	18-5.76	45	29-8.40	62	40-11.04	79	52-1.68
12	7-11.04	29	19-1.68	46	30-4.32	63	41-6.96	80	52-9.60
13	8-6.96	30	19-9.60	47	31-0.24	64	42-2.88	81	53-5.52
14	9-2.88	31	20-5.52	48	31-8.16	65	42-10.80	82	54-1.44
15	9-10.80	32	21-1.44	49	32-4.08	66	43-6.72	83	54-9.36
16	10-6.72	33	21-9.36	50	33-0.00	67	44-2.64	84	55-5.28
17	11-2.64	34	22-5.28	51	33-7.92	68	44-10.56	85	56-1.20
								102	67-3.84

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=10°	I	T	E	I=20°	I	T	E	I=30°
1°	50.00	.218	+	11°	551.70	26.500	+	21°	1061.9	97.577	+
10'	58.34	.297	5° C.	10'	560.11	27.313	5° C.	10'	1070.6	99.155	5° C.
20'	66.67	.388	T	20'	568.53	28.137	T	20'	1079.2	100.75	T
30'	75.01	.491	.03	30'	576.95	28.974	.06	30'	1087.8	102.35	.10
40'	83.34	.606	E	40'	585.36	29.824	.13	40'	1096.4	103.97	.20
50'	91.68	.733	.001	50'	593.79	30.686	.20	50'	1105.1	105.60	.28
2°	100.01	.873	10° C.	12°	602.21	31.561	.006	22°	1113.7	107.24	.013
10'	108.35	1.024	T	10'	610.64	32.447	T	10'	1122.4	108.90	T
20'	116.68	1.188	.06	20'	619.07	33.347	.13	20'	1131.0	110.57	.20
30'	125.02	1.364	E	30'	627.50	34.259	E	30'	1139.7	112.25	E
40'	133.36	1.552	.003	40'	635.93	35.183	.20	40'	1148.4	113.95	.28
50'	141.70	1.752	T	50'	644.37	36.120	T	50'	1157.0	115.66	T
3°	150.04	1.964	15° C.	13°	652.81	37.070	.011	23°	1165.7	117.38	.025
10'	158.38	2.188	T	10'	661.25	38.031	T	10'	1174.4	119.12	T
20'	166.72	2.425	.06	20'	669.70	39.006	.13	20'	1183.1	120.87	.20
30'	175.06	2.674	E	30'	678.15	39.993	E	30'	1191.8	122.63	E
40'	183.40	2.934	.003	40'	686.60	40.992	.20	40'	1200.5	124.41	.28
50'	191.74	3.207	T	50'	695.06	42.004	T	50'	1209.2	126.20	T
4°	200.08	3.492	15° C.	14°	703.51	43.029	.011	24°	1217.9	128.00	.025
10'	208.43	3.790	T	10'	711.97	44.066	T	10'	1226.6	129.82	T
20'	216.77	4.099	.06	20'	720.44	45.116	.13	20'	1235.3	131.65	.20
30'	225.12	4.421	E	30'	728.90	46.178	E	30'	1244.0	133.50	E
40'	233.47	4.755	.003	40'	737.37	47.253	.20	40'	1252.8	135.35	.28
50'	241.81	5.100	T	50'	745.85	48.341	T	50'	1261.5	137.23	T
5°	250.16	5.459	15° C.	15°	754.32	49.444	.011	25°	1270.2	139.11	.025
10'	258.51	5.829	T	10'	762.80	50.551	T	10'	1279.0	141.01	T
20'	266.86	6.211	.06	20'	771.29	51.679	.13	20'	1287.7	142.93	.20
30'	275.21	6.606	E	30'	779.77	52.818	E	30'	1296.5	144.85	E
40'	283.57	7.013	.003	40'	788.26	53.969	.20	40'	1305.3	146.79	.28
50'	291.92	7.432	T	50'	796.75	55.132	T	50'	1314.0	148.75	T
6°	300.28	7.863	15° C.	16°	805.25	56.309	.011	26°	1322.8	150.71	.025
10'	308.64	8.307	T	10'	813.75	57.498	T	10'	1331.6	152.69	T
20'	316.99	8.762	.06	20'	822.25	58.699	.13	20'	1340.4	154.69	.20
30'	325.35	9.230	E	30'	830.76	59.914	E	30'	1349.2	156.70	E
40'	333.71	9.710	.003	40'	839.27	61.141	.20	40'	1358.0	158.72	.28
50'	342.08	10.202	T	50'	847.78	62.381	T	50'	1366.8	160.76	T
7°	350.44	10.707	15° C.	17°	856.30	63.634	.011	27°	1375.6	162.81	.025
10'	358.81	11.224	T	10'	864.82	64.900	T	10'	1384.4	164.88	T
20'	367.17	11.753	.06	20'	873.35	66.178	.13	20'	1393.2	166.95	.20
30'	375.54	12.294	E	30'	881.88	67.470	E	30'	1402.0	169.04	E
40'	383.91	12.847	.003	40'	890.41	68.774	.20	40'	1410.9	171.15	.28
50'	392.28	13.413	T	50'	898.95	70.091	T	50'	1419.7	173.27	T
8°	400.66	13.991	15° C.	18°	907.49	71.421	.011	28°	1428.6	175.41	.025
10'	409.03	14.582	T	10'	916.03	72.764	T	10'	1437.4	177.55	T
20'	417.41	15.184	.06	20'	924.58	74.119	.13	20'	1446.3	179.72	.20
30'	425.79	15.799	E	30'	933.13	75.488	E	30'	1455.1	181.89	E
40'	434.17	16.426	.003	40'	941.69	76.869	.20	40'	1464.0	184.08	.28
50'	442.55	17.065	T	50'	950.25	78.264	T	50'	1472.9	186.29	T
9°	450.93	17.717	15° C.	19°	958.81	79.671	.011	29°	1481.8	188.51	.025
10'	459.32	18.381	T	10'	967.38	81.092	T	10'	1490.7	190.74	T
20'	467.71	19.058	.06	20'	975.96	82.525	.13	20'	1499.6	192.99	.20
30'	476.10	19.746	E	30'	984.53	83.972	E	30'	1508.5	195.25	E
40'	484.49	20.447	.003	40'	993.12	85.431	.20	40'	1517.4	197.53	.28
50'	492.88	21.161	T	50'	1001.7	86.904	T	50'	1526.3	199.82	T
10°	501.28	21.887	15° C.	20°	1010.3	88.389	.011	30°	1535.3	202.12	.025
10'	509.68	22.624	T	10'	1018.9	89.888	T	10'	1544.2	204.44	T
20'	518.08	23.375	.06	20'	1027.5	91.399	.13	20'	1553.1	206.77	.20
30'	526.48	24.138	E	30'	1036.1	92.924	E	30'	1562.1	209.12	E
40'	534.89	24.913	.003	40'	1044.7	94.462	.20	40'	1571.0	211.48	.28
50'	543.29	25.700	T	50'	1053.3	96.013	T	50'	1580.0	213.86	T

T = R tan 1/2 I

E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=40°	I	T	E	I=50°	I	T	E	I=60°
31°	1589.0	216.3	+	41°	2142.2	387.4	+	51°	2732.9	618.4	+
10'	1598.0	218.7	5° C.	10'	2151.7	390.7	5° C.	10'	2743.1	622.8	5° C.
20'	1606.9	221.1	T	20'	2161.2	394.1	T	20'	2753.4	627.2	T
30'	1615.9	223.5	.13	30'	2170.8	397.4	.17	30'	2763.7	631.7	.21
40'	1624.9	226.0	E	40'	2180.3	400.8	E	40'	2773.9	636.2	E
50'	1633.9	228.4	.023	50'	2189.9	404.2	.037	50'	2784.2	640.7	.056
32°	1643.0	230.9	10° C.	42°	2199.4	407.6	10° C.	52°	2794.5	645.2	10° C.
10'	1652.0	233.4	T	10'	2209.0	411.1	T	10'	2804.9	649.7	T
20'	1661.0	235.9	.06	20'	2218.6	414.5	.10	20'	2815.2	654.3	.14
30'	1670.0	238.4	E	30'	2228.1	418.0	E	30'	2825.6	658.8	E
40'	1679.1	241.0	.013	40'	2237.7	421.4	.023	40'	2835.9	663.4	.027
50'	1688.1	243.5	T	50'	2247.3	425.0	T	50'	2846.3	668.0	T
33°	1697.2	246.1	10° C.	43°	2257.0	428.5	10° C.	53°	2856.7	672.7	10° C.
10'	1706.3	248.7	T	10'	2266.6	432.0	T	10'	2867.1	677.3	T
20'	1715.3	251.3	.26	20'	2276.2	435.6	.34	20'	2877.5	682.0	.42
30'	1724.4	253.9	E	30'	2285.9	439.2	E	30'	2888.0	686.7	E
40'	1733.5	256.5	.046	40'	2295.6	442.8	.075	40'	2898.4	691.4	.112
50'	1742.6	259.1	T	50'	2305.2	446.4	T	50'	2908.9	696.1	T
34°	1751.7	261.8	15° C.	44°	2314.9	450.0	15° C.	54°	2919.4	700.9	15° C.
10'	1760.8	264.5	T	10'	2324.6	453.6	T	10'	2929.9	705.7	T
20'	1770.0	267.2	.06	20'	2334.3	457.3	.10	20'	2940.4	710.5	.14
30'	1779.1	269.9	E	30'	2344.1	461.0	E	30'	2951.0	715.3	E
40'	1788.2	272.6	.013	40'	2353.8	464.6	.023	40'	2961.5	720.1	.027
50'	1797.4	275.3	T	50'	2363.5	468.4	T	50'	2972.1	725.0	T
35°	1806.6	278.1	15° C.	45°	2373.3	472.1	15° C.	55°	2982.7	729.9	15° C.
10'	1815.7	280.8	T	10'	2383.1	475.8	T	10'	2993.3	734.8	T
20'	1824.9	283.6	.06	20'	2392.8	479.6	.10	20'	3003.9	739.7	.14
30'	1834.1	286.4	E	30'	2402.6	483.4	E	30'	3014.5	744.6	E
40'	1843.3	289.2	.013	40'	2412.4	487.2	.023	40'	3025.2	749.6	.027
50'	1852.5	292.0	T	50'	2422.3	491.0	T	50'	3035.8	754.6	T
36°	1861.7	294.9	15° C.	46°	2432.1	494.8	15° C.	56°	3046.5	759.6	15° C.
10'	1870.9	297.7	T	10'	2441.9	498.7	T	10'	3057.2	764.6	T
20'	1880.1	300.6	.06	20'	2451.8	502.5	.10	20'	3067.9	769.7	.14
30'	1889.4	303.5	E	30'	2461.7	506.4	E	30'	3078.7	774.7	E
40'	1898.6	306.4	.013	40'	2471.5	510.3	.023	40'	3089.4	779.8	.027
50'	1907.9	309.3	T	50'	2481.4	514.3	T	50'	3100.2	784.9	T
37°	1917.1	312.2	15° C.	47°	2491.3	518.2	15° C.	57°	3110.9	790.1	15° C.
10'	1926.4	315.2	T	10'	2501.2	522.2	T	10'	3121.7	795.2	T
20'	1935.7	318.1	.06	20'	2511.2	526.1	.10	20'	3132.6	800.4	.14
30'	1945.0	321.1	E	30'	2521.1	530.1	E	30'	3143.4	805.6	E
40'	1954.3	324.1	.013	40'	2531.1	534.2	.023	40'	3154.2	810.9	.027
50'	1963.6	327.1	T	50'	2541.0	538.2	T	50'	3165.1	816.1	T
38°	1972.9	330.2	15° C.	48°	2551.0	542.2	15° C.	58°	3176.0	821.4	15° C.
10'	1982.2	333.2	T	10'	2561.0	546.3	T	10'	3186.9	826.7	T
20'	1991.5	336.3	.06	20'	2571.0	550.4	.10	20'	3197.8	832.0	.14
30'	2000.9	339.3	E	30'	2581.0	554.5	E	30'	3208.8	837.3	E
40'	2010.2	342.4	.013	40'	2591.0	558.6	.023	40'	3219.7	842.7	.027
50'	2019.6	345.5	T	50'	2601.1	562.8	T	50'	3230.7	848.1	T
39°	2029.0	348.6	15° C.	49°	2611.2	566.9	15° C.				

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=70°	I	T	E	I=80°	I	T	E	I=90°
61°	3375.0	920.2	+	71°	4086.9	1308.2	+	81°	4893.6	1805.3	+
10'	3386.3	925.9	5° C.	10'	4099.5	1315.6	5° C.	10'	4908.0	1814.7	5° C.
20'	3397.5	931.6	T	20'	4112.1	1322.9	T	20'	4922.5	1824.1	T
30'	3408.8	937.3	.25	30'	4124.8	1330.3	.30	30'	4937.0	1833.6	.36
40'	3420.1	943.1	E	40'	4137.4	1337.7	E	40'	4951.5	1843.1	E
50'	3431.4	948.9	.080	50'	4150.1	1345.1	.110	50'	4966.1	1852.6	.149
62°	3442.7	954.8		72°	4162.8	1352.6		82°	4980.7	1862.2	
10'	3454.1	960.6		10'	4175.6	1360.1		10'	4995.4	1871.8	
20'	3465.4	966.5		20'	4188.5	1367.6		20'	5010.0	1881.5	
30'	3476.8	972.4		30'	4201.2	1375.2		30'	5024.8	1891.2	
40'	3488.3	978.3		40'	4214.0	1382.8		40'	5039.5	1900.9	
50'	3499.7	984.3		50'	4226.8	1390.4		50'	5054.3	1910.7	
63°	3511.1	990.2	10° C.	73°	4239.7	1398.0	10° C.	83°	5069.2	1920.5	10° C.
10'	3522.6	996.2	T	10'	4252.6	1405.7	T	10'	5084.0	1930.4	T
20'	3534.1	1002.3	.51	20'	4265.6	1413.5	.61	20'	5099.0	1940.3	.72
30'	3545.6	1008.3	E	30'	4278.5	1421.2	E	30'	5113.9	1950.3	E
40'	3557.2	1014.4	.159	40'	4291.5	1429.0	.220	40'	5128.9	1960.2	.299
50'	3568.7	1020.5		50'	4304.6	1436.8		50'	5143.9	1970.3	
64°	3580.3	1026.6		74°	4317.6	1444.6		84°	5159.0	1980.4	
10'	3591.9	1032.8		10'	4330.7	1452.5		10'	5174.1	1990.5	
20'	3603.5	1039.0		20'	4343.8	1460.4		20'	5189.3	2000.6	
30'	3615.1	1045.2		30'	4356.9	1468.4		30'	5204.4	2010.8	
40'	3626.8	1051.4		40'	4370.1	1476.4		40'	5219.7	2021.1	
50'	3638.5	1057.7	15° C.	50'	4383.3	1484.4	15° C.	50'	5234.9	2031.4	15° C.
65°	3650.2	1063.9	T	75°	4396.5	1492.4	T	85°	5250.3	2041.7	T
10'	3661.9	1070.2	.76	10'	4409.8	1500.5	.91	10'	5265.6	2052.1	1.09
20'	3673.7	1076.6	E	20'	4423.1	1508.6	E	20'	5281.0	2062.5	E
30'	3685.4	1082.9	.240	30'	4436.4	1516.7	.332	30'	5296.4	2073.0	.450
40'	3697.2	1089.3		40'	4449.7	1524.9		40'	5311.9	2083.5	
50'	3709.0	1095.7		50'	4463.1	1533.1		50'	5327.4	2094.1	
66°	3720.9	1102.2		76°	4476.5	1541.4		86°	5343.0	2104.7	
10'	3732.7	1108.6		10'	4489.9	1549.7		10'	5358.8	2115.3	
20'	3744.6	1115.1		20'	4503.3	1558.0		20'	5374.7	2126.0	
30'	3756.5	1121.7	20° C.	30'	4516.9	1566.3	20° C.	30'	5389.9	2136.7	20° C.
40'	3768.5	1128.2	T	40'	4530.4	1574.7	T	40'	5405.6	2147.5	T
50'	3780.4	1134.8	1.02	50'	4544.0	1583.1	1.22	50'	5421.4	2158.4	1.45
67°	3792.4	1141.4	E	77°	4557.6	1591.6	E	87°	5437.2	2169.2	E
10'	3804.4	1148.0	.321	10'	4571.2	1600.1	.445	10'	5453.1	2180.2	.603
20'	3816.4	1154.7		20'	4584.8	1608.6		20'	5469.0	2191.1	
30'	3828.4	1161.3		30'	4598.5	1617.1		30'	5484.9	2202.2	
40'	3840.5	1168.1		40'	4612.2	1625.7		40'	5500.9	2213.2	
50'	3852.6	1174.8		50'	4626.0	1634.4		50'	5517.0	2224.3	
68°	3864.7	1181.6		78°	4639.8	1643.0		88°	5533.1	2235.5	
10'	3876.8	1188.4	25° C.	10'	4653.6	1651.7	25° C.	10'	5549.2	2246.7	25° C.
20'	3889.0	1195.2	T	20'	4667.4	1660.5	T	20'	5565.4	2258.0	T
30'	3901.2	1202.0	1.28	30'	4681.3	1669.2	1.53	30'	5581.6	2269.3	1.83
40'	3913.4	1208.9	E	40'	4695.2	1678.1	E	40'	5597.8	2280.6	E
50'	3925.6	1215.8	.403	50'	4709.2	1686.9	.558	50'	5614.2	2292.0	.756
69°	3937.9	1222.7		79°	4723.2	1695.8		89°	5630.5	2303.5	
10'	3950.2	1229.7		10'	4737.2	1704.7		10'	5646.9	2315.0	
20'	3962.5	1236.7		20'	4751.2	1713.7		20'	5663.4	2326.6	
30'	3974.8	1243.7		30'	4765.3	1722.7		30'	5679.9	2338.2	
40'	3987.2	1250.8		40'	4779.4	1731.7		40'	5696.4	2349.8	
50'	3999.5	1257.9		50'	4793.6	1740.8		50'	5713.0	2361.5	
70°	4011.9	1265.0	30° C.	80°	4807.7	1749.9	30° C.	90°	5729.7	2373.3	30° C.
10'	4024.4	1272.1	T	10'	4822.0	1759.0	T	10'	5746.3	2385.1	T
20'	4036.8	1279.3	1.54	20'	4836.2	1768.2	1.84	20'	5763.1	2397.0	2.20
30'	4049.3	1286.5	E	30'	4850.5	1777.4	E	30'	5779.9	2408.9	E
40'	4061.8	1293.6	.485	40'	4864.8	1786.7	.671	40'	5796.7	2420.9	.910
50'	4074.4	1300.9		50'	4879.2	1796.0		50'	5813.6	2432.9	

T = R tan ½ I

E = R exsec ½ I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=100°	I	T	E	I=110°	I	T	E	I=120°
91°	5830.5	2444.9	+	101°	6950.6	3278.1	+	111°	8336.7	4386.1	+
10'	5847.5	2457.1	5° C.	10'	6971.3	3294.1	5° C.	10'	8362.7	4407.6	5° C.
20'	5864.6	2469.3	T	20'	6992.0	3310.1	T	20'	8388.9	4429.2	T
30'	5881.7	2481.5	.36	30'	7012.7	3326.1	.51	30'	8415.1	4450.9	.62
40'	5898.8	2493.8	E	40'	7033.6	3342.3	E	40'	8441.5	4472.7	E
50'	5916.0	2506.1	.200	50'	7054.5	3358.5	.268	50'	8468.0	4494.6	.360
92°	5933.2	2518.5		102°	7075.5	3374.9		112°	8494.6	4516.6	
10'	5950.5	2531.0		10'	7096.6	3391.2		10'	8521.3	4538.8	
20'	5967.9	2543.5		20'	7117.8	3407.7		20'	8548.1	4561.1	
30'	5985.3	2556.0		30'	7139.0	3424.3		30'	8575.0	4583.4	
40'	6002.7	2568.6		40'	7160.3	3440.9		40'	8602.1	4606.0	
50'	6020.2	2581.3		50'	7181.7	3457.6		50'	8629.3	4628.6	
93°	6037.8	2594.0	10° C.	103°	7203.2	3474.4	10° C.	113°	8656.6	4651.3	10° C.
10'	6055.4	2606.8	T	10'	7224.7	3491.3	T	10'	8684.0	4674.2	T
20'	6073.1	2619.7	.86	20'	7246.3	3508.2	.103	20'	8711.5	4697.2	1.25
30'	6090.8	2632.6	E	30'	7268.0	3525.2	F	30'	8739.2	4720.3	E
40'	6108.6	2645.5	.401	40'	7289.8	3542.4	.536	40'	8767.0	4743.6	.721
50'	6126.4	2658.5		50'	7311.7	3559.6		50'	8794.9	4766.9	
94°	6144.3	2671.6		104°	7333.6	3576.8		114°	8822.9	4790.4	
10'	6162.2	2684.7		10'	7355.6	3594.2		10'	8851.0	4814.1	
20'	6180.2	2697.9		20'	7377.8	3611.7		20'	8879.3	4837.8	
30'	6198.3	2711.2		30'	7399.9	3629.2		30'	8907.7	4861.7	
40'	6216.4	2724.5		40'	7422.2	3646.8		40'	8936.3	4885.7	
50'	6234.6	2737.9	15° C.	50'	7444.6	3664.5	15° C.	50'	8965.0	4909.9	15° C.
95°	6252.8	2751.3	T	105°	7467.0	3682.3	T	115°	8993.8	4934.1	T
10'	6271.1	2764.8	1.30	10'	7489.6	3700.2	1.56	10'	9022.7	4958.6	1.93
20'	6289.4	2778.3	E	20'	7512.3	3718.2	E	20'	9051.7	4983.1	E
30'	6307.9	2792.0	.604	30'	7534.9	3736.2	.806	30'	9080.9	5007.8	1.09
40'	6326.3	2805.6		40'	7557.7	3754.4		40'	9110.3	5032.6	
50'	6344.8	2819.4		50'	7580.5	3772.6		50'	9139.8	5057.6	
96°	6363.4	2833.2		106°	7603.5	3791.0		116°	9169.4	5082.7	
10'	6382.1	2847.0		10'	7626.6	3809.4		10'	9199.1	5107.9	
20'	6400.8	2861.0		20'	7649.7	3827.9		20'	9229.0	5133.3	
30'	6419.5	2875.0	20° C.	30'	7672.9	3846.5	20° C.	30'	9259.0	5158.8	20° C.
40'	6438.4	2889.0	T	40'	7696.3	3865.2	T	40'	9289.2	5184.5	T
50'	6457.3	2903.1	1.74	50'	7719.7	3884.0	2.08	50'	9319.5	5210.3	2.52
97°	6476.2	2917.3	E	107°	7743.2	3902.9	E	117°	9349.9	5236.2	E
10'	6495.2	2931.6	.809	10'	7766.8	3921.9	1.08	10'	9380.5	5262.3	1.46
20'	6514.3	2945.9		20'	7790.5	3940.9		20'	9411.3	5288.6	
30'	6533.4	2960.3		30'	7814.3	3960.1		30'	9442.2	5315.0	
40'	6552.6	2974.7		40'	7838.1	3979.4		40'	9473.2	5341.5	
50'	6571.9	2989.2		50'	7862.1	3998.7		50'	9504.4	5368.2	
98°	6591.2	3003.8		108°	7886.2	4018.2		118°	9535.7	5395.1	
10'	6610.6	3018.4	25° C.	10'	7910.4	4037.8	25° C.	10'	9567.2	5422.1	25° C.
20'	6630.1	3033.1	T	20'	7934.6	4057.4	T	20'	9598.9	5449.2	T
30'	6649.6	3047.9	2.18	30'	7959.0	4077.2	2.61	30'	9630.7	5476.5	3.16
40'	6669.2	3062.8	E</								

TABLE X.
MIDDLE ORDINATES OF RAILS

Length of Rail (feet)

C	R	30	28	26	24	22	20	C	R	30	28	26	24	22	20
o /	Feet	Inch	Inch	Inch	Inch	Inch	Inch	o	Feet	Inch	Inch	Inch	Inch	Inch	Inch
0-20	17189	.08	.07	.06	.05	.04	.03	8	716.8	1.88	1.64	1.42	1.20	1.01	.84
0-40	8594	.16	.14	.12	.10	.08	.07	9	637.3	2.12	1.84	1.60	1.35	1.14	.94
1-0	5730	.24	.20	.18	.15	.13	.10	10	573.7	2.36	2.05	1.78	1.50	1.27	1.04
1-20	4297	.31	.27	.23	.20	.17	.13	11	521.7	2.59	2.26	1.95	1.65	1.39	1.15
1-40	3438	.39	.34	.29	.25	.21	.17	12	478.3	3.83	2.47	2.15	1.81	1.54	1.26
2-0	2865	.47	.41	.35	.30	.25	.20	13	441.7	3.05	2.66	2.30	1.96	1.66	1.36
2-20	2456	.55	.48	.41	.35	.29	.23	14	410.3	3.30	2.87	2.48	2.10	1.78	1.46
2-40	2149	.63	.55	.47	.40	.33	.27	15	383.1	3.54	3.08	2.68	2.26	1.91	1.57
3-0	1910	.71	.62	.53	.45	.38	.31	16	359.3	3.76	3.28	2.83	2.40	2.04	1.67
3-20	1719	.78	.68	.59	.50	.42	.35	17	338.3	4.00	3.48	3.02	2.57	2.16	1.78
3-40	1563	.86	.75	.65	.55	.46	.38	18	319.6	4.21	3.67	3.18	2.70	2.28	1.87
4-0	1433	.94	.82	.71	.60	.50	.42	19	302.9	4.45	3.89	3.36	2.86	2.41	1.98
4-20	1323	1.02	.89	.77	.65	.55	.45	20	287.9	4.70	4.09	3.55	3.00	2.54	2.09
4-40	1228	1.10	.96	.83	.70	.59	.48	22	262.0	5.16	4.44	3.84	3.30	2.80	2.29
5	1146	1.18	1.03	.89	.75	.63	.52	24	240.5	5.64	4.92	4.20	3.59	3.04	2.50
6	955.3	1.41	1.23	1.06	.90	.76	.62	26	222.3	6.07	5.29	4.58	3.88	3.29	2.70
7	819.0	1.65	1.44	1.24	1.05	.89	.73								

TABLE XI.
SHORT RADIUS CURVES

Radius Feet	Chord Feet	Central Angle	Deflection Angle	Deflection for 1 Foot
35	10	16-26	8-13	49.3
45	10	12-46	6-23	38.3
50	15	17-16	8-38	34.5
60	15	14-22	7-11	28.8
75	15	11-30	5-45	23.0
100	20	11-30	5-45	17.3
120	20	9-34	4-47	14.3
150	20	7-39	3-49	11.5
190	25	7-32	3-46	9.15
200	25	7-10	3-35	8.6
225	25	6-25	3-12	7.7
240	25	5-58	2-59	7.2
250	25	5-44	2-52	6.9
275	25	5-12	2-36	6.2
288	50	9-58	4-59	6.0
300	50	9-32	4-46	5.7
350	50	8-12	4-06	4.9
376	50	7-40	3-50	4.6
400	50	7-10	3-35	4.3
410	50	7-00	3-30	4.2

To find length of curve divide angle from P. C. to P. T. by central angle of chord and multiply by length of chord.


TABLE XII.
INCLINED DISTANCE OF 100 FT. REDUCED TO HORIZONTAL

Slope	Horizontal Distance	Correction	Rise	Slope	Horizontal Distance	Correction	Rise
0°00'	100.000	0.000	0.000	8°00'	99.027	0.973	0.139
15'	99.999	0.001	0.004	15'	98.965	1.035	0.143
30'	99.996	0.004	0.009	30'	98.902	1.098	0.148
45'	99.991	0.009	0.012	45'	98.836	1.164	0.152
1 00	99.985	0.015	0.017	9 00	98.769	1.231	0.156
15	99.976	0.024	0.022	15	98.700	1.300	0.161
30	99.966	0.034	0.026	30	98.629	1.371	0.165
45	99.953	0.047	0.031	45	98.556	1.444	0.169
2 00	99.939	0.061	0.035	10 00	98.481	1.519	0.174
15	99.923	0.077	0.039	15	98.404	1.596	0.178
30	99.905	0.095	0.044	30	98.325	1.675	0.182
45	99.885	0.115	0.048	45	98.245	1.755	0.187
3 00	99.863	0.137	0.052	11 00	98.163	1.837	0.191
15	99.839	0.161	0.057	15	98.079	1.921	0.195
30	99.813	0.187	0.061	30	97.992	2.008	0.199
45	99.786	0.214	0.065	45	97.905	2.095	0.204
4 00	99.755	0.244	0.070	12 00	97.815	2.185	0.208
15	99.725	0.275	0.074	15	97.723	2.277	0.212
30	99.692	0.308	0.078	30	97.630	2.370	0.216
45	99.657	0.343	0.083	45	97.534	2.466	0.221
5 00	99.619	0.381	0.087	13 00	97.437	2.563	0.225
15	99.580	0.420	0.092	15	97.338	2.662	0.229
30	99.540	0.460	0.096	30	97.237	2.763	0.233
45	99.497	0.503	0.100	45	97.134	2.866	0.238
6 00	99.452	0.548	0.105	14 00	97.030	2.970	0.242
15	99.406	0.594	0.109	15	96.923	3.077	0.246
30	99.357	0.643	0.113	30	96.815	3.185	0.250
45	99.307	0.693	0.118	45	96.705	3.295	0.255
7 00	99.255	0.745	0.122	15 00	96.593	3.407	0.259
15	99.200	0.800	0.126	15	96.479	3.521	0.263
30	99.144	0.856	0.131	30	96.363	3.637	0.267
45	99.087	0.913	0.135	45	96.246	3.754	0.271

For each foot take one one-hundredth of each reading.

TABLE XIII.
MINUTES IN DECIMALS OF A DEGREE.

0 30"	.00893	10' 30"	.17500	20' 30"	.34167	30' 10"	.50833	40' 30"	.67500	50' 10"	.84167
1 00	.01687	11 00	.18333	21 00	.35000	31 00	.51667	41 00	.68333	51 00	.85000
2 00	.02500	12 00	.19167	22 00	.35833	32 00	.52500	42 00	.69167	52 00	.85833
3 00	.03333	13 00	.20000	23 00	.36667	33 00	.53333	43 00	.70000	53 00	.86667
4 00	.04167	14 00	.20833	24 00	.37500	34 00	.54167	44 00	.70833	54 00	.87500
5 00	.05000	15 00	.21667	25 00	.38333	35 00	.55000	45 00	.71667	55 00	.88333
6 00	.05833	16 00	.22500	26 00	.39167	36 00	.55833	46 00	.72500	56 00	.89167
7 00	.06667	17 00	.23333	27 00	.40000	37 00	.56667	47 00	.73333	57 00	.90000
8 00	.07500	18 00	.24167	28 00	.40833	38 00	.57500	48 00	.74167	58 00	.90833
9 00	.08333	19 00	.25000	29 00	.41667	39 00	.58333	49 00	.75000	59 00	.91667
10 00	.09167	20 00	.25833	30 00	.42500	40 00	.59167	50 00	.75833	60 00	.92500
11 00	.10000	21 00	.26667	31 00	.43333	41 00	.60000	51 00	.76667	61 00	.93333
12 00	.10833	22 00	.27500	32 00	.44167	42 00	.60833	52 00	.77500	62 00	.94167
13 00	.11667	23 00	.28333	33 00	.45000	43 00	.61667	53 00	.78333	63 00	.95000
14 00	.12500	24 00	.29167	34 00	.45833	44 00	.62500	54 00	.79167	64 00	.95833
15 00	.13333	25 00	.30000	35 00	.46667	45 00	.63333	55 00	.80000	65 00	.96667
16 00	.14167	26 00	.30833	36 00	.47500	46 00	.64167	56 00	.80833	66 00	.97500
17 00	.15000	27 00	.31667	37 00	.48333	47 00	.65000	57 00	.81667	67 00	.98333
18 00	.15833	28 00	.32500	38 00	.49167	48 00	.65833	58 00	.82500	68 00	.99167
19 00	.16667	29 00	.33333	39 00	.50000	49 00	.66667	59 00	.83333	69 00	1.00000



DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING

SLOPE $1\frac{1}{2}$ TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0 00	0 15	0 30	0 45	0 60	0 75	0 90	1 05	1 20	1 35	0
1	1 50	1 65	1 80	1 95	2 10	2 25	2 40	2 55	2 70	2 85	1
2	3 00	3 15	3 30	3 45	3 60	3 75	3 90	4 05	4 20	4 35	2
3	4 50	4 65	4 80	4 95	5 10	5 25	5 40	5 55	5 70	5 85	3
4	6 00	6 15	6 30	6 45	6 60	6 75	6 90	7 05	7 20	7 35	4
5	7 50	7 65	7 80	7 95	8 10	8 25	8 40	8 55	8 70	8 85	5
6	9 00	9 15	9 30	9 45	9 60	9 75	9 90	10 05	10 20	10 35	6
7	10 50	10 65	10 80	10 95	11 10	11 25	11 40	11 55	11 70	11 85	7
8	12 00	12 15	12 30	12 45	12 60	12 75	12 90	13 05	13 20	13 35	8
9	13 50	13 65	13 80	13 95	14 10	14 25	14 40	14 55	14 70	14 85	9
10	15 00	15 15	15 30	15 45	15 60	15 75	15 90	16 05	16 20	16 35	10
11	16 50	16 65	16 80	16 95	17 10	17 25	17 40	17 55	17 70	17 85	11
12	18 00	18 15	18 30	18 45	18 60	18 75	18 90	19 05	19 20	19 35	12
13	19 50	19 65	19 80	19 95	20 10	20 25	20 40	20 55	20 70	20 85	13
14	21 00	21 15	21 30	21 45	21 60	21 75	21 90	22 05	22 20	22 35	14
15	22 50	22 65	22 80	22 95	23 10	23 25	23 40	23 55	23 70	23 85	15
16	24 00	24 15	24 30	24 45	24 60	24 75	24 90	25 05	25 20	25 35	16
17	25 50	25 65	25 80	25 95	26 10	26 25	26 40	26 55	26 70	26 85	17
18	27 00	27 15	27 30	27 45	27 60	27 75	27 90	28 05	28 20	28 35	18
19	28 50	28 65	28 80	28 95	29 10	29 25	29 40	29 55	29 70	29 85	19
20	30 00	30 15	30 30	30 45	30 60	30 75	30 90	31 05	31 20	31 35	20
21	31 50	31 65	31 80	31 95	32 10	32 25	32 40	32 55	32 70	32 85	21
22	33 00	33 15	33 30	33 45	33 60	33 75	33 90	34 05	34 20	34 35	22
23	34 50	34 65	34 80	34 95	35 10	35 25	35 40	35 55	35 70	35 85	23
24	36 00	36 15	36 30	36 45	36 60	36 75	36 90	37 05	37 20	37 35	24
25	37 50	37 65	37 80	37 95	38 10	38 25	38 40	38 55	38 70	38 85	25
26	39 00	39 15	39 30	39 45	39 60	39 75	39 90	40 05	40 20	40 35	26
27	40 50	40 65	40 80	40 95	41 10	41 25	41 40	41 55	41 70	41 85	27
28	42 00	42 15	42 30	42 45	42 60	42 75	42 90	43 05	43 20	43 35	28
29	43 50	43 65	43 80	43 95	44 10	44 25	44 40	44 55	44 70	44 85	29
30	45 00	45 15	45 30	45 45	45 60	45 75	45 90	46 05	46 20	46 35	30
31	46 50	46 65	46 80	46 95	47 10	47 25	47 40	47 55	47 70	47 85	31
32	48 00	48 15	48 30	48 45	48 60	48 75	48 90	49 05	49 20	49 35	32
33	49 50	49 65	49 80	49 95	50 10	50 25	50 40	50 55	50 70	50 85	33
34	51 00	51 15	51 30	51 45	51 60	51 75	51 90	52 05	52 20	52 35	34
35	52 50	52 65	52 80	52 95	53 10	53 25	53 40	53 55	53 70	53 85	35
36	54 00	54 15	54 30	54 45	54 60	54 75	54 90	55 05	55 20	55 35	36
37	55 50	55 65	55 80	55 95	56 10	56 25	56 40	56 55	56 70	56 85	37
38	57 00	57 15	57 30	57 45	57 60	57 75	57 90	58 05	58 20	58 35	38
39	58 50	58 65	58 80	58 95	59 10	59 25	59 40	59 55	59 70	59 85	39
40	60 00	60 15	60 30	60 45	60 60	60 75	60 90	61 05	61 20	61 35	40
41	61 50	61 65	61 80	61 95	62 10	62 25	62 40	62 55	62 70	62 85	41
42	63 00	63 15	63 30	63 45	63 60	63 75	63 90	64 05	64 20	64 35	42
43	64 50	64 65	64 80	64 95	65 10	65 25	65 40	65 55	65 70	65 85	43
44	66 00	66 15	66 30	66 45	66 60	66 75	66 90	67 05	67 20	67 35	44
45	67 50	67 65	67 80	67 95	68 10	68 25	68 40	68 55	68 70	68 85	45
46	69 00	69 15	69 30	69 45	69 60	69 75	69 90	70 05	70 20	70 35	46
47	70 50	70 65	70 80	70 95	71 10	71 25	71 40	71 55	71 70	71 85	47
48	72 00	72 15	72 30	72 45	72 60	72 75	72 90	73 05	73 20	73 35	48
49	73 50	73 65	73 80	73 95	74 10	74 25	74 40	74 55	74 70	74 85	49
50	75 00	75 15	75 30	75 45	75 60	75 75	75 90	76 05	76 20	76 35	50

Computed by L. Leland Locke.

C
0 1 F
0-20 17
0-40 8
1-0 8
1-20 4
1-40 8
2-0 2
2-20 2
2-40 2
3-0 1
3-20 1
3-40 1
4-0 1
4-20 1
4-40 1
5
6
7

To find

PLEASE RETURN TO
 GAUGA COUNTY ENGINEER

COURT HOUSE
 CARDON O.
 PHONE 250 X

TABLE OF INCHES REDUCED TO DECIMALS OF A FOOT.

Dec.	Inch.	Dec.	Inch.	Dec.	Inch.	Dec.	Inch.	Dec.	Inch.	Dec.	Inch.	Dec.	Inch.
.0062	1 ¹ / ₁₆	.0094	2 ¹ / ₁₆	.0126	3 ¹ / ₁₆	.0158	4 ¹ / ₁₆	.0190	5 ¹ / ₁₆	.0222	6 ¹ / ₁₆	.0254	7 ¹ / ₁₆
.0075	1 ¹ / ₈	.0107	1 ³ / ₁₆	.0139	1 ⁷ / ₁₆	.0171	1 ¹¹ / ₁₆	.0203	2 ¹ / ₈	.0235	2 ³ / ₁₆	.0267	2 ⁷ / ₁₆
.0088	1 ¹ / ₄	.0120	1 ¹ / ₂	.0152	1 ⁹ / ₈	.0184	2 ¹ / ₈	.0216	2 ³ / ₈	.0248	2 ⁵ / ₈	.0280	2 ⁷ / ₈
.0101	1 ¹ / ₂	.0133	1 ⁵ / ₈	.0165	1 ¹¹ / ₈	.0197	2 ¹ / ₄	.0229	2 ³ / ₄	.0261	2 ⁵ / ₄	.0293	2 ⁷ / ₄
.0114	1 ³ / ₄	.0146	1 ¹ / ₂	.0178	1 ¹³ / ₈	.0210	2 ³ / ₈	.0242	2 ⁵ / ₈	.0274	2 ⁷ / ₈	.0306	3 ¹ / ₈
.0127	1 ⁷ / ₈	.0159	1 ¹ / ₂	.0191	1 ¹ / ₂	.0223	1 ¹ / ₂	.0255	1 ¹ / ₂	.0287	1 ¹ / ₂	.0319	1 ¹ / ₂
.0140	1 ¹ / ₂	.0172	1 ¹ / ₂	.0204	1 ¹ / ₂	.0236	1 ¹ / ₂	.0268	1 ¹ / ₂	.0300	1 ¹ / ₂	.0332	1 ¹ / ₂
.0153	1 ¹ / ₂	.0185	1 ¹ / ₂	.0217	1 ¹ / ₂	.0249	1 ¹ / ₂	.0281	1 ¹ / ₂	.0313	1 ¹ / ₂	.0345	1 ¹ / ₂
.0166	1 ¹ / ₂	.0198	1 ¹ / ₂	.0230	1 ¹ / ₂	.0262	1 ¹ / ₂	.0294	1 ¹ / ₂	.0326	1 ¹ / ₂	.0358	1 ¹ / ₂
.0179	1 ¹ / ₂	.0211	1 ¹ / ₂	.0243	1 ¹ / ₂	.0275	1 ¹ / ₂	.0307	1 ¹ / ₂	.0339	1 ¹ / ₂	.0371	1 ¹ / ₂
.0192	1 ¹ / ₂	.0224	1 ¹ / ₂	.0256	1 ¹ / ₂	.0288	1 ¹ / ₂	.0320	1 ¹ / ₂	.0352	1 ¹ / ₂	.0384	1 ¹ / ₂
.0205	1 ¹ / ₂	.0237	1 ¹ / ₂	.0269	1 ¹ / ₂	.0301	1 ¹ / ₂	.0333	1 ¹ / ₂	.0365	1 ¹ / ₂	.0397	1 ¹ / ₂
.0218	1 ¹ / ₂	.0250	1 ¹ / ₂	.0282	1 ¹ / ₂	.0314	1 ¹ / ₂	.0346	1 ¹ / ₂	.0378	1 ¹ / ₂	.0410	1 ¹ / ₂
.0231	1 ¹ / ₂	.0263	1 ¹ / ₂	.0295	1 ¹ / ₂	.0327	1 ¹ / ₂	.0359	1 ¹ / ₂	.0391	1 ¹ / ₂	.0423	1 ¹ / ₂
.0244	1 ¹ / ₂	.0276	1 ¹ / ₂	.0308	1 ¹ / ₂	.0340	1 ¹ / ₂	.0372	1 ¹ / ₂	.0404	1 ¹ / ₂	.0436	1 ¹ / ₂
.0257	1 ¹ / ₂	.0289	1 ¹ / ₂	.0321	1 ¹ / ₂	.0353	1 ¹ / ₂	.0385	1 ¹ / ₂	.0417	1 ¹ / ₂	.0449	1 ¹ / ₂
.0270	1 ¹ / ₂	.0302	1 ¹ / ₂	.0334	1 ¹ / ₂	.0366	1 ¹ / ₂	.0398	1 ¹ / ₂	.0430	1 ¹ / ₂	.0462	1 ¹ / ₂
.0283	1 ¹ / ₂	.0315	1 ¹ / ₂	.0347	1 ¹ / ₂	.0379	1 ¹ / ₂	.0411	1 ¹ / ₂	.0443	1 ¹ / ₂	.0475	1 ¹ / ₂
.0296	1 ¹ / ₂	.0328	1 ¹ / ₂	.0360	1 ¹ / ₂	.0392	1 ¹ / ₂	.0424	1 ¹ / ₂	.0456	1 ¹ / ₂	.0488	1 ¹ / ₂
.0309	1 ¹ / ₂	.0341	1 ¹ / ₂	.0373	1 ¹ / ₂	.0405	1 ¹ / ₂	.0437	1 ¹ / ₂	.0469	1 ¹ / ₂	.0501	1 ¹ / ₂
.0322	1 ¹ / ₂	.0354	1 ¹ / ₂	.0386	1 ¹ / ₂	.0418	1 ¹ / ₂	.0450	1 ¹ / ₂	.0482	1 ¹ / ₂	.0514	1 ¹ / ₂
.0335	1 ¹ / ₂	.0367	1 ¹ / ₂	.0399	1 ¹ / ₂	.0431	1 ¹ / ₂	.0463	1 ¹ / ₂	.0495	1 ¹ / ₂	.0527	1 ¹ / ₂
.0348	1 ¹ / ₂	.0380	1 ¹ / ₂	.0412	1 ¹ / ₂	.0444	1 ¹ / ₂	.0476	1 ¹ / ₂	.0508	1 ¹ / ₂	.0540	1 ¹ / ₂
.0361	1 ¹ / ₂	.0393	1 ¹ / ₂	.0425	1 ¹ / ₂	.0457	1 ¹ / ₂	.0489	1 ¹ / ₂	.0521	1 ¹ / ₂	.0553	1 ¹ / ₂
.0374	1 ¹ / ₂	.0406	1 ¹ / ₂	.0438	1 ¹ / ₂	.0470	1 ¹ / ₂	.0502	1 ¹ / ₂	.0534	1 ¹ / ₂	.0566	1 ¹ / ₂
.0387	1 ¹ / ₂	.0419	1 ¹ / ₂	.0451	1 ¹ / ₂	.0483	1 ¹ / ₂	.0515	1 ¹ / ₂	.0547	1 ¹ / ₂	.0579	1 ¹ / ₂
.0400	1 ¹ / ₂	.0432	1 ¹ / ₂	.0464	1 ¹ / ₂	.0496	1 ¹ / ₂	.0528	1 ¹ / ₂	.0560	1 ¹ / ₂	.0592	1 ¹ / ₂
.0413	1 ¹ / ₂	.0445	1 ¹ / ₂	.0477	1 ¹ / ₂	.0509	1 ¹ / ₂	.0541	1 ¹ / ₂	.0573	1 ¹ / ₂	.0605	1 ¹ / ₂
.0426	1 ¹ / ₂	.0458	1 ¹ / ₂	.0490	1 ¹ / ₂	.0522	1 ¹ / ₂	.0554	1 ¹ / ₂	.0586	1 ¹ / ₂	.0618	1 ¹ / ₂
.0439	1 ¹ / ₂	.0471	1 ¹ / ₂	.0503	1 ¹ / ₂	.0535	1 ¹ / ₂	.0567	1 ¹ / ₂	.0599	1 ¹ / ₂	.0631	1 ¹ / ₂
.0452	1 ¹ / ₂	.0484	1 ¹ / ₂	.0516	1 ¹ / ₂	.0548	1 ¹ / ₂	.0580	1 ¹ / ₂	.0612	1 ¹ / ₂	.0644	1 ¹ / ₂
.0465	1 ¹ / ₂	.0497	1 ¹ / ₂	.0529	1 ¹ / ₂	.0561	1 ¹ / ₂	.0593	1 ¹ / ₂	.0625	1 ¹ / ₂	.0657	1 ¹ / ₂
.0478	1 ¹ / ₂	.0510	1 ¹ / ₂	.0542	1 ¹ / ₂	.0574	1 ¹ / ₂	.0606	1 ¹ / ₂	.0638	1 ¹ / ₂	.0670	1 ¹ / ₂
.0491	1 ¹ / ₂	.0523	1 ¹ / ₂	.0555	1 ¹ / ₂	.0587	1 ¹ / ₂	.0619	1 ¹ / ₂	.0651	1 ¹ / ₂	.0683	1 ¹ / ₂
.0504	1 ¹ / ₂	.0536	1 ¹ / ₂	.0568	1 ¹ / ₂	.0600	1 ¹ / ₂	.0632	1 ¹ / ₂	.0664	1 ¹ / ₂	.0696	1 ¹ / ₂
.0517	1 ¹ / ₂	.0549	1 ¹ / ₂	.0581	1 ¹ / ₂	.0613	1 ¹ / ₂	.0645	1 ¹ / ₂	.0677	1 ¹ / ₂	.0709	1 ¹ / ₂
.0530	1 ¹ / ₂	.0562	1 ¹ / ₂	.0594	1 ¹ / ₂	.0626	1 ¹ / ₂	.0658	1 ¹ / ₂	.0690	1 ¹ / ₂	.0722	1 ¹ / ₂
.0543	1 ¹ / ₂	.0575	1 ¹ / ₂	.0607	1 ¹ / ₂	.0639	1 ¹ / ₂	.0671	1 ¹ / ₂	.0703	1 ¹ / ₂	.0735	1 ¹ / ₂
.0556	1 ¹ / ₂	.0588	1 ¹ / ₂	.0620	1 ¹ / ₂	.0652	1 ¹ / ₂	.0684	1 ¹ / ₂	.0716	1 ¹ / ₂	.0748	1 ¹ / ₂
.0569	1 ¹ / ₂	.0601	1 ¹ / ₂	.0633	1 ¹ / ₂	.0665	1 ¹ / ₂	.0697	1 ¹ / ₂	.0729	1 ¹ / ₂	.0761	1 ¹ / ₂
.0582	1 ¹ / ₂	.0614	1 ¹ / ₂	.0646	1 ¹ / ₂	.0678	1 ¹ / ₂	.0710	1 ¹ / ₂	.0742	1 ¹ / ₂	.0774	1 ¹ / ₂
.0595	1 ¹ / ₂	.0627	1 ¹ / ₂	.0659	1 ¹ / ₂	.0691	1 ¹ / ₂	.0723	1 ¹ / ₂	.0755	1 ¹ / ₂	.0787	1 ¹ / ₂
.0608	1 ¹ / ₂	.0640	1 ¹ / ₂	.0672	1 ¹ / ₂	.0704	1 ¹ / ₂	.0736	1 ¹ / ₂	.0768	1 ¹ / ₂	.0800	1 ¹ / ₂
.0621	1 ¹ / ₂	.0653	1 ¹ / ₂	.0685	1 ¹ / ₂	.0717	1 ¹ / ₂	.0749	1 ¹ / ₂	.0781	1 ¹ / ₂	.0813	1 ¹ / ₂
.0634	1 ¹ / ₂	.0666	1 ¹ / ₂	.0698	1 ¹ / ₂	.0730	1 ¹ / ₂	.0762	1 ¹ / ₂	.0794	1 ¹ / ₂	.0826	1 ¹ / ₂
.0647	1 ¹ / ₂	.0679	1 ¹ / ₂	.0711	1 ¹ / ₂	.0743	1 ¹ / ₂	.0775	1 ¹ / ₂	.0807	1 ¹ / ₂	.0839	1 ¹ / ₂
.0660	1 ¹ / ₂	.0692	1 ¹ / ₂	.0724	1 ¹ / ₂	.0756	1 ¹ / ₂	.0788	1 ¹ / ₂	.0820	1 ¹ / ₂	.0852	1 ¹ / ₂
.0673	1 ¹ / ₂	.0705	1 ¹ / ₂	.0737	1 ¹ / ₂	.0769	1 ¹ / ₂	.0801	1 ¹ / ₂	.0833	1 ¹ / ₂	.0865	1 ¹ / ₂
.0686	1 ¹ / ₂	.0718	1 ¹ / ₂	.0750	1 ¹ / ₂	.0782	1 ¹ / ₂	.0814	1 ¹ / ₂	.0846	1 ¹ / ₂	.0878	1 ¹ / ₂
.0699	1 ¹ / ₂	.0731	1 ¹ / ₂	.0763	1 ¹ / ₂	.0795	1 ¹ / ₂	.0827	1 ¹ / ₂	.0859	1 ¹ / ₂	.0891	1 ¹ / ₂
.0712	1 ¹ / ₂	.0744	1 ¹ / ₂	.0776	1 ¹ / ₂	.0808	1 ¹ / ₂	.0840	1 ¹ / ₂	.0872	1 ¹ / ₂	.0904	1 ¹ / ₂
.0725	1 ¹ / ₂	.0757	1 ¹ / ₂	.0789	1 ¹ / ₂	.0821	1 ¹ / ₂	.0853	1 ¹ / ₂	.0885	1 ¹ / ₂	.0917	1 ¹ / ₂
.0738	1 ¹ / ₂	.0770	1 ¹ / ₂	.0802	1 ¹ / ₂	.0834	1 ¹ / ₂	.0866	1 ¹ / ₂	.0898	1 ¹ / ₂	.0930	1 ¹ / ₂
.0751	1 ¹ / ₂	.0783	1 ¹ / ₂	.0815	1 ¹ / ₂	.0847	1 ¹ / ₂	.0879	1 ¹ / ₂	.0911	1 ¹ / ₂	.0943	1 ¹ / ₂
.0764	1 ¹ / ₂	.0796	1 ¹ / ₂	.0828	1 ¹ / ₂	.0860	1 ¹ / ₂	.0892	1 ¹ / ₂	.0924	1 ¹ / ₂	.0956	1 ¹ / ₂
.0777	1 ¹ / ₂	.0809	1 ¹ / ₂	.0841	1 ¹ / ₂	.0873	1 ¹ / ₂	.0905	1 ¹ / ₂	.0937	1 ¹ / ₂	.0969	1 ¹ / ₂
.0790	1 ¹ / ₂	.0822	1 ¹ / ₂	.0854	1 ¹ / ₂	.0886	1 ¹ / ₂	.0918	1 ¹ / ₂	.0950	1 ¹ / ₂	.0982	1 ¹ / ₂
.0803	1 ¹ / ₂	.0835	1 ¹ / ₂	.0867	1 ¹ / ₂	.0899	1 ¹ / ₂	.0931	1 ¹ / ₂	.0963	1 ¹ / ₂	.0995	1 ¹ / ₂
.0816	1 ¹ / ₂	.0848	1 ¹ / ₂	.0880	1 ¹ / ₂	.0912	1 ¹ / ₂	.0944	1 ¹ / ₂	.0976	1 ¹ / ₂	.1008	1 ¹ / ₂
.0829	1 ¹ / ₂	.0861	1 ¹ / ₂	.0893	1 ¹ / ₂	.0925	1 ¹ / ₂	.0957	1 ¹ / ₂	.0989	1 ¹ / ₂	.1021	1 ¹ / ₂
.0842	1 ¹ / ₂	.0874	1 ¹ / ₂	.0906	1 ¹ / ₂	.0938	1 ¹ / ₂	.0970	1 ¹ / ₂	.1002	1 ¹ / ₂	.1034	1 ¹ / ₂
.0855	1 ¹ / ₂	.0887	1 ¹ / ₂	.0919	1 ¹ / ₂	.0951	1 ¹ / ₂	.0983	1 ¹ / ₂	.1015	1 ¹ / ₂	.1047	1 ¹ / ₂
.0868	1 ¹ / ₂												

