
FIELD BOOK

740

B. K. ELLIOTT COMPANY

PLEASE RETURN TO
GAUGA COUNTY ENGINEER

TABLE FOR REDUCING PERCHES TO FEET AND INCHES.


PERCH	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.	PERCH.	FEET.
1	16.6 in.	21	3.46 6 in.	41	6.76.6 in.	61	10.06.6 in.	81	13.36.6 in.		
2	33.0	22	3.63.0	42	6.93.0	62	10.23.0	82	3.53.0		
3	49.6	23	3.79.6	43	7.09.6	63	10.39.6	83	3.69.6		
4	66.0	24	3.96.0	44	7.26.0	64	10.56.0	84	3.86.0		
5	82.6	25	4.12.6	45	7.42.6	65	10.72.6	85	4.02.6		
6	99.0	26	4.29.0	46	7.59.0	66	10.89.0	86	4.18.0		
7	1.15.6	27	4.45.6	47	7.75.6	67	11.05.6	87	4.34.0		
8	1.32.0	28	4.62.0	48	7.92.0	68	11.22.0	88	4.50.0		
9	1.48.6	29	4.78.6	49	8.08.6	69	11.38.6	89	4.66.0		
10	1.65.0	30	4.95.0	50	8.25.0	70	11.55.0	90	4.82.0		
11	1.81.6	31	5.11.6	51	8.41.6	71	11.71.6	91	4.98.0		
12	1.98.0	32	5.28.0	52	8.58.0	72	11.88.0	92	5.14.0		
13	2.14.6	33	5.44.6	53	8.74.6	73	12.04.6	93	5.30.0		
14	2.31.0	34	5.61.0	54	8.91.0	74	12.21.0	94	5.46.0		
15	2.47.6	35	5.77.6	55	9.07.6	75	12.37.6	95	5.62.0		
16	2.64.0	36	5.94.0	56	9.24.0	76	12.54.0	96	5.78.0		
17	2.80.6	37	6.10.6	57	9.40.6	77	12.70.6	97	5.94.0		
18	2.97.0	38	6.27.0	58	9.57.0	78	12.87.0	98	6.10.6		
19	3.13.6	39	6.43.6	59	9.73.6	79	13.03.6	99	6.26.6		
20	3.30.0	40	6.60.0	60	9.90.0	80	13.20.0	100	6.42.6		

COURT HOUSE
CLARDON O.
PHONE 250-X

B. K. ELLIOTT COMPANY, PITTSBURG, PA.
DRAWING MATERIALS AND SURVEYING INSTRUMENTS

Clay St. T.H. #53
Facing Road
Section A
(Culbertson's Gov. No.)

Facing Road - Page 1 - 21
Huntley Road "A" Page 32 - 36 - 44
T.H. 115
" " "B" " 46 : 65
" " "C" " 49
Huntley Rd. "A" Bridge Levels Pg 25 & 30



(53)
T.H.# ~~47~~ CLAY ST.

Location Facing Road
sidestakes set 25' RT.

3

Sta 2+12⁰⁰ POT

Pipe
Set

2

PI = Sta 0+20²² Curve
Data

$\Delta = 37^{\circ}16'$
 $D = 120$
 $T = 161.00$
 $E = 26.4$
 $L = 310.56$

Sta 0+00 Beginning of Imp.



Pipe
Set

Note: Twp Line is 20⁸ North of Sta
0+00

10/22/35

Richmond
Hill

Sec A.



14

13

12

11

10

9

8

7

6

5

4

3

--- $\frac{11+49}{PL}$

1x / wood box
culv. Flow Rt

$\frac{5+07}{10 \quad 6} \rightarrow$

24

23

Sta 22+89.⁹⁵

Def RT 0°39'

Pipe
Set

P.L.

22

21

20

19


18

17

16

15

14



Build new 18"
12" Conc. Pipe
Good condition

$$\frac{19+19}{11} = 9.3 \rightarrow$$

36

35

34

33

Extend

18" Conc. Pipe
Good condition
Flow Rt

$$\frac{32+95}{135 \quad 7} \rightarrow$$

32

Appx PL. 31+15

31

30

29

28

27

Extend

12" CIP
good condition
Flow Rt

$$\frac{26+31}{65 \quad 10} \rightarrow$$

26

25

24

48

8" VSP fair
Condition
Skew 25°

4741
15 3



47

Build new 12"

46

45

44

43

42

41

3x2 Conc. Box
Conc. Abutments
Flow Rt.
Fair condition

10+51
10.5 9.2



40

39

38

37

36

59

58

57

56

55

54

53

Sta 52+44³⁰ PI Def Lt. 0° 19'

Pipe
Set

52

51


50

49

48

57+45_x

Build new 12" Cdv.
at Sta 56+10



71

70

69

Sta 69+71.21 POT

Pipe Set

68

67

66

65

64

63

62

61

60

59

S&W
8' LOCUST

29.58

S&W
4-4' ELMO

30.39


P.L. 68+08


65+03

P.L.






OK

3x2 Stone Box
fair condition
Flow Pt.







16+70 Topography




- 42" M 26 19+05
- 15" NO 27. 18+10
- 18" Ch 18+60
- 18+60




- Drive 18+00
- 9" Ap 24 17+40
- 8" ch 24 17+10
- 8" ch 24 16+25
- 6' ch 24 16+70




15" M	22	29+65	
14" M	22	29+00	
14" M	22	28+70	
24" M	22	28+90	
30" M		28+05	
		28+03	22 22" M



		27+77	22 22" M
		27+65	
		27+45	22 18" M



		27+35	
		27+13	
18" M	19	27+16	
18" M	19	26+52	
24" M	19	26+20	
stump	19	25+35	
		25+25	22 24" M



		45+45	25 50" E
Drive		44+80	20 → B
		43+75	Drive 19 → B
		36+86	21 → 36+16 X
		36+55	21 X 30" M
		36+25	21 70" M
		35+92	20 X 30" M
		35+60	21 36" M
		35+25	21 36" M
		34+12	20 X 24" H
		33+46	19 X 49" Ch
		32+77	19 48" Ch
		32+12	21 → 36" M
		31+80	21 24" M
		7+85	21 30" M
		51+15	22 30" M
		30+80	23 8" Wa
		30+72	22 → X
24" M	23	30+35	
15" M	23	30+00	

+50 24 6th Ap.

X X +108
 ← 27
 X (58)

2-4th E 12 +73
 X +60 23 10th WC
 (67)

Drive Y +75
 (66)

Y (65)
 (64)

X X +92

10th E 12 +58

Drive +90
 +106 22 24th A.
 (63)
 (62)

3-6th M 18 +82
 (61)
 (60)

4-8th WA 18 2-6th E
 +75
 +72
 (59)
 (58)
 +45 25 →

+50 Drive
 (57) Drive
 52+50

Y ← 16 52-44 22 → X

Y 47+35 Drive

Y 47-45 20 X X

X 44+05 17 X 12th M 46+00
 60 → H

X ← 25 44+00

T 20 +71

+91 21 24th E

10th E 12 +21

10th E 10 +15

10th E 8 +05
 (73)

8th E 8 +15

4th M 8 +82

4-6th E 12 +81

+75 72 18th WC

+72

29 →

(72)

X 21 2-4th M
 +93

+68 19 2-4th M

+90 14 4th WC

+28 15 4th WC

+20 12 3-9th E

(71) 26 →

+67 X ←

+60 18 12th WC

10

4th Lo 19 70

4th E 8 +22
 (9)

10/23/35

Richey
Merritt
Hill

75

Cross Sections Facing Rd.

BM #1 1324 113505 1121.81

0+00	11.0	11241
0-150	8.9	26.2
0-100	7.1	28.0
0+35	11.5	23.6

Notes: Sections at 0, 1, 2 are taken on tangent

1+00	8.6	26.5
------	-----	------

2+00	2.4	32.7
------	-----	------

482 1139.83 0.04 1155.01

3	4.3	35.5
---	-----	------

4	4.7	35.1
---	-----	------

5	6.0	33.8
---	-----	------

5+07	6.0	33.8
------	-----	------

6	5.3	34.5
---	-----	------

7	4.5	35.3
---	-----	------

8.03 1143.02 4.84 1134.99

Spike Knot 42" E 1m 30' RT 1/2 Sta 0+30

= same as BM #6 Johnson & Imp.

70	50	75	150
74	8.2	12.6	13.6

48	30	26	23	20	50
84	20	29	10.5	9.3	13.3

36	27	25	14	5	11	30
00	76	71	67	74	10.4	11.9

30	17	15	6	5	6	17	28
13	1.2	3.1	2.1	3.1	1.9	2.2	1.2

30	14	12	7	4	7	8	30
34	36	49	42	4.7	5.6	4.8	5.7

25	17	13	7	5	7	8	30
78	5.0	5.7	4.5	5.0	5.9	4.7	

25	16	10	6	8	9	30	25
71	7.3	6.1	6.1	6.9	6.5	7.4	7.8

71	7.3	7.7	7.7	5.0
73		6.6	10.0	

25	15	13	10	7	10	12	17	30
48	34	6.9	5.9	5.6	6.2	4.6	4.0	3.7

25	15	13	6	8	11	13	30
50	5.2	6.2	6.2	4.8	5.4	4.5	4.3

114302

8		6.9	36.1
9		5.7	37.3
10		4.7	38.3
11		3.8	39.2
12		2.0	41.0
13		1.1	41.9
14	7.93 1150.13	0.82	1142.20
		6.6	43.5
15		5.8	44.3
16		4.2	45.9
BMI#2			
17		2.7	47.4
18		2.1	48.0
18+40		2.2	47.9

$\frac{25}{76}$	$\frac{13}{77}$	$\frac{12}{84}$	$\frac{16}{71}$	$\frac{8}{72}$	$\frac{12}{79}$	$\frac{13}{87}$	$\frac{18}{65}$	$\frac{30}{63}$	
$\frac{25}{50}$	$\frac{11}{56}$	$\frac{10}{73}$	$\frac{5}{62}$	$\frac{8}{59}$	$\frac{12}{67}$	$\frac{14}{54}$	$\frac{18}{50}$	$\frac{20}{55}$	
$\frac{25}{43}$	$\frac{12}{76}$	$\frac{10}{58}$	$\frac{6}{50}$	$\frac{8}{51}$	$\frac{13}{58}$	$\frac{14}{48}$	$\frac{25}{57}$		
$\frac{25}{78}$	$\frac{13}{30}$	$\frac{11}{50}$	$\frac{9}{44}$	$\frac{7}{39}$	$\frac{11}{48}$	$\frac{12}{35}$	$\frac{20}{47}$	$\frac{25}{45}$	
$\frac{25}{04}$	$\frac{14}{11}$	$\frac{12}{30}$	$\frac{8}{22}$	$\frac{10}{29}$	$\frac{25}{41}$				
$\frac{25}{04}$	$\frac{14}{07}$	$\frac{12}{25}$	$\frac{7}{14}$	$\frac{8}{16}$	$\frac{10}{24}$	$\frac{12}{18}$	$\frac{25}{21}$		
$\frac{25}{62}$	$\frac{14}{62}$	$\frac{11}{80}$	$\frac{6}{68}$	$\frac{7}{71}$	$\frac{10}{76}$	$\frac{12}{64}$	$\frac{25}{64}$		
$\frac{25}{51}$	$\frac{12}{57}$	$\frac{11}{65}$	$\frac{6}{58}$	$\frac{8}{61}$	$\frac{10}{67}$	$\frac{12}{59}$	$\frac{25}{63}$		
			$\frac{23}{44}$	$\frac{9}{49}$	$\frac{6}{47}$	$\frac{10}{54}$	$\frac{11}{43}$	$\frac{25}{38}$	
			$\frac{25}{19}$	$\frac{10}{26}$	$\frac{8}{31}$	$\frac{6}{27}$	$\frac{11}{41}$	$\frac{12}{30}$	$\frac{25}{25}$
			$\frac{25}{15}$	$\frac{11}{23}$	$\frac{7}{24}$	$\frac{11}{33}$	$\frac{13}{20}$	$\frac{25}{13}$	
			$\frac{25}{18}$	$\frac{5}{26}$	$\frac{7}{26}$	$\frac{11}{35}$	$\frac{13}{20}$	$\frac{25}{11}$	

1149.24

Horiz spike SE of Barn 1001 Lt & Sta 16+00

1150.13

19 4.2 45.9
 6.74 ^{32.1} 1152.08 4.79 1145.34
 19+19 6.5 45.6

20 6.3 45.8

21 5.5 46.6

22 4.2 47.9

23 2.6 49.5

24 0.6 51.5
 4.85 1156.13 0.80 1151.28

25 4.0 52.1

BM#3 440 1156.13 4.40 1151.73

26 4.5 51.6

26+31 4.3 51.8

27 3.7 52.4

28 2.6 53.5

— — $\frac{25}{44} \frac{11}{50} \frac{7}{4.5} \frac{10}{5.5} \frac{12}{51} \frac{25}{4.3}$

— $\frac{F1}{8.1} \frac{F1}{8.4} \frac{50}{7.9} \frac{100}{11.8}$

$\frac{25}{5.5} \frac{11}{6.1} \frac{10}{7.0} \frac{7}{6.5} \frac{13}{6.9} \frac{25}{8.1} — —$

— $\frac{25}{4.8} \frac{11}{5.3} \frac{10}{6.2} \frac{8}{6.1} \frac{11}{7.0} \frac{13}{6.4} \frac{25}{6.9}$

$\frac{25}{2.7} \frac{10}{3.3} \frac{8}{5.1} \frac{6}{4.7} \frac{8}{4.4} \frac{11}{5.0} \frac{13}{3.7} \frac{25}{3.4}$

$\frac{25}{0.4} \frac{17}{0.7} \frac{10}{1.6} \frac{7}{3.1} \frac{8}{2.9} \frac{12}{3.5} \frac{13}{2.9} \frac{25}{3.8}$

$\frac{25}{-0.3} \frac{10}{0.3} \frac{8}{1.7} \frac{5}{1.2} \frac{7}{1.0} \frac{10}{1.9} \frac{11}{1.1} \frac{16}{1.6} \frac{25}{2.0}$

$\frac{25}{3.4} \frac{12}{3.6} \frac{10}{5.0} \frac{5}{4.3} \frac{9}{4.8} \frac{11}{3.9} \frac{25}{4.2} —$

Spike Wroot 20" Maple 36" Rd sta 25+30

$\frac{25}{2.9} \frac{11}{3.5} \frac{9}{5.3} \frac{7}{4.7} \frac{10}{3.0} \frac{15}{4.1} \frac{25}{3.7} —$

— $\frac{F1}{5.9} \frac{F1}{7.1} \frac{11}{7.6} \frac{50}{8.8}$

$\frac{25}{2.3} \frac{16}{3.2} \frac{11.10}{5.1} \frac{7}{4.1} \frac{10}{4.5} \frac{11}{5.1} \frac{13}{4.7} \frac{25}{4.4}$

$\frac{25}{0.2} \frac{18}{1.2} \frac{12}{3.1} \frac{6}{3.4} \frac{7}{3.0} \frac{11}{3.8} \frac{13}{2.8} \frac{1.9-}{2.0}$

1156.13

29 1.1 55.1

9.48 1165.10 0.51 1155.62

30 8.0 57.1

31 6.9 58.2

32 6.7 58.4

32+95 6.6 58.5

33 6.6 58.5

34 5.8 59.3

35 4.1 61.0

BM #4 8.18 1170.86 2.42 1162.68

36 8.6 62.3

37 7.1 63.8

38 5.5 65.4

$\frac{30}{0.9} \frac{21}{8.0} \frac{12}{1.2} \frac{9}{1.8} \frac{5}{1.5} \frac{6}{1.4} \frac{10}{2.3} \frac{11}{1.6} \frac{25}{1.7}$

$\frac{25}{7.3} \frac{17}{7.7} \frac{13}{8.3} \frac{11}{9.2} \frac{7}{8.4} \frac{5}{8.6} \frac{9}{8.3} \frac{11}{8.6} \frac{25}{8.3}$

— — $\frac{25}{6.1} \frac{10}{7.7} \frac{6}{7.1} \frac{9}{8.1} \frac{11}{7.5} \frac{25}{7.6}$

— $\frac{25}{6.2} \frac{12}{6.3} \frac{10}{7.0} \frac{9}{7.4} \frac{10}{6.4} \frac{25}{6.6}$ —

— $\frac{F1}{8.1} \frac{F1}{10.1} \frac{8}{10.6} \frac{25}{11.5} \frac{50}{13.6}$

$\frac{25}{5.7} \frac{18}{5.8} \frac{17-15}{8.2} \frac{13}{6.4} \frac{5-9}{7.1} \frac{10}{8.6} \frac{14}{7.5} \frac{25}{8.8}$

— $\frac{25}{37} \frac{12}{45} \frac{11}{6.3} \frac{4}{6.0} \frac{8}{6.4} \frac{9}{4.8} \frac{25}{4.5}$

— $\frac{25}{2.4} \frac{11}{3.3} \frac{9}{4.8} \frac{5}{4.4} \frac{9}{4.8} \frac{11}{3.5} \frac{25}{4.0}$

Spike Root 42" Maple 21PT 4 5 + 35 + 00

— $\frac{25}{7.1} \frac{10}{7.9} \frac{8}{9.3} \frac{6}{8.7} \frac{10}{9.3} \frac{11}{8.2} \frac{25}{8.1}$

— $\frac{25}{5.7} \frac{11}{6.0} \frac{9}{7.5} \frac{6}{7.4} \frac{10}{8.0} \frac{12-14}{7.2} \frac{16}{8.1} \frac{25}{8.5}$

$\frac{25}{5.0} \frac{11}{5.5} \frac{9}{6.1} \frac{6}{5.8} \frac{9}{6.0} \frac{11}{6.7} \frac{12}{6.0} \frac{16}{7.0} \frac{25}{7.3}$

70.9
117086

39			5.1	65.8
40			4.4	66.5
40+51			4.0	66.9
41			4.0	66.9
	990	117686	3.90	1186.96
42			9.0	67.9
43			8.0	68.9
44			6.3	70.6
45			4.3	72.6
BM#5	7.52	1181.84	2.54	1174.32
46			8.0	73.8
47			7.3	74.5
47+41			7.4	74.4
48			6.6	75.2

$$- \frac{25}{48} \frac{9}{46} \frac{8}{56} \frac{7}{55} \frac{10}{63} \frac{12}{47} \frac{25}{48}$$

$$- - \frac{25}{47} \frac{11}{46} \frac{11}{50} \frac{13}{61} \frac{25}{65} -$$

$$- \frac{71}{73} \frac{70}{55} \frac{11}{32} \frac{11}{34} \frac{70}{58} \frac{41}{73} \frac{50}{89}$$

$$\frac{25}{40} \frac{11}{41} \frac{9}{49} \frac{7}{43} \frac{8}{48} \frac{8}{41} \frac{25}{47} -$$

$$\frac{25}{76} \frac{18}{88} \frac{10}{71} \frac{8}{101} \frac{6}{92} \frac{10}{99} \frac{12}{85} \frac{25}{87}$$

$$- \frac{25}{62} \frac{12}{73} \frac{11}{88} \frac{7}{82} \frac{8}{66} \frac{25}{74} -$$

$$25 - \frac{15}{51} \frac{14}{80} \frac{12}{72} \frac{10}{65} \frac{5-7}{67} \frac{12}{85} \frac{17}{68} \frac{25}{68}$$

$$- \frac{25}{33} \frac{22}{44} \frac{11}{49} \frac{7}{42} \frac{7}{46} \frac{18}{44} - -$$

Spike: Wood 60" Elm 25' Rt & Sta 45+45

$$\frac{25}{66} \frac{15}{74} \frac{12}{81} \frac{10}{92} \frac{7}{83} \frac{9}{85} \frac{17}{74} \frac{25}{82} -$$

$$\frac{25}{54} \frac{21}{63} \frac{15}{68} \frac{11}{81} \frac{9}{78} - \frac{7}{81} \frac{8}{78} \frac{18}{88} \frac{25}{92}$$

$$- \frac{71}{83} \frac{71}{86} \frac{25}{93} \text{ Good fall}$$

$$\frac{25}{46} \frac{10}{49} \frac{17}{52} \frac{11}{73} \frac{9}{70} - \frac{8}{72} \frac{15}{63} \frac{19}{48} -$$

1181.84

49 45 77.3

50 38 78.0

51 30 78.8
9.96 70.1 1198.07 1.73 1180.11

52 10.4 79.7

53 8.1 82.0

53+60 ^R 4.7 85.4
Rocks sections

54 ^R 50 85.1

54+50 same as 54+00 4.7 85.4

54+70 ^R 35 86.6

54+90 same as 55+00 5.0 85.1

55 51 85.0

56 50 85.1
11.07 1197.83 3.31 1186.76

$\frac{25}{19} - \frac{19}{21} \frac{13}{41} \frac{9}{57} \frac{6}{50} \frac{9}{48} \frac{11}{57} \frac{13}{48} \frac{17}{44}$

$\frac{25}{21} \frac{20}{25} \frac{17}{35} \frac{9}{40} \frac{8}{49} \frac{9}{39} \frac{9}{27} \frac{11}{45} \frac{12}{40} \frac{25}{51}$

$\frac{25}{13} \frac{19}{16} \frac{14}{27} \frac{7}{33} \frac{5}{36} \frac{2}{32} \frac{11}{33} \frac{12}{36} \frac{15}{32} \frac{25}{45}$

$\frac{25}{69} \frac{18}{74} \frac{11}{84} \frac{6}{103} \frac{4}{107} \frac{3}{102} \frac{11}{107} \frac{15}{107} \frac{25}{109}$

$-\frac{25}{31} \frac{15}{40} \frac{10}{43} \frac{4}{80} \frac{12}{88} \frac{14}{82} \frac{18}{80} \frac{25}{87}$

end $\frac{25}{19} \frac{9}{27} \frac{5}{46} \frac{3}{49} \frac{13}{57} \frac{16}{57} \frac{22}{66}$

under bed with Rock $\frac{25}{76} \frac{7}{27} \frac{5}{45} \frac{2}{50} \frac{5}{47} \frac{15}{57} \frac{18-21}{55} \frac{22}{61} \frac{25}{67}$

under bed with rock. — — — — —

red bed $\frac{25}{16} \frac{11}{24} \frac{8}{31} \frac{5}{35} \frac{10}{43} \frac{17}{51} \frac{20}{48} \frac{25}{51}$

end of rock.

$-\frac{25}{14} \frac{8}{34} \frac{5}{48} \frac{14}{55} \frac{16-17}{52} \frac{25}{60}$

$-\frac{25}{08} \frac{8}{33} \frac{4}{47} \frac{15}{52} \frac{17}{48} \frac{20}{44} \frac{25}{56}$

1197.83

57 12.3 85.5

BM #6 931 1197.83 931 1188.52

58 20 88.8

58+60 64 91.4

58+85 50 92.8

59 55 92.3

60 4.9 92.9

61 52 92.6

825 1202.69 339 1192.04

62 8.2 93.5

63 7.7 95.0

63+51 63 96.4

64 5.5 97.2

BM #7 3.73 1202.69 3.73 1198.96

$$\frac{25}{73} \frac{10}{76} \frac{5}{11.8} \frac{3}{12.0} - \frac{15-18}{12.3} \frac{25}{11.0}$$

Spike E root 12" W. Cherry 25' RT & Sta 57+85

base Root

$$\frac{25}{49} \frac{14}{63} \frac{9}{21} \frac{6}{81} - \frac{5}{91} \frac{9}{79} \frac{19}{101} \frac{25}{91}$$

$$\frac{25}{30} \frac{20}{35} \frac{14}{53} \frac{8}{53} \frac{1}{64} \frac{8}{56} \frac{17-23}{78} -$$

$$\frac{25}{20} \frac{19}{29} \frac{14}{44} \frac{2}{47} \frac{5}{54} \frac{8}{49} \frac{15-25}{70}$$

$$\frac{25}{20} \frac{17}{25} \frac{12}{41} \frac{9}{49} - \frac{10}{47} \frac{16}{64} \frac{25}{70}$$

$$\frac{25}{16} \frac{11}{23} \frac{7}{43} \frac{5}{54} \frac{9}{54} \frac{10}{46} \frac{14}{55} \frac{25}{70}$$

$$\frac{25}{18} \frac{19}{28} \frac{13}{35} \frac{10}{43} \frac{5}{47} \frac{3}{52} \frac{9}{52} \frac{11}{50} \frac{15}{59} \frac{22}{67}$$

$$\frac{25}{53} \frac{11}{78} \frac{6}{88} \frac{4}{92} \frac{11}{92} \frac{12}{87} \frac{12}{89} -$$

$$\frac{25}{53} \frac{14}{78} \frac{8}{72} \frac{7}{78} - \frac{9}{81} \frac{12}{76} \frac{25}{96}$$

$$\frac{4}{96} \frac{10}{70} \frac{4}{50} \frac{4}{50} \frac{10}{73} \frac{4}{90} \frac{25}{72} \frac{100}{10.7}$$

$$\frac{25}{61} \frac{7}{59} \frac{5}{61} \frac{3}{57} \frac{8}{59} \frac{10-14}{54} \frac{25}{63}$$

Spike W root 18" P. Hickory 45' RT & Sta 64+40

^{0.7}
1202.69

65		27	1200.0
65+10		1.9	1200.8
	12.12	^{3.5} 1.35	1201.34
66		80	05.5
67		3.1	10.4
	12.46	^{25.6} 0.36	1213.10
68		9.4	16.2
69		4.8	20.8
70		3.0	22.6
	5.37	122802	2.91 1222.65
71		4.9	23.1
72		40	240
73		10.3	17.7
BM#8		12.69	1215.33
	6.42	123327	1.17 1226.85 ←
	11.30	124272	1.85 1231.42
BM		0.33	1242.39

$\frac{25}{80} \frac{11}{17} \frac{8}{21} \frac{6}{25} \frac{12}{27} \frac{14}{27} \frac{15}{18} \frac{29}{14}$

Rock Outcrop

$\frac{25}{35} \frac{21}{40} \frac{15}{54} \frac{11}{61} \frac{7}{68} \frac{6}{71} - \frac{13}{81} \frac{18}{62} \frac{25}{59}$

$\frac{25}{80} \frac{15}{0.8} \frac{9}{33} \frac{8}{43} \frac{5}{38} \frac{3}{33} \frac{9}{35} \frac{14}{40} \frac{17}{29} \frac{18}{30} \frac{25}{38}$

$\frac{25}{54} \frac{18}{64} \frac{12}{90} \frac{10}{104} \frac{6}{74} \frac{8}{95} \frac{10}{103} \frac{20}{78} \frac{23}{88}$

$\frac{25}{18} \frac{18}{22} \frac{10}{39} \frac{6}{60} \frac{3}{50} \frac{8}{52} \frac{12}{59} \frac{13}{48} \frac{15}{45} \frac{16}{45} \frac{25}{66}$

$\frac{25}{80} \frac{18}{05} \frac{9}{17} \frac{5}{35} - \frac{9}{88} \frac{10}{33} \frac{25}{75}$

$\frac{25}{36} \frac{9}{46} \frac{7}{54} \frac{5}{52} \frac{7}{52} \frac{8}{49} \frac{10}{66} \frac{25}{104}$

$\frac{20}{02} \frac{11}{40} \frac{10}{38} \frac{7}{52} \frac{1}{40} \frac{8}{46} \frac{11}{52} \frac{15}{40} \frac{16}{40} \frac{25}{72}$

$- \frac{25}{119} \frac{9}{114} \frac{5}{109} \frac{8}{107} \frac{17}{137} \frac{25}{140} -$

Spike Wroot 20' Elm 25' RH & 5' a 73 + 35

TP same as & at 74 + 93

= BM #2 Facing Rd. Imp. Sec 8.

BM #8 7.45 122278 121533

73+24 5.2 17.6

73+70

73+83 3.2 19.6

T.P. 6.38 115172 114534

BM #2 2.48 114924

Sta 16 5.8 45.9 49.9

— $\frac{F1}{77}$ $\frac{F1}{90}$ $\frac{35}{10.2}$


$\frac{17.2}{21}$ $\frac{14.6}{82}$ $\frac{35}{99}$
 $\frac{5.6}{5.6}$

— $\frac{25}{30}$ $\frac{25}{58}$ —

Horiz spike = $\frac{23.8}{14.6}$ SE of barn 100' L + Sta 16+00 Sec B.

Sta.	B.S.	Horiz \angle	Vert \angle	Rod	stad Dist	Elev
D.	C.					
	B.M. ^{#2}	+	H =			
		6.40	118.40			112.00
1		0°-27'-00	0-0	5.86	19.0'	112.54
2		17°-45'-00	0-0	5.98	26.0'	112.42
3		37°-44'-00	0-0	5.71	12.0'	112.69
4		327°-03'-30	0-0	5.71	11.0'	112.69
5		346°-05'-30	0-0	6.02	26.0'	112.38
6		338°-47'-00	0-0	10.47	22.0'	107.93
7		256°-07'-00	0-0	9.37	36.0'	109.03
8		213°-31'-00	0-0	10.43	79.0'	107.97
9		217°-09'-00	0-0	8.01	105.0'	110.39
10		209°-03'-00	0-0	7.25	141.0'	111.13
11		24°-40'-00	0-0	10.43	24.0'	107.97
12		19°-14'-30	0-0	10.62	75.0'	107.78
13		10°-15'-30	0-0	11.89	117.0'	106.51
14		7°-21'-30	0-0	11.78	166.0'	106.62
15		5°-27'-00	-0°-4'	12.00 ²⁵	213.0'	106.15
16		5°-13'-00	-0°-20'	12.00 ^{1.55}	267.0'	104.85
17		4°-59'-00	-0°-31'	11.00 ^{2.85}	316.0'	104.55
B.M. ^{#2}				6.39	112.01	

Vert spk N.E. root 15" Elm 2nd W. of Bridge S. side Rd
 & Rd. & Bridge^{Ely.}
 N.W. \angle Bridge
 N.E. \angle "
 S.E. \angle "
 S.W. \angle "
 \angle creek S. of Bridge
 \angle " 50' S. of "
 \angle " 110' " " "
 \angle " 150' " " "
 \angle " 200' " " "
 \angle " N. of "
 \angle " 50' N. " "
 \angle " 100' " " "
 \angle " 150' " " "
 \angle " 200' " " "
 \angle " 250' " " "
 \angle " 300' " " "



12.48
11.31
12.61
10.95
1.66
12.00
10.87
1.13
12.38
10.68
1.67
12.53
10.64
1.89

A/13/69

27



Sta	B.S.	Horiz L	Vert L	Rod	Dist	Elev
'B'	'A'	10°-25'			475.0'	
		9°-12'			381.0'	
		8°-13'			238.0'	
		7°-48'			191.0'	
		7°-14'-30"			157.0'	
		28°-30'-30"			130.0'	
		6°-53'			123.0'	
		350°-27'			139.0'	
		347°-43'			128.0'	
		346°-48'			109.0'	
1		5°-45'			66.0'	
2		185°-54'			65.0'	
3		203°-20'			79.0'	
4		242°-01'			94.0'	
5		262°-12'			76.0'	
6		268°-30"			111.0'	
7		307°-14"			88.0'	
8		312°-25"			93.0'	

B.M.

5.33 105.33

100.00


± Trav. Rd
 " " " at 24' R.P.P. X R.B. Colu
 " " "
 " " " ± Dr. N 9' wide
 " " "
 " " " ± Dr. S. 12' wide
 NW L Barn
 ± Dr. S.
 NE L Barn
 " " "
 " " " ± Dr. S. 10' wide
 ± Dr. S.
 NE L House
 NW L "
 SW L "
 E. side Dam
 W. " Dam



9.54 F/L




8.74 Top Dam

Huntley Road
Bridge Sec A



Patterson
Diedrich
Rassbach

Sec Pg 34
18+78.13




See Pg 35

± Sta 31+54

±

±



31

T.H. #115

Location Huntley Road

6 Note: sidestakes set 25' Rt.

5

4

3

2

1



Sta 0+00 Beginning of Project P.D.C. Ltd.
Note: Sta 0+00 = Sta 53+20 Dunn Rd. Imp.

3/22/37



Richel
Marks
Merritt
Rand

32




Sec. A




H10 DRIVE




Extend or build new 24"
3x1 1/2 Stone Box Culvert
fair condition
19 1/2' long



Drive 15+00



Extend with salvage 38191
10" VSP fair condition
16' long Ft. Rt.




obs
5.670E

$\Delta = 24^{\circ}49'$
D = 20
T = 63.03
E = 6.8
L = 124.08
PC = 6+62.59
PT = 7+86.67

$r = 2.3$
 $7.50 - 2.3$

Build new 15"
10" Sec C&P
poor condition
15' long Ft. Rt.



Sta 7+25 ⁶² PI Def. RT 24°49' Pipe Set

29

28

27

26

25

24

23

22

21

20

19

Sta 18+78.13

18


stake set at 21°

$\Delta = 18^{\circ}20'$
 $D = 3^{\circ}30'$
 $T = 264.17$
 $E = 21.2$
 $L = 523.81$
 $PC = 16+13.96$
 $PT = 21+37.77$

Def Lt. $18^{\circ}20'$

$12+3 = 9^{\circ}10'$
 $17 = 7^{\circ}40'$
 $17 = 5^{\circ}55'$
 $14 = 4^{\circ}10'$
 $20 = 2^{\circ}25'$
 $21 = 0^{\circ}40'$
 $21+37 = 0^{\circ}00'$

Pipe Set
 fd. 4/10/67



41

40

39

38

37

36

35

34

33


32

Sta 31+54.50

31

30


29



P.O.T

2/10/67
No find
PIPE
Set

Build new 15'
8" VSP & CIP 10"
21' long F.I.R.T.
20' skew



Beardsley

33+14

P.L.

Extend

12" CMP & VSP
fair condition F.I.R.T.
20' long

32+74
9

11


Pravnon

SBW root
15" W. Cherry

Drive 31+63

38.38

SW
90' Maple



Sta 51+02³² End of Project pipe set
 Note: Sta 51+02³² = Sta 50+32¹⁵ at the Clay Street Imp.

51

50

49

48

47

46

45


44

43

42

41

$$\frac{5280 \times .966 \text{ miles}}{5102.3} =$$



Extend
 18" CMP good
 Condition F1 R1.
 20' long

$$\frac{48 + 12}{12 \quad 12} \rightarrow$$

PL 47+80 Approx

Continuity?


46+00 PL approx

Smith

PL 47+80

Drive 47+75

Adams



9-25-37
cloudy
snow squalls

Merritt
Rand

	H.I.		Elev.
5.03	1250.76		1245.73
		4.5	1246.3 E. Mayfield
8.32	1258.17	0.91	1249.65
8.55	1264.31	2.41	1255.76
4.65	1243.84	5.12	1259.19
5.64	1264.18	5.30	1258.54
2.52	1265.98	0.72	1263.46
4.10	1266.35	3.73	1262.25
12.18	1274.41	4.12	1262.23
B.M.		8.20	1266.21
8.85	1281.92	1.34	1273.07
0.98	1277.40	5.50	1276.42
6.41	1276.85	7.16	1270.24
4.00	1275.17	5.46	1271.17
B.M.		6.05	1249.12

B.M.	9.27	1278.39	1269.12
3.91	1276.80	5.50	1272.89
6.99	1283.10	0.69	1276.11
0.76	1273.50	10.36	1272.74
		7.28	1266.22
6.05	1266.64	12.89	1260.61
3.01	1266.58	3.09	1263.57
3.62	1264.34	5.86	1260.72
4.80	1263.58	5.56	1258.78

Spike S. root 36" Poplar NW. Corner
Clay Street and Mayfield Road

check on pvt. E. Mayfield 1246.3

spike S.E. root 24" Hickory 120' S.E. of
1 1/2 story frame house W. side of Clay St.
1st house on W. side of Clay St. W. of Mayfield

Spike & washer N. root 15" maple
Mar. 29, 1937, Windy, 30°± Markst Merritt

B.M. on Hickory

1263.58
 2.73 1257.27 8.74 1257.84
 11.57 1245.70 1245.73

B.M., Mayfield Rd + Clay St.

B.M. Huntley Rd

3/29/34
M. W. H.
Harr. 17

B.M. # 6	3.71	1272.83	1269.12
	1.10	1242.08	11.85 1260.98
B.M. # 5	1.04	1252.03	11.11 1250.97
	3.55	1249.81	5.77 1246.26
B.M. # 4			10.14 1239.67
	0.55	1238.41	11.95 1237.86
	0.92	1226.72	12.61 1225.80
	3.31	1217.88	12.15 1214.57
B.M. # 3			1.61 1214.27
	0.69	1210.70	7.87 1210.01
B.M. # 2	3.17	1207.54	6.33 1204.37
	0.72	1195.32	12.24 1194.60
	0.83	1187.82	8.33 1186.99
B.M. # 1			11.49 1176.33

clear. Windy

Spike & Washer N. root 15" Maple 23' Ht. sta. 50+60
 Spike N. root 30" Maple 28' Ht. sta 40+45
 S. & W. S.W. root 15" Cherry 25' Ht sta 32+09
 R.P. Spike.
 (T.S. 25)
 Spike N. root 14" Maple 20' Ht. sta 21+50
 Spike S.W. root 24" Pear 45 Lt. sta 10+10
 Spike W. root 15" Maple E. side Dairy Rd 75' Ht sta 0+23

Profile, Huntley Rd.

B.M. #1	11.49	1187.82		1176.33
0+0			9.3	1178.5
+25			7.2	1180.6
1+0			4.8	1183.0
2+0			2.2	1185.6
T.P.	10.67	1198.49	0.00	1187.82
3+0			10.9	1187.6
4+0			8.1	1190.4
5+0			4.4	1194.1
6+0			0.0	1198.5
T.P.	5.73	1203.77	0.45	1198.04
4+625			3.4	1200.4
7+0			2.0	1201.8
+20			2.5	1201.3
+50			4.7	1199.1
8+0			8.6	1195.2
+90			9.4	1194.4
9+0			9.3	1194.5
10+0			8.2	1195.6
T.P.	8.24	1209.50	2.51	1201.26
B.M. #2			5.14	1204.34
11+0			11.1	1198.4
+50			7.4	1201.9
12+0			5.8	1203.7
+20			5.2	1204.3

Readings
90° to L

1204.37

1180.0	1180.7	1181.2	1178.3	1176.4	1173.8
$\frac{7.8}{200}$	$\frac{7.1}{100}$	$\frac{6.6}{40}$	9.3	$\frac{11.4}{30}$	$\frac{14.0}{100}$

1196.3	1194.3	1193.2	1194.4	1192.8	1192.1	1192.9	1188.5	1186.5
$\frac{7.5}{25}$	$\frac{9.5}{6}$	$\frac{10.6}{4.4}$	9.4	$\frac{14.0}{13.4}$	$\frac{11.7}{15}$	$\frac{10.9}{20}$	$\frac{15.3}{95}$	$\frac{17.3}{110}$

3-30-37
Marriott
Marks

1209.50

13+0		5.3	1204.2
+04		5.3	1204.2
14+0		3.8	1205.7
15+0		1.2	1208.3
T.P. BM "2" A"		0.69	1208.81
	8.09		1208.81
15+55		6.6	1210.3
16+0		7.7	1209.2
17+0		9.3	1207.6
+65		9.0	1207.9
+69		11.8	1206.1
18+0		7.9	1209.0
+80		4.6	1212.3
19+0		4.5	1212.4
20+0		6.1	1210.8
T.P.	6.85	5.11	1211.79
{ 20+24.5		6.6	1212.0
{ 20+41.5		7.0	1211.6
21+0		6.3	1212.3
B.M. # 3		2.44	1216.20
22+0		4.0	1214.6
23+0		1.9	1216.7
T.P.	10.19	0.68	1217.96
23+50		10.6	1217.5
24+0		8.5	1219.6

Rec. Elev.
1216.27

1205.3
4.0
2.0

1204.5
5.0
7.0

1202.8
6.7
7.4

1204.2
5.3

1202.5
7.0
9.4

1198.8
10.7
4.5

Spike N. raft 15" Oak 18' Rt. Sta 1A+70
Stopped 3-23-37

1206.7
10.2
2.5

1206.1
10.8

1207.5
9.4
7.0

1208.5
8.4
6.5

1208.5
8.4

1206.3
10.6
FL.

1205.7
11.2
5.0

1203.9
13.0
10.0

1208.8
9.8
3.6

1210.6
8.0
5.0
8.0
8.3

1212.0
6.6

1210.5
8.4
5.0
8.3
13.5

1207.7
10.9
FL.

1209.0
9.6
4.5

1206.1
12.5
4.5

1205.3
13.0
1.0

1228.15

24+70		4.3	1223.8	
25+0		5.1	1223.0	
24+0		5.5	1222.6	
+04		5.5	1222.6	Readings 90' to 6
+75		4.9	1223.2	
+92		3.7	1224.4	Readings 90' to 6
27+08		3.4	1224.7	
28+0		1.9	1226.2	
T.P.	11.06	0.00	1228.15	
29+0		10.9	1228.3	
30+0		8.0	1231.2	
+75		4.6	1234.6	
31+0		3.0	1236.2	
T.P.	6.63	0.50	1238.71	
+70		3.4	1241.9	
32+0		4.0	1241.3	
B.M. #A		5.76	1239.50	1239.67
32+AA		5.1	1240.2	
+55				
33+0		4.8	1240.5	
34+0		3.7	1241.6	
+90				
35+0		1.8	1243.5	
+75		0.0	1245.3	
T.P.	7.54	0.64	1244.70	

1222.4
 $\frac{5.7}{23}$
 $\frac{2.0}{30}$ 1226.1
 $\frac{7.7}{17-21}$ 1220.4
 $\frac{7.9}{FL}$ 1220.7
 $\frac{4.6}{FL}$ 1223.5
 $\frac{4.9}{FL}$ 1222.6
 $\frac{4.6}{25}$ 1221.2
 $\frac{4.6}{25}$ 1223.5
 $\frac{4.8}{7.0}$ 1224.4
 $\frac{7.3}{FL}$ 1223.3
 $\frac{7.4}{18}$ 1220.8
 $\frac{5.0}{28}$ 1220.7
 1220.1

1240.4
 $\frac{4.9}{25}$ 1238.7
 $\frac{6.6}{12}$ 1236.8
 $\frac{8.5}{FL}$ 1240.2
 $\frac{7.9}{10}$ 1236.2
 $\frac{5.1}{FL}$ 1236.5
 $\frac{8.8}{25}$ 1236.2
 $\frac{9.1}{56}$ 1233.9
 $\frac{11.4}{100}$
 1240.9
 $\frac{4.4}{0}$ F.L. of 8" field tile Lt. of 6
 F.L. of 6" field drain Lt. of 6

1252.2A

36+0		7.2	1245.0	
37+0		7.0	1245.2	
38+0		6.8	1245.4	
+91		6.1	1246.1	
39+0		6.0	1246.2	
40+0		4.3	1247.9	
B.M. # 5		1.37	1250.87	1250.97
41+0		0.9	51.3	
T.P.	11.15	0.41	1251.83	
41+90		8.7	1254.3	
42+0		8.4	1254.6	
43+0		6.5	1256.5	
44+0		2.6	1260.4	
+65		2.4	1260.6	
45+0		2.2	1260.8	
+50		1.4	1261.6	
T.P.	7.38	0.69	1262.29	
46+0		2.6	1263.1	
+60		3.7	1266.0	
47+0		4.2	1265.5	
+40		4.4	1265.3	
48+0		4.1	1265.6	

8.0	4" drain	1245.7							
FL.	tile 1244	6.5	6.6	8.0	1246.1	1243.7	1243.3	1242.1	
		25	12	FL.	61	FL.	60	100	

5.6	4.4	3.9	4.1	3.9	3.4	2.4	3.8	5.3	6.0	7.0		
30	140	85	60	30	12		12	50	100	145		
							Thence	6.6	6.9	6.8	6.9	9.3
							West	200	250	300	330	350
							Reading at 350' is FL. of					FL. of
							4" tile 150' Rt. Sta. 42+80					drain

N. side drains into road
Litch at Sta 42+0

1269.47

48+12		4.0	1265.7	
49+0		3.3	1266.4	
50+0		2.5	1267.2	
T.P.	7.19	1275.21	1.65	1268.02
B.M. # 4		4.19	1269.02	1269.12
+ 70		7.2	1268.0	
+ 90		6.0	1269.0	
51+02		4.9	1270.3	
51+30	} continuing East	4.0	1271.2	
+ 50		3.5	1271.7	
52+0		2.1	1273.1	
53		0.7	1274.5	

1263.3

 $\frac{4.4}{30}$

1262.5

 $\frac{7.2}{F.L.}$

1265.7

4.0

1262.1

 $\frac{7.6}{F.L.}$

1262.8

 $\frac{6.9}{50}$

1262.5

 $\frac{7.5}{100}$

1262.0

 $\frac{7.7}{150}$

1260.6

 $\frac{9.1}{30'W}$

1260.5

 $\frac{9.2}{250}$

$$\frac{10.3}{30'W + 250} = 1259.4$$

1271.1 1271.0
 $\frac{4.1}{200}$ $\frac{4.2}{100}$ Prof. F.L. $\frac{7.5}{15' C.M.P.}$ LX 1268.6
 $\frac{6.2}{E.F.L.}$ $\frac{4.5}{60}$ 1270.7
 1270.3 1.9

1271.1 1269.2
 $\frac{7.1}{35}$ Prof. F.L. $\frac{6.0}{East F.L.}$ $\frac{7.0}{W.F.L.}$ $\frac{3.7}{100}$ $\frac{3.2}{200}$
 (U' East F.L.)

HUNTLEY ROAD (Sec B)

ATC/39 Fair & Warm
 Fomeley-Clouse-Hillman

Void
 see pages 65 and 67


0+0 Begin Project
 Equals 51+02 ³² Huntley Road Sec A
 " 50+32 ¹⁵ Clay Street.

Lot line 530.5
 527.5 Lot line

7150.00 12' stk 179-41 T.Hub
 399-73

2023.72 Spk 5' W of bridge ± 1' S of E
 of bridge

624.25 T.Hub 12' stk 120°



Set W in S side
14" Maple

Set W in
N.W. Root 20" Maple

T Bolt (Set)
S.R. 528

X in S.E. cor.

head wall

Sta 177+74.40 for
S.R. 528



Quit 4:20 P.M.

stk 8 CA⁴⁷ 12

T. Hob

4/29/33 Fair-Cool



Pomroy
Clouse
Willman

2+0


0+22³⁰ Standard Cross Road Cult. O.K.

0+0 Begin Project
Equals Sta. 172+7240 Middlefield-Madison Rd.

Stakes set at 25' unless otherwise noted.



54+27¹⁰ End Project



Both culvert outlets partially filled. Both ditches on E should be lowered ± 2.50'

S 85-00' E (Old)

S+W in N.W. side
14" Maple

S+W in S.W. side
15" Elm

1. Bolt (set)


179-57'
359-55'

88-50' Approx.

S+W in N.W. side
12" Ash

Daniel's NE cor. 40 Acres


27+21²⁰ Approx. Lot Line
A = 0°-02'-30" Rt.




4/25/39

Pomeroy
 Clause
 Willman

Topography



C.G. Daniels




Cultivated field
 Clark

0+0

Begin Project

Bit. Mac. with Retread



	11.5	+65	
		+56	24.5 @ 12" Elm
	20+44	23	@ 8" W.Ch.
		+62	21' @ 13" Elm
	19+13	19'	@ 12" Elm (dead)
	17.5	+82	
		+47	16.5 @ 20" W.Ch.
		+23	18.5 @ 14" Elm
4" Drain tile	17'	18+21	
		17+30	18' @ 8" Pig Hick.
	17+71	17.5'	@ 14" Pear
	17+32	18'	@ 12" Wild Cherry



	20'	14+0
4" Drain tile	14'	13+30
	21.5	10+15

Begin maple + red
row
(14' to 10')

x x x x x
14' +72

last fruit tree
25' 4+66

Cultivated field
Clark



on Hunt Rd



2 St. Cement
rock H

+ 350'

	51+26	20	6" Elm
10" Apple	13.5	50+26	
	49+41	21	13" M
14"	16.5	47+23	
	46+48	20	20" M
	45+22	21	16" Ash
	44+71	25	20" Ash
	44+38	23	32" Elm
	43+43	23	20" Ash
	43+20	24	14" M.

Det. R. Faulkner


Cultivated field

Approx. P.L.

41 + 01

Cultivated
field

40+12	24.5	32" Ash
39+16	22'	28" Ash
38+32	24.5'	16" Walnut



+ 225'

38+60

37+72

field

Hogstaller

20 x 16" Cor. pipe
existing

37+25

24.5

14" Walnut

12 x 10" Cor. pipe
existing

Cultivated
Hogstaller

house Dr.

36+80

Dr. to field

Dr. to field

4/28/39 Fair-Windy

X Sections

+ H.I. - E

7to 1196.9

Cto 1202.7

T.P. IAC 1209.99 11.07 1208.53

5to 1208.8

4to 1213.0

T.P. 0.82 1219.60 10.70 1218.78

3to 1218.6

Note: Sta 0to to 5to add 2 to

+50 dist. on N. Subtraction S 1221.7

Cto to 10to add 1.5' on N & subtract

2to 1.5' on S. 1223.9

1to 1224.9

0+22⁵⁰ X Rd. Col'd

1225.00

0+06 Cont'd of Post

B.M. 1^b 2.12 1228.98 2.15 1226.86B.M. 1^a 2.26 1229.01 1226.75

Huntley - C -

56

10.7 10.9 12.7 13.9 13.2 13.1 13.3 13.8 6.2 9.8
30 16.5 10.5 8 5.5 E 6.5 8.5 17 30
11.53.9 8.5 9.7 7.8 7.6 7.8 2.8 3.0
30-15 7.5 5 E 7 9 17 307.6 7.4 8.9 11.7 11.1 10.8 11.0 11.4 10.1 8.2 9.0
30 21 11.5 6.5 3.5 E 8 10 12 6.5 303.5 4.6 7.2 6.7 6.6 6.8 7.1 6.0 4.7 5.1
30 11 5 3.5 E 8 10 13+4 17 305.4 6.0 6.8 9.0 11.1 10.7 10.4 10.5 11.0 9.2 7.6 8.4
30 23.5 11.5 7.5 5 3 E 9.5 12 14.5 20.5 304.3 4.5 5.2 7.7 7.2 7.3 7.5 7.3 6.4 5.8 6.3
30 19 12 7.5 4 E 9 10.5 13.5 16.5 304.6 5.4 5.5 5.3 5.1 5.2 5.5 4.2 3.6 4.6
30 21 7 4 E 10 11.5 13.5 17 30

OC

Ground Daniels house

2.6 3.4 4.0 4.8 4.5 4.1 4.4 5.2 4.6 4.8
30 23.5 10.5 8.5 7.5 E 10.2 11.8 14 305.25
F.L.7.33
F.L.2.77 2.60 3.86 6.57 9.18 11.90
75 50 E 50 100 150

Spk in E. Root 16 Maple Sta 0-23. 45' Rt

Spk W. Root 4 Pine Sta. 0+46 30.5 Lt

	+	H.I.	-	E
T.P.	1.33	1170.92	1092	1169.59
16 to				1169.6
15 to				1171.8
14 to				1173.9
13 + 30		Field Drain		
13 to				1176.4
T.P.	2.37	1180.57	11.52	1172.20
12 to				1177.3
11 to				1182.9
BM #2	0.45	1189.72		1189.27
4/29/39	Fair - Cool - Windy Pomeroy - Claude - Willman (Noon)			
BM #2			9.01	1189.27
10 to				1186.4
9 to				1189.4
8 to				1193.3
T.P.	1.00	1199.00	12.51	1197.48
		1209.99		

10.0 9.2 10.7 11.7 11.1 11.0 11.4 11.6 10.9 10.3 10.0
 30 23 11 9 6 E 4.5 6.5 8.5 11 30

7.5 7.1 8.7 9.4 8.9 8.8 9.0 9.5 8.8 8.2 8.6
 30 19.5 11 9 6.5 E 4.5 6.5 8.5 12 30

6.1 5.5 6.3 7.3 6.7 6.6 6.9 7.1 6.5 5.9 6.1
 30 24 12 9 10 6 E 5.5 7 9.5 13.5 30

5.55
 F.L.

3.5 2.8 3.6 4.7 4.4 4.2 4.3 5.0 4.5 3.3 2.9
 26 24 12.5 9 6.5 E 5.5 7.5 9 12.5 30
 30

9.1 8.3 9.0 11.5 10.6 10.4 10.7 11.4 10.8 9.7
 30 21 12 9 6 E 5 7.5 9.5 15 30
 27 10

5.5 4.8 6.1 7.6 6.9 6.8 7.5 7.7 6.1 5.8 4.5
 30 11.5 13 9.5 7 E 5 8 10.5 14.5 30
 26

Spk in S. Root 12' Maple Sta 10+10 20' Lt

10.6 10.1 12.0 13.9 12.9 12.7 13.1 13.4 11.0 10.7 11.5
 30 21 12.5 10 7 E 6.5 9 15 25 30

6.8 6.4 7.0 10.4 9.4 9.2 9.5 10.3 9.2 8.0 8.6
 30 25 11.5 9 6 E 7 10 11.5 15.5 30

3.3 3.4 5.5 6.5 6.0 5.8 6.1 6.7 5.4 4.6 4.8
 30 27 10 7.5 5.5 E 7 9 12.5 15.5 30

+ H.L. - E

29to				1144.0
26to				1146.0
25to				1148.5
T.P.	2.32	1151.55	12.68	1149.23
24to				1150.3
23to				1152.6
22to				1155.6
21to				1158.0
J.M.#3		0.48		1161.43
T.P.	0.26	1161.91	2.27	1161.05
20to				1162.6
19to				1163.2
+21	Field Drain			
18to				1165.5
17to				1167.5

117092

71.66 76 2.75 7.5 7.8 8.7 7.2 6.3 6.7	30 20 9 7 3.5 8.5 10 13 21 30
54 46 52 64 54 5.5 5.6 6.0 5.1 5.5	30 23 12 7.5 3.5 8.5 10 13 30
2.7 1.6 2.2 3.2 4.2 3.2 3.1 3.4 3.9 3.1 2.4 2.6	30 24 16 10 8 4 8 10 13 21 30
10.6 12.4 11.1 11.6 11.8 12.0 11.7 10.2 10.9	17 7.5 5 8.5 10 11.5 22 30
30 8.5	
74 6.7 6.9 9.2 10.0 9.2 9.3 9.3 9.7 9.0 7.8 8.5	30 27 17 10 8 4.5 8.5 10 12 15 30
4.0 3.3 4.9 5.1 9.7 6.3 6.3 6.6 7.2 6.0 3.9 4.5	30 21 14 11 7 3.5 8.5 11 12.5 20 30
11 0.1 1.3 3.3 5.0 3.9 3.9 3.8 4.2 2.8 2.1 2.9	30 22 11 10 7 3.5 9 10.5 12.5 16.5 30
Spike N.W. Root 12" Elm Sta 20+56 25 Rt.	
21 2.0 9.4 11.2 10.5 10.3 10.4 10.9 9.6 8.8	30 23 11 3 4 8.5 10 13 30
6.3 6.0 7.4 9.0 8.0 7.7 8.0 8.8 7.6 6.7 6.8 6.4 7.1	30 18.5 11.5 8.5 5.5 7.5 9 11 15 21 27 30
9.5	
C.50	
FL.	
4.6 4.0 4.9 6.3 5.4 5.4 5.0 6.2 5.4 4.1 3.9 4.6	30 20 12.5 8.5 6 6 8 10 17 27 30
9.5	
2.7 2.3 3.3 3.9 3.3 3.4 3.8 3.7 3.2 2.6 3.5	30 25 11 8 6 6 7 9 12.5 30

37+10 1132.1
T.P. 2.30 1136.04 ✓ 7.04 1133.74

36+0 1132.8

35+0 1133.9

34+0 1135.00

33+0 1136.00

BM #4 4.04 1137.34

32+0 1137.00

31+0 1137.8

30+0 1138.9

T.P. 0.56 1141.32 1140.82

5/1/39 Fair-Cool Pomeroy Clause Willigan

T.P. 10.73 1140.82

29+0 1140.5

28+0 1142.3

1151.55

4.3 5.3 4.1 3.9 4.2 5.2 4.5 4.2
13 9 8 E 2.5 13 16.5 30
30 11 15

7.9 7.1 8.6 9.3 8.7 8.6 8.7 9.6 8.7 7.9 7.6
30 22 12 2.5 5 E 2.5 12 14.5 20 30

7.1 7.2 7.2 8.1 7.5 7.5 7.6 9.2 7.4 7.1 7.3
30 19 12 2.5 5 E 7.5 11 15 23 30

7.1 6.2 6.2 6.6 7.2 6.4 6.4 6.0 7.6 7.0 6.4 6.7
30 20 12.5 10 8 5 E 7 11 13 21 30

6.0 5.7 5.9 5.4 6.1 5.3 5.4 5.3 6.5 5.4 5.3 5.9
30 20.5 12 9 7 4 E 2.5 11 14 20 30

Spk in N. Root 40 Elm Sta. 32+40 25 Rt

5.2 4.3 5.0 4.4 4.6 4.3 4.4 4.1 5.5 4.6 5.2
30 19.5 12 8 6.5 4 E 8.5 11.5 14 30

3.7 3.2 4.2 3.6 3.6 3.4 4.3 3.5 3.6
30 9 6.5 4 E 9 10.5 13 30

2.5 2.2 3.0 2.0 2.3 2.5 2.5 3.5 2.6
30 2.5 7 5.5 4 E 2.6 10.6 13.5 30


Pack 29+04 Lt

11.1 11.0 12.0 11.0 11.1 11.1 12.6 11.1 10.3 10.4
30 9.5 7.5 4.5 E 8 11 14 21 30

8.9 8.8 10.3 9.2 9.3 9.6 10.5 9.1 2.5
30 12 7 3.5 E 8 10 13 30

47to				1120.2
BM #5	263	1123.84	5.29	1121.21
46to				1120.8
45to				1121.2
44to				1121.6
43to				1122.1
42to				1122.5
41to				1123.2
T.P.	247	1126.50	12.01	1124.03
40to				1124.5
39to				1127.1
38to60	Side Ditch			1127.1
37+72	House			
36to				1130.9
		1136.04		

44	39	66	38	36	38	56	39	295	37		
30	13	7	2.5	±	10	14	18	Stk	30		
Spk in N.E. Root 10" Ash St. 45+22 21 Rt											
62	58	62	84	59	51	60	71	63	570	66	
30	21	11	5	1.5	±	11.5	14	16	Stk	30	
47	53	59	73	54	53	55	65	57	551	66	
30	14	9	4	1.5	±	12	14.5	16	Stk	30	
53	59	66	50	49	51	50	57	50A	61		
30	8.5	5	2	±	12	15	16.5	Stk	30		
47	51	55	59	45	44	47	55	44	344	42	
30	13.5	7	5	2	±	12	15	17	Stk	30	
32	38	46	47	52	41	40	41	48	41	3.23	42
30	16.5	10	8	5	2.5	±	11.5	14	17	Stk	30
20	23	31	40	45	35	33	34	40	34	3.3	
30	15.5	9	7	4.5	2	±	11	14	15.5	30	
56	100	106	130	110	115	117	126	110	104	11.0	
30	18.5	10	5.5	2.5	±	10.5	12	16	25	30	
61	60	65	106	91	89	93	104	78	70	8.1	
30	20	13	8	3	±	10	12	17.5	25	30	



64	59	67	52	51	54	74	6.1	6.3
30	11	9	4	±	11	14	18	30

T.P. 10.07 1124.24 0.33 1114.57
 J.M.C 560 1109.30

54+27¹⁰ 1110.1

54+13 74" Cor. pipe Lt 18" Cor. pipe Rt

54+0 1109.5

53+0 1110.5

52+0 1111.2

T.P. 2.55 1114.30 11.48 1112.35

51+0 1112.1

50+0 1113.2

49+0 1115.0

48+0 1114.7

1123.24

Ref. Point. Spk 4W in S.W. side 10" Maple Sta. 54+51 20' Lt

8.7 7.0 9.3
 Ditch 150 Ditch

7.3
 100

6.7
 50

35 4.3 4.8 4.8 4.2 3.6
 150 100 50 50 100 150

8.26
 FL

7.72
 FL

6.0 6.0 7.5 5.0 5.4 5.6 7.0 5.6 4.4 5.3
 30 14.5 8 5.5 10 12 11 5.4 30
 11

5.0 5.7 6.7 4.1 4.4 4.6 5.5 5.4 4.3 4.5
 30 11 7 3.5 10.5 13.5 24.5 30
 9

4.7 4.7 4.8 3.9 3.7 3.8 4.7 4.7 3.6 4.1
 30 9 6 3 10.5 14 24.5 30
 4

12.3 12.1 12.0 12.0 11.7 12.2 13.0 12.5 11.9 11.9 11.9
 30 10 6.5 3 11.5 13 16 22 30
 14.5

10.1 10.1 11.5 12.0 10.1 10.6 10.9 11.9 11.2 9.0 9.6 9.6
 30 13 8 6.5 3 10 13 15 21.5 30
 14

8.0 7.6 10.7 11.1 9.1 8.0 9.7 10.3 8.0 6.9 6.1 6.6
 30 14.5 9.5 7 4 8.5 12 15 23 30
 9

4.5 4.3 4.6 8.6 5.3 5.1 5.3 7.5 4.4 3.4 4.1
 30 28 15 7 2 8.5 12 17 20 30
 10 14

	+	H.I	-	E
25 to				
26 to				
27 to				
T.P.	825 ^{70'}	1150.52	1.99	1141.67
28 to				
29 to				
30 to				
31 to				
32 to				
B.M ^{#4}			0.41	1137.25 (1137.34)
T.P.	7.19	1143.08	0.67	1136.47
33 to				
34 to			1.41	
35 to				
36 to				
37 to				
38 to				
39 to				
T.P.	11.65	1137.14	3.62	1125.49
40 to				
41 to				
T.P.	7.63	1129.11	3.22	1121.42
B.M ^{#5}			3.44	1121.20 (1121.21)
		1129.64		

Stk

" 1.07

" 3.32

" 4.66

" 6.47

"

"

Stk 1.03

Stk 3.99

Stk 5.16

Stk 6.54

Stk 0.67

Stk 1.77

Stk 2.25

Stk 2.96

Stk 4.69

Stk 6.58

Stk 7.34

Stk 2.73

Stk 4.96

8+0
 9+0
 BM#2 700 1189.21 (1189.21)

10+0
 T.P. 10.03 1196.21 0.17 1186.18

11+0
 12+0
 13+0
 T.P. 10.70 1186.35 0.68 1175.65

14+0
 15+0
 16+0
 17+0

T.P. 8.71 1176.33 1.31 1167.62

18+0
 19+0
 20+0

BM#3 7.54 1161.39 (1161.43)

T.P. 8.82 1168.93 0.80 1160.11

21+0
 22+0
 23+0
 24+0
 T.P. 11.51 1160.91 1.12 1149.40

1150.52

5.4
 1.12
 4.81

7.48

0.17
 3.03
 7.62

0.68
 3.11
 5.36

↑
 7.71

0.94
 3.74
 6.32

0.80
 1.98
 5.95
 9.18

SK

BM #1 ^a			2.21	1126.70	(1226.75)
BM #1 ^b	2.10	1128.91	1.64	1126.81	(1226.86)
1 to					
2 to					
3 to					
T.P.	12.12	1128.45	2.03	1216.33	
4 to					
5 to					
T.P.	10.35	1218.36	0.10	1208.01	
6 to					
7 to					
T.P.	13.02	1208.11	1.12	1195.09	
		1126.21			

3.39
 3.23
 7.33
 2.98
 7.70
 0.10
 7.12

3-18-42
Pomeroy
Gundersen


HUNTLEY ROAD SEC "B"

Random line

20+19.4 Hub U's stk 179-35 S. side
359-10

7+0 - 17+0 ± 2' 0.3'
N of trav. rd

7+00 Spk in hub
P.O.T. 10' stk



Note: See page 67 for
final alignment.

6.5

N
179-31
359-03

SK 6'

Mag. East



spk 2' N of trav. rd Sta 39+31.38

25.5'


991.98

S side trav. rd.

670



20+19 to 27+00 ± of trav. rd.



Bridge

20+32

53+70.14



Middlefield - Madison
Road SR 528
Bolt fd. 179-33
359-06

± 5' S of trav. &


602.76

47+67.38

N
179-40
359-20

SPK 3' S of trav. &
5' stk 24'


836°



200 to 400 in N ditch


3-24-42
Pomeroy
Gundersen

HUNTLEY ROAD SEC B Final alignment





1954 All stks set
30' off \pm & so keeled


1+0 to 15+0 Stakes 20' Rt.



1 Sd. E. fence



Vert saw in
NW root 18" Elm








16+0 to 53+0 Stks 25' Lt.

5'x4' = 20 sqft
60" dia = 19.64 sqft
42" = 9.62 " "
48" = 12.57 " "
54" = 15.9 " "
30" = 4.9 " "

5'x4 Stone Box 68
Culvt

S. Hdwl & 4' of floor gone



Brush small trees
to bridge

Replaced
2 @ 42" x
28'
10" Elm

drive

sw in SE
side 11" pig hick

33.36

26+72.4

$\Delta = 0-35-30 R$


Boat spk. Fd
May 54

Spk SW root
13" P. Hick

45.07

63.87

SW road
face 15" elm



trees along fence

x+8k 26'

26 21' x+72⁴

15 Map 13 19' 25+60

2-14 Map 23' 20' 23+90 21' →

28'

12 Elm ↑ 23+0

22+0


21+80 13' 3-12 Elm

Light brush ↑

S&W NW side
10° CARRY

39+30⁹⁵ Δ = 0-42 L

Boat Spk set
Fd May 54



70.4

Vert. S&W west root
36" Map

29+38⁸² P.O.T.

S&W in NE side 18"
beech


S&W in N side 10"

beech

70.40

Boat Spk set
Fd May '54


S&W N.W.
root 27 beech



Brush & trees up to 8"

Brush

trees along fence






+20 25'

47 to 5 End small trees
6' to 22' out

Brush & trees up to 8"

11" Map. @ 9' 42 + 30





Tel pole	+	21'	+37	
	←	26'	53+0	21' →
24" Map	⊗	24'	+80	
	×		+70	20' ⊗ 10" W.Ch
			+60	21' ⊗ " "
			+50	21' ⊗ " "
14" Map	⊗	24'	52+30	
10" Ap.	⊗	22'	52+22	
10" Map	⊗	23'	51+80	
19" Map	⊗	23'	51+50	
12" Map	⊗	22'	51+04	
18" "	⊗	22'	50+08	
14" "	⊗	21'	49+40	
	×	Elec. fence	48+90	

Brush both sides Idwy.

3-26-42
Pomeroy
Richards

X Sections
HUNTLEY ROAD "B"

9				1268.8
8				1272.8
7				1279.0
6				1278.4
T.P.	3.43	1281.81	1.42	1278.38
5				1277.6
4				1276.6
3				1275.4
2				1274.4
1				1273.1
0				1270.4
BM #1	10.68	1279.80		1269.12

11.4 25	12.3 14	13.3 7	13.0 9	13.0	18.5 8	13.0 13	13.3 25
6.0 25	6.4 14	9.8 6	9.0 4	9.0	9.7 9	8.5 10	7.9 14
1.1 25	1.3 12	3.0 6	2.8		2.7 5	3.2 11	2.6 13
2.5 25	2.9 20	3.4 5	3.4		3.3 6	3.9 11	3.6 14
1.7 25	2.2 10	2.5 5	2.2			2.6 10	2.3 20
2.7 25	2.8 20	3.1 10	3.5 6	3.2		3.6 10	3.1 12
3.5 25	3.8 20	4.3 8	4.8 7	4.4		4.8 9	2.2 15
		5.9 20	5.6 10	5.4		5.8 12	5.6 20
6.2 25	5.8 20	6.0 15	7.1 10	6.7	7.3 8	7.5 11	5.3 15
	9.2 50		9.4		8.5 50		

52 W. North Root 15" Maple Sta 0-50
± 23 Rt

4-18-42

Pam.
Gund.
Hosf.

20+33	Culvert		57.6	
20			56.1	
BM [#] 2		5.22	1256.77	
19			56.4	
T.P.	5.22	1261.99	5.56	1256.77
18			56.3	
17			56.9	
16			57.3	
15			57.8	
14			58.9	
T.P.	0.90	1262.33	9.33	1261.43
13			60.7	
12			63.4	
11			65.2	
10			66.7	
T.P.	0.84	1270.76	11.89	1269.92
		1281.81		

North \oplus South 74

					52.9					52.0				
					4.4									
					7.6	9.4	9.1	8.4	9.3	10.0				
					100	FL.	FL.	100	200	300				
					6.8	7.0	5.9	5.9	5.5	6.7	6.3	7.0		
					25	16	12	4	10	17	25			
					S&W; N.E. root 12" Elm Sta. 19+90							19' Rt		
					4.9	4.8	6.2	5.4	5.3	5.6	5.8	5.4	4.4	
					25	21	16	12	8	4	10	17	25	
					5.8	5.9	6.1	5.9	6.0	5.8	5.6	5.4	6.0	
					25	14	10	7	4	10	14	25		
					6.0	5.8	5.7	5.4	5.4	5.6	6.0			
					25	13	9	5	4	17	25			
					4.8	4.9	5.8	5.1	5.4	5.2	5.0	5.4	5.3	
					25	17	11	9	7	5	6	12	25	
					4.6	4.8	4.4	4.5	4.5	4.6	5.1	4.7	5.2	
					25	16	8	5	5	8	11	25		
					4.0	3.8	3.5	3.6	3.4	3.8	4.1	4.7	4.9	
					25	17	10	5	5	8	16	25		
					6.4	6.6	9.5	10.7	10.4	10.1	10.4	10.5	7.4	
					25	18	12	9	6	5	6	13	25	
					6.0	6.2	7.6	7.4	7.4	7.5	7.8	7.0	6.8	6.9
					25	12	8	6	4	7	9	15	25	
					5.4	5.6	5.8	6.3	5.5	5.6	5.8	6.2	6.0	6.0
					25	17	11	9	5	6	8	13	25	
					4.7	5.0	4.9	4.4	4.1	4.1	4.4	5.0	5.4	
					25	16	9	7	4	6	8	25		
					Top stk. Sta. 9+0 20' Rt.							14		

T.P. 7.12 1294.73 4.55 1285.61

3 85.4

2 85.7

1 84.9

30 85.6

B.M. #3 6.22 1290.16 3.50 1283.94

29 83.4

28 74.4

T.P. 12.73 1287.44 0.29 1274.71

27 69.6

T.P. 6.88 1275.00 0.72 1268.12

26 66.6

25 63.5

24 60.1

T.P. 8.15 1268.84 1.30 1260.69

23 58.2

22 57.1

21 55.9

1261.99

4.8 5.8 4.9 4.8 5.3 5.1 5.5 5.0 5.4
16 11 4 7 9 10 16 23
25 25

4.2 3.8 5.9 5.0 4.5 4.6 5.4 4.5
15 11 8 7 10 22
25

5.4 5.6 6.2 5.3 5.3 5.5 6.2 5.8 6.0
25 18 13 8 5 8 11 22
25

2.7 3.2 5.7 4.7 4.6 4.9 4.6 6.0 5.5 6.2
25 18 12 8 3 5 11 14 22 25
Spike N.W. foot 32' Map Sta 29+75R+40

3.3 3.9 4.9 4.2 4.0 4.3 4.8 4.6 4.5
16 11 9 3 5 14 25
13

10.1 9.9 13.5 13.0 13.2 8.7 8.2
20 14 7 6 19 22
25

6.2 6.4 5.7 5.9 5.4 5.6 6.1 5.9 6.3
25 17 9 5 6 8 13 25

1.4 1.9 2.8 2.4 2.2 2.5 2.7 1.4 1.3
19 9 6 5 8 13 20
25

3.8 4.1 5.2 5.8 5.3 5.3 5.4 4.1 3.6
25 16 11 10 5 6 10 17
25

8.1 8.5 9.0 8.7 8.7 8.9 9.0 8.0 8.4 7.8
25 14 10 7 5 9 12 18 25

4.9 4.8 4.7 3.9 3.8 3.8 4.5 4.6
25 18 9 6 4 7 25

6.6 6.2 5.3 4.9 5.4 6.0 6.7 6.4 5.7
25 9 6 4 7 9 14 25
15

7.1 6.5 6.0 6.1 6.4 7.0
25 13 9 6 18
25

T.P. 1.34 1266.42 7.73 1265.08

5 64.5

4 66.7

3 T.P. 0.05 1274.81 13.13 1274.76

2 76.3

41 80.1

BM # 4 4.51 1283.38

40 83.6

39 85.5

T.P. 2.46 1287.89 9.30 1285.43

38 85.4

37 86.4

36 89.7

35 85.9

34 85.2

1294.73

12.5 11.3 10.8 10.4 10.3 10.1 10.4 10.1
25 12 4 2 6 11 25
20

6.4 6.1 7.5 8.1 7.8 8.6 6.6
25 12 5 6 13 21
25

-0.8 0.3 4.1 3.8 4.4 1.3 0.7
25 8 10 14 20 25

7.6 7.2 7.9 8.6 11.6 11.4 9.7 9.5
25 20 9 4 7 18 28
14

5.6 4.8 5.7 5.9 8.0 7.8 7.5 8.0 6.1
25 19 10 6 2 10 15 25

Spike N.E. root 15" Ash St. 39+90 25' R4

1.7 1.8 2.9 4.9 4.3 4.8 3.9 4.6
12 6 3 -8 10 16 25

0.4 0.2 2.6 3.3 2.4 2.4 3.3 3.5 4.3
25 20 12 8 4 6 13 25

9.7 8.9 9.7 9.3 9.3 10.1 9.7 10.4 11.0
25 14 11 9 5 12 20 25

7.8 8.3 7.9 8.3 9.0 9.3 9.9 10.3
19 13 10 4 8 19 25
25

1.8 3.5 5.5 5.1 5.0 5.6 4.5 5.7 6.0
25 16 12 8 2 6 20 25

9.5 8.8 8.8 9.3 9.7 10.0
15 5 6 11 20
25 9 25

9.8 10.2 9.6 9.5 9.5 10.0
25 11 8 5 13
16 25

Check back
 4-2542
 farm. Gund.

T.P.	10.57	1276.40	0.08	1268.83
BM [#]			3.21	1262.70
				1263.36
T.P.	7.50	1265.91	0.67	1256.41
T.P.	11.73	1257.08	0.39	1245.35
T.P.	12.19	1245.74	0.01	1233.55
BM	6.70	1233.56		1226.86
			4.44	1227.48 (1226.86)
BM [#] 6			4.56	1227.36 (1226.75)
	1.88	1231.92	12.48	1230.04
3				29.2
2				35.9
T.P.	1.09	1242.52	12.90	1241.43
1				41.9
50				47.6
T.P.	0.42	1254.33	12.51	1253.91
49				54.1
48				59.3
47				61.3
BM [#] 5			3.06	1263.36
46				62.7
		1266.42		

Spk May 54 ± 0.3' higher

.62 Spike E. root 16" Maple 45' Rt Sta.
 53+46

9.0	9.7	14.0	13.1	13.3	13.9	12.1	11.5	12.2
25	21	15	9		2	5	17	25
1.5	3.0	6.6	6.2	6.6	7.2	4.0	2.8	3.0
25	18	14	6		3	7	19	25
9.5	10.7	12.8	12.4	13.2	11.1	12.6		
25	15	13	8		5	8	25	
3.3	4.7	7.1	6.6	6.5	6.7	7.6	5.6	5.0
25	15	12	9	4		5	9	14
7.2	8.0	12.6	12.3	12.4	9.4	8.7	9.0	
25	19	10	7		3	8	16	25
6.7	6.4	7.1	6.7	7.1	7.2	6.4	6.7	7.2
25	15	10	7		3	7	16	25
7.4	5.9	5.0	5.1	4.9	5.1			
25	8	6		8	15			
					25			
Spike N.E. root 32" Maple 46+75 25' Rt								
5.9	4.5	4.0	3.7	3.4	3.7	3.5	2.7	
18	9	4		5	10	15	25	
25								

BM			5.66	1268.44		.68
T.P.	3.22	1274.10	8.91	1270.88	1269.12	
T.P.	2.15	1279.79	3.36	1277.64		
T.P.	11.84	1281.00	0.97	1269.16	1269.92	.76 Stk 9
T.P.	8.11	1270.13	0.50	1262.02		
T.P.	5.76	1262.52	4.65	1256.76		
B.M.			5.36	1256.05		.72
T.P.	3.24	1261.41	11.45	1258.17	1256.77	
T.P.	0.66	1269.62	11.70	1268.96		
T.P.	0.16	1280.66	8.80	1280.50		
B.M.			6.06	1283.24	1283.94	.70
T.P.	4.42	1289.30	5.84	1284.88		
T.P.	2.66	1290.72	0.40	1288.06		
BM#4			5.82	1282.64	1283.38	.72
T.P.	12.61	1288.46	0.55	1275.85		
		1276.40				

Huntley Rd Sec B Culvert May 1954


B.M. 2 P. 74	5.64	1262.41		1256.77
B.M. SET			4.30	1258.11
			90.23	52.18
			4.80	57.61
			9.60	1252.81
			8.25	1254.16
			8.4	1254.0
Chestnuts EAST AT 150'			8.82	1253.59
			8.84	1253.57
			9.45	52.96
TP	4.52	1258.83	8.10	1254.31
			5.9	1252.93
			5.63	1263.20
			6.80	1252.03
Go 371' S of Rd	STOOD	6.70	52.13	
	110'	6.66	52.17	
	206	7.00	51.93	
B.M. SET			3.75	1255.08

See pg. 68 for alignment &

Outlet from culvert sthly from Huntley Rd @ 2033 ft E. from Clay St. 19

SLANT SPK IN PINE WILD CHERRY 18' SOUTH OF B.M. 2 PAGE 74
 F.L. DRAIN CULVERT
 E. ROAD
 F.L. INLET
 CORNER 24' S of E
 100' S PROP. CORNER
 25' WEST = PRES. F.L. CORNER
 200' S PROP. CORNER
 12' EAST = E. EXIST. CORNER

F.L. EXIST. CORNER 285' S of E.R.
 C.L. TRIP CORNER 300' S of E.R.
 EXIST. CORNER = 18' EAST
 400' S of C.L. & EXIST. CORNER F.L.
 EXIST. F.L.
 SLANT SPK IN TWIN APPLE TREE 235' WEST OF CORNER 371' S of E.R.



Triple Elm
 out low

BM = R P Spike W side 20° E 10m
 Sta 0-52 = 1220.86

R P Spike NW root 18" maple
 Sta 7-25 ex. N end house - 1243.01

4301	4239
<u>2086</u>	<u>2215</u>
2215	2024
	<u>1533</u>
	491

719	1143.87		1136.48
7.41	4.67	141	1142.26
1.41	1137.88		1136.48
2.30	1127.85	1241	1125.49 ✓
		6.44 ✓	1121.46
		6.63	1121.18
			1121.20

179.25
 354-49

24-30
 35-30

178.14

INSTRUCTIONS FOR USE OF TABLES

TABLE No. 1

The purpose of these tables is to give the user a means for finding the true bearing of any line from a given point to another point. It is based on the principle that the bearing of a line is the angle between the line and the meridian. The tables are arranged in such a way that the user can find the true bearing of any line from a given point to another point by simply looking up the values in the tables.

IMPROVED TABLES

AND

INFORMATION

TABLE No. 2

The purpose of these tables is to give the user a means for finding the true bearing of any line from a given point to another point. It is based on the principle that the bearing of a line is the angle between the line and the meridian. The tables are arranged in such a way that the user can find the true bearing of any line from a given point to another point by simply looking up the values in the tables.

TABLE II—Continued
TRIGONOMETRIC FORMULAE (continued)

In any triangle:

Given a, b, C; to find c, B, A.

Use Law of Lines.

Given A, B, c; to find a, b, C.

Use Law of Lines.

Given a, b, c; to find A, B, C.

$$\text{Let } \frac{a+b+c}{2} = s, \sqrt{\frac{(s-a)(s-b)(s-c)}{s}} = v$$

$$\cos \frac{1}{2} A = \sqrt{\frac{s(s-a)}{bc}}$$

$$\tan \frac{1}{2} A = \frac{r}{s-a}$$

$$\tan \frac{1}{2} B = \frac{r}{s-b}$$

$$\tan \frac{1}{2} C = \frac{r}{s-c}$$

Area of a triangle:

$$\text{Area} = \frac{1}{2} ab \sin C$$

$$\text{Area} = \sqrt{s(s-a)(s-b)(s-c)}$$

PRISMOIDAL FORMULA.

$$\text{Vol.} = \frac{h}{6} (B+b+4M)$$

h = altitude; b, B = bases; M = midsection

TABLE III
INCHES AND FRACTIONS OF AN INCH IN DECIMALS OF A FOOT

	0	1	2	3	4	5	6	7	8	9	10	11
$\frac{1}{16}$.0052	.0885	.1719	.2552	.3385	.4219	.5052	.5885	.6719	.7552	.8385	.9219
$\frac{1}{8}$.0104	.0938	.1771	.2604	.3438	.4271	.5104	.5938	.6771	.7604	.8438	.9271
$\frac{3}{16}$.0156	.0990	.1823	.2656	.3490	.4323	.5156	.5990	.6823	.7656	.8490	.9323
$\frac{1}{4}$.0208	.1042	.1875	.2708	.3542	.4375	.5208	.6042	.6875	.7708	.8542	.9375
$\frac{5}{16}$.0260	.1094	.1927	.2760	.3594	.4427	.5260	.6094	.6927	.7760	.8594	.9427
$\frac{3}{8}$.0313	.1146	.1979	.2813	.3646	.4479	.5313	.6146	.6979	.7813	.8646	.9479
$\frac{7}{16}$.0365	.1198	.2031	.2865	.3698	.4531	.5365	.6198	.7031	.7865	.8698	.9531
$\frac{1}{2}$.0417	.1250	.2083	.2917	.3750	.4583	.5417	.6250	.7083	.7917	.8750	.9583
$\frac{9}{16}$.0469	.1302	.2135	.2969	.3803	.4635	.5469	.6302	.7135	.7969	.8802	.9635
$\frac{5}{8}$.0521	.1354	.2188	.3021	.3854	.4688	.5521	.6354	.7188	.8021	.8854	.9688
$\frac{11}{16}$.0573	.1406	.2240	.3073	.3906	.4740	.5573	.6406	.7240	.8073	.8906	.9740
$\frac{3}{4}$.0625	.1458	.2292	.3125	.3958	.4792	.5625	.6458	.7292	.8125	.8958	.9792
$\frac{13}{16}$.0677	.1510	.2344	.3177	.4010	.4844	.5677	.6510	.7344	.8177	.9010	.9844
$\frac{7}{8}$.0729	.1563	.2396	.3229	.4063	.4896	.5729	.6563	.7396	.8229	.9063	.9896
$\frac{15}{16}$.0781	.1615	.2448	.3281	.4115	.4948	.5781	.6615	.7448	.8281	.9115	.9948
1	.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167	1.0000
	0	1	2	3	4	5	6	7	8	9	10	11

TABLE IV
USEFUL RELATIONS.

Lineal feet	×.00019	= miles
Lineal yards	×.0006	= miles
Square inches	×.007	= square feet
Square feet	×.111	= square yards
Square yards	×.0002067	= acres
Acres	×4840	= square yards
Cubic inches	×.00058	= cubic feet
Cubic feet	×.03704	= cubic yards
Links	×.22	= yards
Links	×.66	= feet
Feet	×1.5	= links

$$360^\circ = 21600' = 1296000''$$

$$\text{Radius} = \text{arc of } 57.2957790^\circ$$

$$\text{Arc of } 1^\circ (\text{radius} = 1) = .017453292$$

$$\text{Arc of } 1' (\text{radius} = 1) = .000290888$$

$$\text{Arc of } 1'' (\text{radius} = 1) = .000004848$$

$$\pi = 3.141592654 \quad \sqrt{\frac{1}{\pi}} = 0.564190$$

$$\frac{\pi}{4} = 0.785398163 \quad \sqrt[3]{\frac{6}{\pi}} = 1.240700982$$

$$\frac{\pi}{6} = 0.523598776 \quad \pi^2 = 9.869604401$$

$$\sqrt{\frac{4}{\pi}} = 1.128379167 \quad \frac{1}{\pi^2} = 0.101321184$$

$$\frac{\pi}{6} = 0.523598776 \quad \sqrt{\pi} = 1.772453851$$

$$\frac{4\pi}{3} = 4.188790205 \quad \frac{1}{\pi} = 0.3183099$$

Curvature of Earth's surface = about 0.7 feet in 1 mile

Curvature in feet = 0.667 (Dist. in miles)²

Difference between arc and chord length, 0.05 feet in 11½ miles

$$\text{Probable error of a single observation} = 0.6754 \sqrt{\frac{Mv^2}{n-1}}$$

Error in chaining of 0.01 feet in 100 feet:

Due to—

1. Length of tape error of 0.01 feet
2. Alignment. One end 1.4 feet out of line
3. Sag of tape at centre of 0.61 feet.
4. Temperature difference of 15°
5. Difference of pull of 15 lbs.

STADIA REDUCTION FORMULÆ

$$\text{Horizontal Distance} = R - R \sin^2 a + C \cos a$$

$$\text{Vertical Distance} = R \frac{1}{2} \sin^2 a + C \sin a$$

$$R = \text{Reading} \times \frac{\text{distance from Object glass to cross hairs}}{\text{distance between cross hairs}}$$

C = distance from Object glass to cross hairs + distance from Object glass to center of instrument.

a = angle of elevation for mid Reading

TABLE VI (continued)
SINES, COSINES, TANGENTS, COTANGENTS (continued)

deg.	sin 0'	tan 0'	sin 10'	tan 10'	sin 20'	tan 20'	sin 30'	tan 30'	sin 40'	tan 40'	sin 50'	tan 50'	deg.
46	1.7193	1.0355	7214	1.0416	7234	1.0477	7254	1.0533	7274	1.0599	7294	1.0661	43
47	314	.0724	333	.0786	353	.0850	373	.0913	392	.0977	412	.1041	42
48	431	.1106	451	.1171	470	.1237	490	.1303	509	.1369	528	.1436	41
49	547	.1504	566	.1571	585	.1640	604	.1708	623	.1778	642	.1847	40
50	660	.1918	679	.1988	698	1.2059	716	1.2131	735	.2647	7753	1.2276	39
51	771	.2349	790	.2423	808	.2497	826	.2572	844	.3111	862	.2723	38
52	880	.2799	898	.2876	916	.2954	934	.3032	951	.3597	969	.3190	37
53	986	.3270	8004	.3351	8021	.3452	8039	.3514	8056	.4106	8073	.3680	36
54	8090	.3764	107	.3848	124	.3934	141	.4019	158	.4641	175	.4193	35
55	192	.4281	208	.4370	225	.4460	241	.4550	258	.5204	274	.4733	34
56	290	.4826	307	.4919	323	.5013	339	.5108	355	.5798	371	.5301	33
57	387	.5399	403	.5497	418	.5597	434	.5697	450	.6426	465	.5900	32
58	480	.6003	496	.6107	511	.6212	526	.6319	542	.7090	557	.6534	31
59	572	.6643	587	.6753	601	.6864	616	.6977	631		646	.7205	30
60	660	1.7321	8675	1.7437	8689	1.7556	8704	1.7675	8718	1.7797	8732	1.7917	29
61	746	.8040	760	.8165	774	.8291	788	.8418	802	.8546	816	.8676	28
62	829	.8807	843	.8940	857	.9074	870	.9210	884	.9347	897	.9486	27
63	910	.9626	923	.9768	936	.9912	949	2.0057	962	2.0204	975	2.0353	26
64	988	2.0503	9001	2.0655	9013	2.0809	9026	.0965	9038	.1123	9051	.1283	25
65	9063	.1445	075	.1609	088	.1775	100	.1943	112	.2113	124	.2286	24
66	135	.2460	147	.2637	159	.2817	171	.2998	182	.3183	194	.3369	23
67	205	.3559	216	.3750	228	.3945	239	.4142	250	.4342	261	.4545	22
68	272	.4751	283	.4960	293	.5172	304	.5386	315	.5605	325	.5826	21
69	336	.6051	346	.6279	356	.6511	367	.6746	377	.6985	387	.7228	20
70	397	2.7475	9407	2.7725	9417	2.7980	9426	2.8239	9436	2.8502	9446	2.8770	19
71	455	.9042	465	.9319	474	.9600	483	.9887	492	3.0178	502	3.0475	18
72	511	3.0777	520	3.1084	528	3.1397	537	3.1716	546	.2041	555	.2371	17
73	563	.2709	572	.3052	580	.3402	588	.3759	596	.4124	605	.4495	16
74	613	.4874	621	.5261	628	.5656	636	.6059	644	.6470	652	.6891	15
75	659	.7321	667	.7760	674	.8208	681	.8657	689	.9136	696	.9617	14
76	703	4.0108	710	4.0611	717	4.1126	724	4.1653	730	4.2193	737	4.2747	13
77	744	.3315	750	.3897	757	.4494	763	.5107	769	.5736	775	.6382	12
78	781	.7046	787	.7729	793	.8430	799	.9152	805	.9894	811	5.0658	11
79	816	.1446	822	5.2257	827	5.3093	833	5.3955	838	5.4845	843	.5764	10
80	9848	5.6713	9853	5.7694	9858	5.8708	9863	5.9758	9868	6.0844	9872	6.1970	9
81	877	6.3138	881	6.4348	886	6.5606	890	6.6912	894	.8269	899	.9682	8
82	903	7.1154	907	7.2687	911	7.4287	914	7.5958	918	7.7704	922	7.9530	7
83	925	8.1443	929	8.3450	932	8.5555	936	8.7769	939	9.0098	942	9.2553	6
84	945	9.5144	948	9.7882	951	10.0778	954	10.3855	957	10.7111	959	11.059	5
85	962	11.4300	964	11.826	967	12.250	969	12.706	971	13.197	974	13.727	4
86	976	14.3000	978	14.924	980	15.605	981	16.350	983	17.169	985	18.075	3
87	986	19.081	988	20.206	989	21.470	990	22.903	992	24.542	993	26.432	2
88	994	28.636	995	31.242	996	34.368	997	38.189	997	42.964	998	49.104	1
89	9998	57.290	9999	68.750	9999	85.940	9999	114.58	1.000	171.88	1.000	343.77	0
60'	60'	50'	50'	40'	40'	30'	30'	20'	20'	10'	10'		
cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot		deg.

TABLE VII
RODS IN FEET AND INCHES

Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches
1	16-6	21	346-6	41	676-6	61	1006-6	81	1336-6
2	33-0	22	363-0	42	693-0	62	1023-0	82	1353-0
3	49-6	23	379-6	43	709-6	63	1039-6	83	1369-6
4	66-0	24	396-0	44	726-0	64	1056-0	84	1386-0
5	82-6	25	412-6	45	742-6	65	1072-6	85	1402-6
6	99-0	26	429-0	46	759-0	66	1089-0	86	1419-0
7	115-6	27	445-6	47	775-6	67	1105-6	87	1435-6
8	132-0	28	462-0	48	792-0	68	1122-0	88	1452-0
9	148-6	29	478-6	49	808-6	69	1138-6	89	1468-6
10	165-0	30	495-0	50	825-0	70	1155-0	90	1485-0
11	181-6	31	511-6	51	841-6	71	1171-6	91	1501-6
12	198-0	32	528-0	52	858-0	72	1188-0	92	1518-0
13	214-6	33	544-6	53	874-6	73	1204-6	93	1534-6
14	231-0	34	561-0	54	891-0	74	1221-0	94	1551-0
15	247-6	35	577-6	55	907-6	75	1237-6	95	1567-6
16	264-0	36	594-0	56	924-0	76	1254-0	96	1584-0
17	280-6	37	610-6	57	940-6	77	1270-6	97	1600-6
18	297-0	38	627-0	58	957-0	78	1287-0	98	1617-0
19	313-6	39	643-6	59	973-6	79	1303-6	99	1633-6
20	330-0	40	660-0	60	990-0	80	1320-0	100	1650-0

TABLE VIII
LINKS IN FEET AND INCHES

Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches
1	0-7.92	18	11-10.56	35	23-1.20	52	34-3.84	69	45-6.48	86	56-9.12
2	1-3.84	19	12-6.48	36	23-9.12	53	34-11.76	70	46-2.40	87	57-5.04
3	1-11.76	20	13-2.40	37	24-5.04	54	35-7.68	71	46-10.32	88	58-0.96
4	2-7.68	21	13-10.32	38	25-0.96	55	36-3.60	72	47-6.24	89	58-8.88
5	3-3.60	22	14-6.24	39	25-8.88	56	36-11.52	73	48-2.16	90	59-4.80
6	3-11.52	23	15-2.16	40	26-4.80	57	37-7.44	74	48-10.08	91	60-0.72
7	4-7.44	24	15-10.08	41	27-0.72	58	38-3.36	75	49-6.00	92	60-8.64
8	5-3.36	25	16-6.00	42	27-8.64	59	38-11.28	76	50-1.92	93	61-4.56
9	5-11.28	26	17-1.92	43	28-4.56	60	39-7.20	77	50-9.84	94	62-0.48
10	6-7.20	27	17-9.84	44	29-0.48	61	40-3.12	78	51-5.76	95	62-8.40
11	7-3.12	28	18-5.76	45	29-8.40	62	40-11.04	79	52-1.68	96	63-4.32
12	7-11.04	29	19-1.68	46	30-4.32	63	41-6.96	80	52-9.60	97	64-0.24
13	8-6.96	30	19-9.60	47	31-0.24	64	42-2.88	81	53-5.52	98	64-8.16
14	9-2.88	31	20-5.52	48	31-8.16	65	42-10.80	82	54-1.44	99	65-4.08
15	9-10.80	32	21-1.44	49	32-4.08	66	43-6.72	83	54-9.36	100	66-0.00
16	10-6.72	33	21-9.36	50	33-0.00	67	44-2.64	84	55-5.28	101	66-7.92
17	11-2.64	34	22-5.28	51	33-7.92	68	44-10.56	85	56-1.20	102	67-3.84

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=10°	I	T	E	I=20°	I	T	E	I=30°
1°	50.00	.218	+	11°	551.70	26.500	+	21°	1061.9	97.577	+
10'	58.34	.297	5° C.	10'	560.11	27.313	5° C.	10'	1070.6	99.155	5° C.
20'	66.67	.388	T	20'	568.53	28.137	T	20'	1079.2	100.75	T
30'	75.01	.491	T	30'	576.95	28.974	.06	30'	1087.8	102.35	.10
40'	83.34	.606	.03	40'	585.36	29.824	.06	40'	1096.4	103.97	.10
50'	91.68	.733	E	50'	593.79	30.686	E	50'	1105.1	105.60	E
2°	100.01	.873	.001	12°	602.21	31.561	.006	22°	1113.7	107.24	.013
10'	108.35	1.024		10'	610.64	32.447		10'	1122.4	108.90	
20'	116.68	1.188		20'	619.07	33.347		20'	1131.0	110.57	
30'	125.02	1.364		30'	627.50	34.259		30'	1139.7	112.25	
40'	133.36	1.552		40'	635.93	35.183		40'	1148.4	113.95	
50'	141.70	1.752		50'	644.37	36.120		50'	1157.0	115.66	
3°	150.04	1.964	10° C.	13°	652.81	37.070	10° C.	23°	1165.7	117.38	10° C.
10'	158.38	2.188	T	10'	661.25	38.031	T	10'	1174.4	119.12	T
20'	166.72	2.425	.06	20'	669.70	39.006	.13	20'	1183.1	120.87	.19
30'	175.06	2.674	E	30'	678.15	39.993	E	30'	1191.8	122.63	.26
40'	183.40	2.934	.003	40'	686.60	40.992	.011	40'	1200.5	124.41	.046
50'	191.74	3.207		50'	695.06	42.004		50'	1209.2	126.20	
4°	200.08	3.492		14°	703.51	43.029		24°	1217.9	128.00	
10'	208.43	3.790		10'	711.97	44.066		10'	1226.6	129.82	
20'	216.77	4.099		20'	720.44	45.116		20'	1235.3	131.65	
30'	225.12	4.421		30'	728.90	46.178		30'	1244.0	133.50	
40'	233.47	4.755		40'	737.37	47.253		40'	1252.8	135.35	
50'	241.81	5.100	15° C.	50'	745.85	48.341	15° C.	50'	1261.5	137.23	15° C.
5°	250.16	5.459	T	15°	754.32	49.441	T	25°	1270.2	139.11	T
10'	258.51	5.829	.09	10'	762.80	50.554	.19	10'	1279.0	141.01	.29
20'	266.86	6.211	E	20'	771.29	51.679	E	20'	1287.7	142.93	E
30'	275.21	6.606	.004	30'	779.77	52.818	.017	30'	1296.5	144.85	.038
40'	283.57	7.013		40'	788.26	53.969		40'	1305.3	146.79	
50'	291.92	7.432		50'	796.75	55.132		50'	1314.0	148.75	
6°	300.28	7.863		16°	805.25	56.309		26°	1322.8	150.71	
10'	308.64	8.307		10'	813.75	57.498		10'	1331.6	152.69	
20'	316.99	8.762		20'	822.25	58.699		20'	1340.4	154.69	
30'	325.35	9.230		30'	830.76	59.914		30'	1349.2	156.70	
40'	333.71	9.710	20° C.	40'	839.27	61.141	20° C.	40'	1358.0	158.72	20° C.
50'	342.08	10.202	T	50'	847.78	62.381	T	50'	1366.8	160.76	T
7°	350.44	10.707	.13	17°	856.30	63.634	.26	27°	1375.6	162.81	.39
10'	358.81	11.224	E	10'	864.82	64.900	E	10'	1384.4	164.86	E
20'	367.17	11.753	.006	20'	873.35	66.178	.022	20'	1393.2	166.95	.051
30'	375.54	12.294		30'	881.88	67.470		30'	1402.0	169.04	
40'	383.91	12.847		40'	890.41	68.774		40'	1410.9	171.15	
50'	392.28	13.413		50'	898.95	70.091		50'	1419.7	173.27	
8°	400.66	13.991		18°	907.49	71.421		28°	1428.6	175.41	
10'	409.03	14.582		10'	916.03	72.764		10'	1437.4	177.55	
20'	417.41	15.184	25° C.	20'	924.58	74.119	25° C.	20'	1446.3	179.72	25° C.
30'	425.79	15.799	T	30'	933.13	75.488	T	30'	1455.1	181.89	T
40'	434.17	16.426	.16	40'	941.69	76.869	.32	40'	1464.0	184.08	.49
50'	442.55	17.065	E	50'	950.25	78.264	E	50'	1472.9	186.29	E
9°	450.93	17.717	.007	19°	958.81	79.671	.028	29°	1481.8	188.51	.065
10'	459.32	18.381		10'	967.38	81.092		10'	1490.7	190.74	
20'	467.71	19.058		20'	975.96	82.525		20'	1499.6	192.99	
30'	476.10	19.746		30'	984.53	83.972		30'	1508.5	195.25	
40'	484.49	20.447		40'	993.12	85.431		40'	1517.4	197.53	
50'	492.88	21.161		50'	1001.7	86.904		50'	1526.3	199.82	
10°	501.28	21.887	30° C.	20°	1010.3	88.389	30° C.	30°	1535.3	202.12	30° C.
10'	509.68	22.624	T	10'	1018.9	89.888	T	10'	1544.2	204.44	T
20'	518.08	23.375	.19	20'	1027.5	91.399	.39	20'	1553.1	206.77	.59
30'	526.48	24.138	E	30'	1036.1	92.924	E	30'	1562.1	209.12	E
40'	534.89	24.913	.008	40'	1044.7	94.462	.034	40'	1571.0	211.48	.078
50'	543.29	25.700		50'	1053.3	96.013		50'	1580.0	213.86	

T = R tan ½ I

E = R exsec ½ I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=40°	I	T	E	I=50°	I	T	E	I=60°
31°	1589.0	216.3	+	41°	2142.2	387.4	+	51°	2732.9	618.4	+
10'	1598.0	218.7	5° C.	10'	2151.7	390.7	5° C.	10'	2743.1	622.8	5° C.
20'	1606.9	221.1	T	20'	2161.2	394.1	T	20'	2753.4	627.2	T
30'	1615.9	223.5	T	30'	2170.8	397.4	T	30'	2763.7	631.7	T
40'	1624.9	226.0	.13	40'	2180.3	400.8	.17	40'	2773.9	636.2	.21
50'	1633.9	228.4	E	50'	2189.9	404.2	E	50'	2784.2	640.7	E
32°	1643.0	230.9	.023	42°	2199.4	407.6	.037	52°	2794.6	645.2	.056
10'	1652.0	233.4		10'	2209.0	411.1		10'	2804.9	649.7	
20'	1661.0	235.9		20'	2218.6	414.5		20'	2815.2	654.3	
30'	1670.0	238.4		30'	2228.1	418.0		30'	2825.6	658.8	
40'	1679.1	241.0		40'	2237.7	421.4		40'	2835.9	663.4	
50'	1688.1	243.5		50'	2247.3	425.0		50'	2846.3	668.0	
33°	1697.2	246.1	10° C.	43°	2257.0	428.5	10° C.	53°	2856.7	672.7	10° C.
10'	1706.3	248.7	T	10'	2266.6	432.0	T	10'	2867.1	677.3	T
20'	1715.3	251.3	.26	20'	2276.2	435.6	.34	20'	2877.5	682.0	.42
30'	1724.4	253.9	E	30'	2285.9	439.2	E	30'	2888.0	686.7	E
40'	1733.5	256.5	.046	40'	2295.6	442.8	.075	40'	2898.4	691.4	.112
50'	1742.6	259.1		50'	2305.2	446.4		50'	2908.9	696.1	
34°	1751.7	261.8		44°	2314.9	450.0		54°	2919.4	700.9	
10'	1760.8	264.5		10'	2324.6	453.6		10'	2929.9	705.7	
20'	1770.0	267.2		20'	2334.3	457.3		20'	2940.4	710.5	
30'	1779.1	269.9		30'	2344.1	461.0		30'	2951.0	715.3	
40'	1788.2	272.6		40'	2353.8	464.6		40'	2961.5	720.1	
50'	1797.4	275.3	15° C.	50'	2363.5	468.4	15° C.	50'	2972.1	725.0	15° C.
35°	1806.6	278.1	T	45°	2373.3	472.1	T	55°	2982.7	729.9	T
10'	1815.7	280.8	.40	10'	2383.1	475.8	.51	10'	2993.3	734.8	.63
20'	1824.9	283.6	E	20'	2392.8	479.6	E	20'	3003.9	739.7	E
30'	1834.1	286.4	.070	30'	2402.6	483.4	.116	30'	3014.5	744.6	.168
40'	1843.3	289.2		40'	2412.4	487.2		40'	3025.2	749.6	
50'	1852.5	292.0		50'	2422.3	491.0		50'	3035.8	754.6	
36°	1861.7	294.9		46°	2432.1	494.8		56°	3046.5	759.6	
10'	1870.9	297.7		10'	2441.9	498.7		10'	3057.2	764.6	
20'	1880.1	300.6		20'	2451.8	502.5		20'	3067.9	769.7	
30'	1889.4	303.5	20° C.	30'	2461.7	506.4	20° C.	30'	3078.7	774.7	20° C.
40'	1898.6	306.4	T	40'	2471.5	510.3	T	40'	3089.4	779.8	T
50'	1907.9	309.3	.53	50'	2481.4	514.3	.68	50'	3100.2	784.9	.84
37°	1917.1	312.2	E	47°	2491.3	518.2	E	57°	3110.9	790.1	E
10'	1926.4	315.2	.093	10'	2501.2	522.2	.151	10'	3121.7	795.2	.225
20'	1935.7	318.1		20'	2511.2	526.1		20'	3132.6	800.4	
30'	1945.0	321.1		30'	2521.1	530.1		30'	3143.4	805.6	
40'	1954.3	324.1		40'	2531.1	534.2		40'	3154.2	810.9	
50'	1963.6	327.1		50'	2541.0	538.2		50'	3165.1	816.1	
38°	1972.9	330.2		48°	2551.0	542.2		58°	3176.0	821.4	
10'	1982.2	333.2	25° C.	10'	2561.0	546.3	25° C.	10'	3186.9	826.7	25° C.
20'	1991.5	336.3	T	20'	2571.0	550.4	T	20'	3197.8	832.0	T
30'	2000.9	339.3	.67	30'	2581.0	554.5	.85	30'	3208.8	837.3	.105
40'	2010.2	342.4	E	40'	2591.0	558.6	E	40'	3219.7	842.7	E
50'	2019.6	345.5	.117	50'	2601.1	562.8	.189	50'	3230.7	848.1	.233
39°	2029.0	348.6		49°	2611.2	566.9		59°	3241.7	853.5	
10'	2038.4	351.8		10'	2621.2	571.1		10'	3252.7	858.9	
20'	2047.8	354.9		20'	2631.3	575.3	</				

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=70°	I	T	E	I=80°	I	T	E	I=90°
61°	3375.0	920.2	+	71°	4086.9	1308.2	+	81°	4893.6	1805.3	+
10'	3386.3	925.9		10'	4099.5	1315.6		10'	4908.0	1814.7	
20'	3397.5	931.6		20'	4112.1	1322.9		20'	4922.5	1824.1	
30'	3408.8	937.3		30'	4124.8	1330.3		30'	4937.0	1833.6	
40'	3420.1	943.1		40'	4137.4	1337.7		40'	4951.5	1843.1	
50'	3431.4	948.9	.25	50'	4150.1	1345.1	.30	50'	4966.1	1852.6	
			E			E				E	
62°	3442.7	954.8	.080	72°	4162.8	1352.6	.110	82°	4980.7	1862.2	.149
10'	3454.1	960.6		10'	4175.6	1360.1		10'	4995.4	1871.8	
20'	3465.4	966.5		20'	4188.5	1367.6		20'	5010.0	1881.5	
30'	3476.8	972.4		30'	4201.2	1375.2		30'	5024.8	1891.2	
40'	3488.3	978.3		40'	4214.0	1382.8		40'	5039.5	1900.9	
50'	3499.7	984.3		50'	4226.8	1390.4		50'	5054.3	1910.7	
			E			E				E	
63°	3511.1	990.2	10° C.	73°	4239.7	1398.0	10° C.	83°	5069.2	1920.5	10° C.
10'	3522.6	996.2	T	10'	4252.6	1405.7	T	10'	5084.0	1930.4	T
20'	3534.1	1002.3	.51	20'	4265.6	1413.5	.61	20'	5099.0	1940.3	.72
30'	3545.6	1008.3	E	30'	4278.5	1421.2	E	30'	5113.9	1950.3	E
40'	3557.2	1014.4	.159	40'	4291.5	1429.0	.220	40'	5128.9	1960.2	.299
50'	3568.7	1020.5		50'	4304.6	1436.8		50'	5143.9	1970.3	
			E			E				E	
64°	3580.3	1026.6	15° C.	74°	4317.6	1444.6	15° C.	84°	5159.0	1980.4	15° C.
10'	3591.9	1032.8	T	10'	4330.7	1452.5	T	10'	5174.1	1990.5	T
20'	3603.5	1039.0		20'	4343.8	1460.4		20'	5189.3	2000.6	
30'	3615.1	1045.2		30'	4356.9	1468.4		30'	5204.4	2010.8	
40'	3626.8	1051.4		40'	4370.1	1476.4		40'	5219.7	2021.1	
50'	3638.5	1057.7		50'	4383.3	1484.4		50'	5234.9	2031.4	
			E			E				E	
65°	3650.2	1063.9	T	75°	4396.5	1492.4	T	85°	5250.3	2041.7	T
10'	3661.9	1070.2	.76	10'	4409.8	1500.5	.91	10'	5265.6	2052.1	1.09
20'	3673.7	1076.6	E	20'	4423.1	1508.6	E	20'	5281.0	2062.5	E
30'	3685.4	1082.9	.240	30'	4436.4	1516.7	.332	30'	5296.4	2073.0	.450
40'	3697.2	1089.3		40'	4449.7	1524.9		40'	5311.9	2083.5	
50'	3709.0	1095.7		50'	4463.1	1533.1		50'	5327.4	2094.1	
			E			E				E	
66°	3720.9	1102.2	20° C.	76°	4476.5	1541.4	20° C.	86°	5343.0	2104.7	20° C.
10'	3732.7	1108.6	T	10'	4489.9	1549.7	T	10'	5358.6	2115.3	T
20'	3744.6	1115.1		20'	4503.4	1558.0		20'	5374.2	2126.0	
30'	3756.5	1121.7		30'	4516.9	1566.3		30'	5389.9	2136.7	
40'	3768.5	1128.2		40'	4530.4	1574.7		40'	5405.6	2147.5	
50'	3780.4	1134.8		50'	4544.0	1583.1		50'	5421.4	2158.4	
			E			E				E	
67°	3792.4	1141.4	1.02	77°	4557.6	1591.6	1.22	87°	5437.2	2169.2	1.45
10'	3804.4	1148.0	.321	10'	4571.2	1600.1	.445	10'	5453.1	2180.2	.603
20'	3816.4	1154.7		20'	4584.8	1608.6		20'	5469.0	2191.1	
30'	3828.4	1161.3		30'	4598.5	1617.1		30'	5484.9	2202.2	
40'	3840.5	1168.1		40'	4612.2	1625.7		40'	5500.9	2213.2	
50'	3852.6	1174.8		50'	4626.0	1634.4		50'	5517.0	2224.3	
			E			E				E	
68°	3864.7	1181.6	25° C.	78°	4639.8	1643.0	25° C.	88°	5533.1	2235.5	25° C.
10'	3876.8	1188.4	T	10'	4653.6	1651.7	T	10'	5549.2	2246.7	T
20'	3889.0	1195.2		20'	4667.4	1660.5		20'	5565.4	2258.0	
30'	3901.2	1202.0		30'	4681.3	1669.2		30'	5581.6	2269.3	
40'	3913.4	1208.9	1.28	40'	4695.2	1678.1	1.53	40'	5597.8	2280.6	1.83
50'	3925.6	1215.8	.403	50'	4709.2	1686.9	.558	50'	5614.2	2292.0	.756
			E			E				E	
69°	3937.9	1222.7	30° C.	79°	4723.2	1695.8	30° C.	89°	5630.5	2303.5	30° C.
10'	3950.2	1229.7	T	10'	4737.2	1704.7	T	10'	5646.9	2315.0	T
20'	3962.5	1236.7		20'	4751.2	1713.7		20'	5663.4	2326.6	
30'	3974.8	1243.7		30'	4765.3	1722.7		30'	5679.9	2338.2	
40'	3987.2	1250.8		40'	4779.4	1731.7		40'	5696.4	2349.8	
50'	3999.5	1257.9		50'	4793.6	1740.8		50'	5713.0	2361.5	
			E			E				E	
70°	4011.9	1265.0	1.54	80°	4807.7	1749.9	1.84	90°	5729.7	2373.3	2.20
10'	4024.4	1272.1	.485	10'	4822.0	1759.0	T	10'	5746.3	2385.1	T
20'	4036.8	1279.3		20'	4836.2	1768.2		20'	5763.1	2397.0	
30'	4049.3	1286.5		30'	4850.5	1777.4		30'	5779.9	2408.9	
40'	4061.8	1293.6		40'	4864.8	1786.7		40'	5796.7	2420.9	
50'	4074.4	1300.9		50'	4879.2	1796.0	.671	50'	5813.6	2432.9	.910
			E			E				E	

T = R tan 1/2 I E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=100°	I	T	E	I=110°	I	T	E	I=120°			
91°	5830.5	2444.9	+	101°	6950.6	3278.1	+	111°	8336.7	4386.1	+			
10'	5847.5	2457.1		10'	6971.3	3294.1		10'	8362.7	4407.6		10'	8388.9	4429.2
20'	5864.6	2469.3		5° C.	20'	6992.0		3310.1	5° C.	20'		8415.1	4450.9	5° C.
30'	5881.7	2481.5		T	30'	7012.7		3326.1	T	30'		8441.5	4472.7	T
40'	5898.8	2493.8		.43	40'	7033.6		3342.3	.51	40'		8468.0	4494.6	.62
50'	5916.0	2506.1	E	50'	7054.5	3358.5	E	50'			E			
			.200				.268				.360			
92°	5933.2	2518.5	10° C.	102°	7075.5	3374.9	10° C.	112°	8494.6	4516.6	10° C.			
10'	5950.5	2531.0	T	10'	7096.6	3391.2	T	10'	8521.3	4538.8	T			
20'	5967.9	2543.5		20'	7117.8	3407.7		20'	8548.1	4561.1				
30'	5985.3	2556.0		30'	7139.0	3424.3		30'	8575.0	4583.4				
40'	6002.7	2568.6		40'	7160.3	3440.9		40'	8602.1	4606.0				
50'	6020.2	2581.3		50'	7181.7	3457.6		50'	8629.3	4628.6				
			E			E				E				
93°	6037.8	2594.0	10° C.	103°	7203.2	3474.4	10° C.	113°	8656.6	4651.3	10° C.			
10'	6055.4	2606.8	T	10'	7224.7	3491.3	T	10'	8684.0	4674.2	T			
20'	6073.1	2619.7	.86	20'	7246.3	3508.2	.103	20'	8711.5	4697.2	1.25			
30'	6090.8	2632.6	E	30'	7268.0	3525.2	E	30'	8739.2	4720.3	E			
40'	6108.6	2645.5	.401	40'	7289.8	3542.4	.536	40'	8767.0	4743.6	.721			
50'	6126.4	2658.5		50'	7311.7	3559.6		50'	8794.9	4766.9				
			T			T				T				
94°	6144.3	2671.6	15° C.	104°	7333.6	3576.8	15° C.	114°	8822.9	4790.4	15° C.			
10'	6162.2	2684.7	T	10'	7355.6	3594.2	T	10'	8851.0	4814.1	T			
20'	6180.2	2697.9		20'	7377.8	3611.7		20'	8879.3	4837.8				
30'	6198.3	2711.2		30'	7399.9	3629.2		30'	8907.7	4861.7				
40'	6216.4	2724.5		40'	7422.2	3646.8		40'	8936.3	4885.7				
50'	6234.6	2737.9		50'	7444.6	3664.5		50'	8965.0	4909.9				
			E			E				E				
95°	6252.8	2751.3	20° C.	105°	7467.0	3682.3	20° C.	115°	8993.8	4934.1	20° C.			
10'	6271.1	2764.8	1.30	10'	7489.6	3700.2	1.56	10'	9022.7	4958.6	1.93			
20'	6289.4	2778.3	E	20'	7512.2	3718.2	E	20'	9051.7	4983.1	E			
30'	6307.9	2792.0	.604	30'	7534.9	3736.2	.806	30'	9080.9	5007.8	1.09			
40'	6326.3	2805.6		40'	7557.7	3754.4		40'	9110.3	5032.6				
50'	6344.8	2819.4		50'	7580.5	3772.6		50'	9139.8	5057.6				
			T			T				T				
96°	6363.4	2833.2	25° C.	106°	7603.5	3791.0	25° C.	116°	9169.4	5082.7	25° C.			
10'	6382.1	2847.0	T	10'	7626.6	3809.4	T	10'	9199.1	5107.9	T			
20'	6400.8	2861.0		20'	7649.7	3827.9		20'	9229.0	5133.3				
30'	6419.5	2875.0		30'	7672.9	3846.5		30'	9259.0	5158.8				
40'	6438.4	2889.0		40'	7696.3	3865.2		40'	9289.2	5184.5				
50'	6457.3	2903.1		50'	7719.7	3884.0		50'	9319.5	5210.3				
			E			E				E				
97°	6476.2	2917.3	30° C.	107°	7743.2	3902.9	30° C.	117°	9349.9	5236.2	30° C.			
10'	6495.2	2931.6	1.74	10'	7766.8	3921.9	2.08	10'	9380.5	5262.3	2.52			
20'	6514.3	2945.9	.809	20'	7790.5	3940.9	1.08	20'	9411.3	5288.6	1.46			
30'	6533.4	2960.3		30'	7814.3	3960.1		30'	9442.2	5315.0				
40'	6552.6	2974.7		40'	7838.1	397								

TABLE X.
MIDDLE ORDINATES OF RAILS
Length of Rail (feet)

C o /	R Feet	30 Inch	28 Inch	26 Inch	24 Inch	22 Inch	20 Inch	C o	R Feet	30 Inch	28 Inch	26 Inch	24 Inch	22 Inch	20 Inch
0-20	17189	.08	.07	.06	.05	.04	.03	8	716.8	1.88	1.64	1.42	1.20	1.01	.84
0-40	8594	.16	.14	.12	.10	.08	.07	9	637.3	2.12	1.84	1.60	1.35	1.14	.94
1-0	5730	.24	.20	.18	.15	.13	.10	10	573.7	2.36	2.05	1.78	1.50	1.27	1.04
1-20	4297	.31	.27	.23	.20	.17	.13	11	521.7	2.59	2.26	1.95	1.65	1.39	1.15
1-40	3438	.39	.34	.29	.25	.21	.17	12	478.3	3.83	2.47	2.15	1.81	1.54	1.26
2-0	2865	.47	.41	.35	.30	.25	.20	13	441.7	3.05	2.66	2.30	1.96	1.66	1.36
2-20	2456	.55	.48	.41	.35	.29	.23	14	410.3	3.30	2.87	2.48	2.10	1.78	1.46
2-40	2149	.63	.55	.47	.40	.33	.27	15	383.1	3.54	3.08	2.68	2.26	1.91	1.57
3-0	1910	.71	.62	.53	.45	.38	.31	16	359.3	3.76	3.28	2.83	2.40	2.04	1.67
3-20	1719	.78	.68	.59	.50	.42	.35	17	338.3	4.00	3.48	3.02	2.57	2.16	1.78
3-40	1563	.86	.75	.65	.55	.46	.38	18	319.6	4.21	3.67	3.18	2.70	2.28	1.87
4-0	1433	.94	.82	.71	.60	.50	.42	19	302.9	4.45	3.89	3.36	2.86	2.41	1.98
4-20	1323	1.02	.89	.77	.65	.55	.45	20	287.9	4.70	4.09	3.55	3.00	2.54	2.09
4-40	1228	1.10	.96	.83	.70	.59	.48	22	262.0	5.16	4.44	3.84	3.30	2.80	2.29
5	1146	1.18	1.03	.89	.75	.63	.52	24	240.5	5.64	4.92	4.20	3.59	3.04	2.50
6	955.3	1.41	1.23	1.06	.90	.76	.62	26	222.3	6.07	5.29	4.58	3.88	3.29	2.70
7	819.0	1.65	1.44	1.24	1.05	.89	.73								

TABLE XI.
SHORT RADIUS CURVES

Radius Feet	Chord Feet	Central Angle	Deflection Angle	Deflection for 1 Foot
35	10	16-26	8-13	49.3
45	10	12-46	6-23	38.3
50	15	17-16	8-38	34.5
60	15	14-22	7-11	28.8
75	15	11-30	5-45	23.0
100	20	11-30	5-45	17.3
120	20	9-34	4-47	14.3
150	20	7-39	3-49	11.5
190	25	7-32	3-46	9.15
200	25	7-10	3-35	8.6
225	25	6-25	3-12	7.7
240	25	5-58	2-59	7.2
250	25	5-44	2-52	6.9
275	25	5-12	2-36	6.2
288	50	9-58	4-59	6.0
300	50	9-32	4-46	5.7
350	50	8-12	4-06	4.9
376	50	7-40	3-50	4.6
400	50	7-10	3-35	4.3
410	50	7-00	3-30	4.2


To find length of curve divide angle from P. C. to P. T. by central angle of chord, and multiply by length of chord.

TABLE XII.
INCLINED DISTANCE OF 100 FT. REDUCED TO HORIZONTAL

Slope	Horizontal Distance	Correction	Rise Per Foot	Slope	Horizontal Distance	Correction	Rise Per Foot
0°00'	100.000	0.000	0.000	8°00'	99.027	0.973	0.139
15'	99.999	0.001	0.004	15'	98.965	1.035	0.143
30'	99.996	0.004	0.009	30'	98.902	1.098	0.148
45'	99.991	0.009	0.013	45'	98.836	1.164	0.152
1 00	99.985	0.015	0.017	9 00	98.769	1.231	0.156
15	99.976	0.024	0.022	15	98.700	1.300	0.161
30	99.966	0.034	0.026	30	98.629	1.371	0.165
45	99.953	0.047	0.031	45	98.556	1.444	0.169
2 00	99.939	0.061	0.035	10 00	98.481	1.519	0.174
15	99.923	0.077	0.039	15	98.404	1.596	0.178
30	99.905	0.095	0.044	30	98.325	1.675	0.182
45	99.885	0.115	0.048	45	98.245	1.755	0.187
3 00	99.863	0.137	0.052	11 00	98.163	1.837	0.191
15	99.839	0.161	0.057	15	98.079	1.921	0.195
30	99.813	0.187	0.061	30	97.992	2.008	0.199
45	99.786	0.214	0.065	45	97.905	2.095	0.204
4 00	99.756	0.244	0.070	12 00	97.815	2.185	0.208
15	99.725	0.275	0.074	15	97.723	2.277	0.213
30	99.692	0.308	0.078	30	97.630	2.370	0.216
45	99.657	0.343	0.083	45	97.534	2.466	0.221
5 00	99.619	0.381	0.087	13 00	97.437	2.563	0.225
15	99.580	0.420	0.092	15	97.338	2.662	0.229
30	99.540	0.460	0.096	30	97.237	2.763	0.233
45	99.497	0.503	0.100	45	97.134	2.866	0.238
6 00	99.452	0.548	0.105	14 00	97.030	2.970	0.242
15	99.406	0.594	0.109	15	96.923	3.077	0.246
30	99.357	0.643	0.113	30	96.815	3.185	0.250
45	99.307	0.693	0.118	45	96.705	3.295	0.255
7 00	99.255	0.745	0.122	15 00	96.593	3.407	0.259
15	99.200	0.800	0.126	15	96.479	3.521	0.263
30	99.144	0.856	0.131	30	96.363	3.637	0.267
45	99.087	0.913	0.135	45	96.246	3.754	0.271

TABLE XIII.
MINUTES IN DECIMALS OF A DEGREE.

0 30"	.00833	10' 30"	.17500	20' 30"	.34167	30' 10"	.50833	40' 30"	.67500	50' 10"	.84167
1 00	.01667	11 00	.18333	21 00	.35000	31 00	.51667	41 00	.68333	51 00	.85000
30	.02500	30	.19167	30	.35833	30	.52500	30	.69167	30	.85833
2 00	.03333	12 00	.20000	22 00	.36667	32 00	.53333	42 00	.70000	52 00	.86667
30	.04167	30	.20833	30	.37500	30	.54167	30	.70833	30	.87500
3 00	.05000	13 00	.21667	23 00	.38333	33 00	.55000	43 00	.71667	53 00	.88333
30	.05833	30	.22500	30	.39167	30	.55833	30	.72500	30	.89167
4 00	.06667	14 00	.23333	24 00	.40000	34 00	.56667	44 00	.73333	54 00	.90000
30	.07500	30	.24167	30	.40833	30	.57500	30	.74167	30	.90833
5 00	.08333	15 00	.25000	25 00	.41667	35 00	.58333	45 00	.75000	55 00	.91667
30	.09167	30	.25833	30	.42500	30	.59167	30	.75833	30	.92500
6 00	.10000	16 00	.26667	26 00	.43333	36 00	.60000	46 00	.76667	56 00	.93333
30	.10833	30	.27500	30	.44167	30	.60833	30	.77500	30	.94167
7 00	.11667	17 00	.28333	27 00	.45000	37 00	.61667	47 00	.78333	57 00	.95000
30	.12500	30	.29167	30	.45833	30	.62500	30	.79167	30	.95833
8 00	.13333	18 00	.30000	28 00	.46667	38 00	.63333	48 00	.80000	58 00	.96667
30	.14167	30	.30833	30	.47500	30	.64167	30	.80833	30	.97500
9 00	.15000	19 00	.31667	29 00	.48333	39 00	.65000	49 00	.81667	59 00	.98333
30	.15833	30	.32500	30	.49167	30	.65833	30	.82500	30	.99167
10 00	.16667	20 00	.33333	30 00	.50000	40 00	.66667	50 00	.83333	60 00	1.00000



DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING.

SLOPE $1\frac{1}{2}$ TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0 00	0 15	0 30	0 45	0 60	0 75	0 90	1 05	1 20	1 35	0
1	1 50	1 05	1 20	1 35	1 50	1 65	1 80	1 95	2 10	2 25	1
2	3 00	3 15	3 30	3 45	3 60	3 75	3 90	4 05	4 20	4 35	2
3	4 50	4 65	4 80	4 95	5 10	5 25	5 40	5 55	5 70	5 85	3
4	6 00	6 15	6 30	6 45	6 60	6 75	6 90	7 05	7 20	7 35	4
5	7 50	7 65	7 80	7 95	8 10	8 25	8 40	8 55	8 70	8 85	5
6	9 00	9 15	9 30	9 45	9 60	9 75	9 90	10 05	10 20	10 35	6
7	10 50	10 65	10 80	10 95	11 10	11 25	11 40	11 55	11 70	11 85	7
8	12 00	12 15	12 30	12 45	12 60	12 75	12 90	13 05	13 20	13 35	8
9	13 50	13 65	13 80	13 95	14 10	14 25	14 40	14 55	14 70	14 85	9
10	15 00	15 15	15 30	15 45	15 60	15 75	15 90	16 05	16 20	16 35	10
11	16 50	16 65	16 80	16 95	17 10	17 25	17 40	17 55	17 70	17 85	11
12	18 00	18 15	18 30	18 45	18 60	18 75	18 90	19 05	19 20	19 35	12
13	19 50	19 65	19 80	19 95	20 10	20 25	20 40	20 55	20 70	20 85	13
14	21 00	21 15	21 30	21 45	21 60	21 75	21 90	22 05	22 20	22 35	14
15	22 50	22 65	22 80	22 95	23 10	23 25	23 40	23 55	23 70	23 85	15
16	24 00	24 15	24 30	24 45	24 60	24 75	24 90	25 05	25 20	25 35	16
17	25 50	25 65	25 80	25 95	26 10	26 25	26 40	26 55	26 70	26 85	17
18	27 00	27 15	27 30	27 45	27 60	27 75	27 90	28 05	28 20	28 35	18
19	28 50	28 65	28 80	28 95	29 10	29 25	29 40	29 55	29 70	29 85	19
20	30 00	30 15	30 30	30 45	30 60	30 75	30 90	31 05	31 20	31 35	20
21	31 50	31 65	31 80	31 95	32 10	32 25	32 40	32 55	32 70	32 85	21
22	33 00	33 15	33 30	33 45	33 60	33 75	33 90	34 05	34 20	34 35	22
23	34 50	34 65	34 80	34 95	35 10	35 25	35 40	35 55	35 70	35 85	23
24	36 00	36 15	36 30	36 45	36 60	36 75	36 90	37 05	37 20	37 35	24
25	37 50	37 65	37 80	37 95	38 10	38 25	38 40	38 55	38 70	38 85	25
26	39 00	39 15	39 30	39 45	39 60	39 75	39 90	40 05	40 20	40 35	26
27	40 50	40 65	40 80	40 95	41 10	41 25	41 40	41 55	41 70	41 85	27
28	42 00	42 15	42 30	42 45	42 60	42 75	42 90	43 05	43 20	43 35	28
29	43 50	43 65	43 80	43 95	44 10	44 25	44 40	44 55	44 70	44 85	29
30	45 00	45 15	45 30	45 45	45 60	45 75	45 90	46 05	46 20	46 35	30
31	46 50	46 65	46 80	46 95	47 10	47 25	47 40	47 55	47 70	47 85	31
32	48 00	48 15	48 30	48 45	48 60	48 75	48 90	49 05	49 20	49 35	32
33	49 50	49 65	49 80	49 95	50 10	50 25	50 40	50 55	50 70	50 85	33
34	51 00	51 15	51 30	51 45	51 60	51 75	51 90	52 05	52 20	52 35	34
35	52 50	52 65	52 80	52 95	53 10	53 25	53 40	53 55	53 70	53 85	35
36	54 00	54 15	54 30	54 45	54 60	54 75	54 90	55 05	55 20	55 35	36
37	55 50	55 65	55 80	55 95	56 10	56 25	56 40	56 55	56 70	56 85	37
38	57 00	57 15	57 30	57 45	57 60	57 75	57 90	58 05	58 20	58 35	38
39	58 50	58 65	58 80	58 95	59 10	59 25	59 40	59 55	59 70	59 85	39
40	60 00	60 15	60 30	60 45	60 60	60 75	60 90	61 05	61 20	61 35	40
41	61 50	61 65	61 80	61 95	62 10	62 25	62 40	62 55	62 70	62 85	41
42	63 00	63 15	63 30	63 45	63 60	63 75	63 90	64 05	64 20	64 35	42
43	64 50	64 65	64 80	64 95	65 10	65 25	65 40	65 55	65 70	65 85	43
44	66 00	66 15	66 30	66 45	66 60	66 75	66 90	67 05	67 20	67 35	44
45	67 50	67 65	67 80	67 95	68 10	68 25	68 40	68 55	68 70	68 85	45
46	69 00	69 15	69 30	69 45	69 60	69 75	69 90	70 05	70 20	70 35	46
47	70 50	70 65	70 80	70 95	71 10	71 25	71 40	71 55	71 70	71 85	47
48	72 00	72 15	72 30	72 45	72 60	72 75	72 90	73 05	73 20	73 35	48
49	73 50	73 65	73 80	73 95	74 10	74 25	74 40	74 55	74 70	74 85	49
50	75 00	75 15	75 30	75 45	75 60	75 75	75 90	76 05	76 20	76 35	50

Computed by L. Leland Locke.

2719
3140
4150

80-52

179-33 5

359.06

~~0+0 2'~~
4.0
1.75

548
86
92

700 ^{.00135}
950
700
2500
2100
4000

2019
135
10095

6057
2019
272565

0+0 2'
4+0 1.75'
8+0 1.5'

34.85

77
5.49
.28

12+0 12'

16+0 12'

18+0 1'

20+0 7'

23+0 5'

21.7
78.3



2019.4
652
2671

2019.4
926

2939.4
991.98
3931.38

836
4767.38
602.76

5370.14



13
6
9
11.179
10.58
9.00
236

PLEASE RETURN TO
GAUGA COUNTY ENGINEER

COURT HOUSE
CHARDON, O.
PHONE 250-X

Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.	Ins.	Dec.
1	.0052	1	.1094	2	.2135	3	.3177	4	.4219	5	.5260	6	.6302	7	.7344
2	.0104	2	.1146	3	.2188	4	.3229	5	.4271	6	.5313	7	.6354	8	.7396
3	.0156	3	.1198	4	.2240	5	.3281	6	.4323	7	.5365	8	.6406	9	.7448
4	.0208	4	.1250	5	.2292	6	.3333	7	.4375	8	.5417	9	.6458	10	.7500
5	.0260	5	.1302	6	.2344	7	.3385	8	.4427	9	.5469	10	.6510	11	.7552
6	.0312	6	.1354	7	.2396	8	.3438	9	.4479	10	.5521	11	.6563	12	.7604
7	.0364	7	.1406	8	.2448	9	.3490	10	.4531	11	.5573	12	.6615	13	.7656
8	.0416	8	.1458	9	.2500	10	.3542	11	.4583	12	.5625	13	.6667	14	.7708
9	.0468	9	.1510	10	.2552	11	.3594	12	.4635	13	.5677	14	.6719	15	.7760
10	.0520	10	.1562	11	.2604	12	.3646	13	.4688	14	.5729	15	.6771	16	.7813
11	.0572	11	.1614	12	.2656	13	.3698	14	.4740	15	.5781	16	.6823	17	.7865
12	.0624	12	.1666	13	.2708	14	.3750	15	.4792	16	.5833	17	.6875	18	.7917
13	.0676	13	.1718	14	.2750	15	.3803	16	.4844	17	.5885	18	.6927	19	.7969
14	.0728	14	.1770	15	.2813	16	.3854	17	.4896	18	.5938	19	.6979	20	.8021
15	.0780	15	.1822	16	.2856	17	.3907	18	.4948	19	.5990	20	.7031	21	.8073
16	.0832	16	.1874	17	.2897	18	.3958	19	.5000	20	.6042	21	.7083	22	.8125
17	.0884	17	.1926	18	.2917	19	.3978	20	.5020	21	.6062	22	.7103	23	.8145
18	.0936	18	.1978	19	.2969	20	.4010	21	.5052	22	.6094	23	.7135	24	.8177
19	.0988	19	.2030	20	.3021	21	.4063	22	.5104	23	.6146	24	.7188	25	.8229
20	.1040	20	.2082	21	.3073	22	.4115	23	.5156	24	.6198	25	.7240	26	.8281
21	.1092	21	.2134	22	.3125	23	.4167	24	.5208	25	.6250	26	.7292	27	.8333
22	.1144	22	.2186	23	.3177	24	.4219	25	.5260	26	.6302	27	.7344	28	.8385
23	.1196	23	.2238	24	.3229	25	.4271	26	.5313	27	.6354	28	.7396	29	.8438
24	.1248	24	.2290	25	.3281	26	.4323	27	.5365	28	.6406	29	.7448	30	.8490
25	.1300	25	.2342	26	.3333	27	.4375	28	.5417	29	.6458	30	.7500	31	.8542
26	.1352	26	.2394	27	.3385	28	.4427	29	.5469	30	.6510	31	.7552	32	.8584
27	.1404	27	.2446	28	.3438	29	.4479	30	.5521	31	.6563	32	.7604	33	.8626
28	.1456	28	.2498	29	.3490	30	.4531	31	.5573	32	.6615	33	.7656	34	.8668
29	.1508	29	.2550	30	.3542	31	.4583	32	.5625	33	.6667	34	.7708	35	.8698
30	.1560	30	.2602	31	.3594	32	.4635	33	.5677	34	.6719	35	.7760	36	.8730
31	.1612	31	.2654	32	.3646	33	.4688	34	.5729	35	.6771	36	.7813	37	.8780
32	.1664	32	.2706	33	.3698	34	.4740	35	.5781	36	.6823	37	.7865	38	.8844
33	.1716	33	.2758	34	.3750	35	.4792	36	.5833	37	.6875	38	.7917	39	.8896
34	.1768	34	.2810	35	.3803	36	.4844	37	.5885	38	.6927	39	.7969	40	.8958
35	.1820	35	.2862	36	.3854	37	.4896	38	.5938	39	.6979	40	.8021	41	.9010
36	.1872	36	.2914	37	.3907	38	.4948	39	.5990	40	.7031	41	.8073	42	.9063
37	.1924	37	.2966	38	.3958	39	.4999	40	.6042	41	.7083	42	.8125	43	.9050
38	.1976	38	.3020	39	.4010	40	.5052	41	.6094	42	.7135	43	.8177	44	.9096
39	.2028	39	.3072	40	.4063	41	.5104	42	.6146	43	.7188	44	.8229	45	.9115
40	.2080	40	.3124	41	.4115	42	.5156	43	.6198	44	.7240	45	.8281	46	.9167
41	.2132	41	.3176	42	.4167	43	.5208	44	.6250	45	.7292	46	.8333	47	.9192
42	.2184	42	.3228	43	.4219	44	.5260	45	.6302	46	.7344	47	.8385	48	.9219
43	.2236	43	.3280	44	.4271	45	.5313	46	.6354	47	.7396	48	.8438	49	.9241
44	.2288	44	.3332	45	.4323	46	.5365	47	.6406	48	.7448	49	.8490	50	.9263
45	.2340	45	.3384	46	.4375	47	.5417	48	.6458	49	.7500	50	.8542	51	.9285
46	.2392	46	.3436	47	.4427	48	.5469	49	.6510	50	.7552	51	.8594	52	.9307
47	.2444	47	.3488	48	.4479	49	.5521	50	.6563	51	.7604	52	.8646	53	.9329
48	.2496	48	.3540	49	.4531	50	.5573	51	.6615	52	.7656	53	.8698	54	.9351
49	.2548	49	.3592	50	.4583	51	.5625	52	.6667	53	.7708	54	.8750	55	.9373
50	.2600	50	.3644	51	.4635	52	.5677	53	.6719	54	.7760	55	.8802	56	.9395
51	.2652	51	.3696	52	.4688	53	.5729	54	.6771	55	.7813	56	.8854	57	.9417
52	.2704	52	.3748	53	.4740	54	.5781	55	.6823	56	.7865	57	.8906	58	.9439
53	.2756	53	.3800	54	.4792	55	.5833	56	.6875	57	.7917	58	.8958	59	.9461
54	.2808	54	.3852	55	.4844	56	.5885	57	.6927	58	.7969	59	.9000	60	.9483
55	.2860	55	.3904	56	.4896	57	.5938	58	.6979	59	.8021	60	.9063	61	.9505
56	.2912	56	.3956	57	.4948	58	.5990	59	.7031	60	.8073	61	.9105	62	.9527
57	.2964	57	.4008	58	.5000	59	.6042	60	.7083	61	.8125	62	.9167	63	.9549
58	.3016	58	.4060	59	.5052	60	.6094	61	.7135	62	.8177	63	.9209	64	.9571
59	.3068	59	.4112	60	.5104	61	.6146	62	.7188	63	.8229	64	.9231	65	.9593
60	.3120	60	.4164	61	.5156	62	.6198	63	.7240	64	.8281	65	.9253	66	.9615
61	.3172	61	.4216	62	.5208	63	.6250	64	.7292	65	.8333	66	.9275	67	.9637
62	.3224	62	.4268	63	.5260	64	.6302	65	.7344	66	.8385	67	.9297	68	.9659
63	.3276	63	.4320	64	.5313	65	.6354	66	.7396	67	.8438	68	.9319	69	.9681
64	.3328	64	.4372	65	.5365	66	.6406	67	.7448	68	.8490	69	.9341	70	.9703
65	.3380	65	.4424	66	.5417	67	.6458	68	.7500	69	.8542	70	.9363	71	.9725
66	.3432	66	.4476	67	.5469	68	.6510	69	.7552	70	.8594	71	.9385	72	.9747
67	.3484	67	.4528	68	.5521	69	.6563	70	.7604	71	.8646	72	.9407	73	.9769
68	.3536	68	.4580	69	.5573	70	.6615	71	.7656	72	.8698	73	.9429	74	.9791
69	.3588	69	.4632	70	.5625	71	.6667	72	.7708	73	.8750	74	.9451	75	.9813
70	.3640	70	.4684	71	.5677	72	.6719	73	.7760	74	.8802	75	.9473	76	.9835
71	.3692	71	.4736	72	.5729	73	.6771	74	.7813	75	.8854	76	.9495	77	.9857
72	.3744	72	.4788	73	.5781	74	.6823	75	.7865	76	.8906	77	.9517	78	.9879
73	.3796	73	.4840	74	.5833	75	.6875	76	.7917	77	.8958	78	.9539	79	.9901
74	.3848	74	.4892	75	.5885	76	.6927	77	.7969	78	.9000	79	.9561	80	.9923
75	.3900	75	.4944	76	.5938	77	.6979	78	.8021	79	.9063	80	.9583	81	.9945
76	.3952	76	.5000	77	.5990	78	.7031	79	.8073	80	.9105	81	.9605	82	.9967
77	.4004	77	.5052	78	.6042	79	.7083	80	.8125	81	.9167	82	.9627	83	.9989
78	.4056	78	.5104	79	.6094	80	.7135	81	.8177	82	.9209	83	.9649	84	.9991
79	.4108	79	.5156	80	.6146	81	.7188	82	.8229	83	.9231	84	.9671	85	.9993
80	.4160	80	.5208	81	.6198	82	.7240	83	.8281	84	.9253	85	.9693	86	.9995
81	.4212	81	.5260	82	.62										

