

MIDDLEFIELD- PARKMAN RD.

172

LEAVELL BOOK

1807

Hawthorne
PLEASE RETURN TO
GEAUGA COUNTY ENGINEER
COURT HOUSE
CHARDON, O.
PHONE 250-X

1.00
8.75
91.25
49.63
54.69
62.83
7.64
5-459
48.29
6.4

Field Book # 172
Sec "A" & "B"

Middlefield - Parkman
S.R. 88 & C.H. #2

± angle point References
Pg. 25 to 33

X Sec. pg 37 to ---

3

Park Co

etc

95' Log

7 of
Holise

Geological B.M. 1/2 mi. E. Smith's Corners, →

B.M. 1141.830 "1141" Mid. Town Hall

B.M. 1143.435 "1143" in culvert stone Park Co.
1150.90 Found. School House

B.M. 1148.40 { Iron in Head wall 35' 1922
About intersection of
road W. near school house

May 10th - 1920 - Tilden, Grant & Thompson
 H. D. Rods Eler
 Middlefield - Parkman Road

B.M. 1188.73 +5.82 1182.91 sidewalk at driveway

+5.82 -2.81 near Arnolds

T.P. -2.81 1185.92

+3.42 -11.53

1189.34 +3.42

+10.96 -2.05

B.M. 0.59 1188.75 ^{1188.75} spike in S. root
 1189.75 24° S line 200 S. of
 curb line

+7.75 -0.00 27' Rt. 309+15
 $\frac{27.95}{-}$

T.P. -11.53 1177.81

+10.55 -0.57

B.M. 1186.77 +10.96

+1.37 -11.90

T.P. -2.05 1186.72

+1.25 -6.30
 $\frac{3883}{-}$

1194.47 +7.75

+1.24 -12.40

T.P. -0.00 1194.47

+23.3
 $\frac{57.53}{42.23}$
 $\frac{15.20}{-}$

1205.02 +10.55

B.M. 1.24 1203.78 ^{1203.78} bent
 spike in S.E. end 22"
 1/2 line (near prop. line W.
 15' from curb)

35' Lt. 288+75

T.P. -0.57 1204.48 (summit)

1205.82 +1.34

-11.90 1193.92

1195.17 +1.25

B.M. -6.30 1188.87 ^{1188.87} stake in W. end 16"
 maple 30 N. of Prop.
 Line Eo

25' Rt. St 276+75

1190.11 +1.24

-12.40 ³⁹ 1177.71

1179.11 +1.40

T.P. 1179.11 - 13.05 1166.06

1174.06 + 8.00

B.M. 11.30 1162.76

x on B.F. cor. Concrete
E. Parapet Culvert

T.P. - 2.56 1171.50

1174.48 + 2.98

- 9.64 1164.84

1166.37 + 1.53

- 12.10 1154.27

1159.27 + 5.00

B.M. 10.98 1148.29

T.P. - 0.99 1158.28

1162.16 + 3.88

T.P. - 12.07 1150.09

1152.66 + 2.57

- 12.33 1140.33

1140.45 + 0.12

- 0.00 1140.45

1150.21 + 9.76

B.M. 4.11 1146.10

sidech 60' E. of
staple in W. root

+ -

8.00

2.56

2.98

9.64

1.53

12.10

5.00

Nail in E. root of 5ft. Elm near x roads

0.99

3.88

12.07

2.57

12.33

0.12

0.00

9.76

- 8.04

Count Page

23.84

52.73

T.P. 1150.21 -3.04 1147.17

1157.97 +10.80

T.P. -0.00 1157.97

1170.13 +2.16

T.P. -0.47 1169.66

1181.92 +12.26

-0.00

1193.39 +11.47 1181.92

B.M. 0.90 1192.49

E. root - 14" Maple R. 8
50' S. of Park Med. line

-6.26 1187.13

1200.20 +13.07

-4.05 1196.15

1205.11 + 896

-0.39 1204.72

Spike in E. root - 50" Elm
W side road
200' S. of Laminic

1214.89 +10.17

B.M. -8.33 1206.56

T.P. -8.51 1206.38

1208.93 +2.55

-5.57 1203.36

1207.76 +4.40

	1207.76	-4.62	1203.14	
TP	1206.60	+3.46		
B.M.		-6.77	1199.83	E. root of 14" Ash W side road about 300' N. of X " 1/2 E
	1204.70	+4.87		
		-6.99	1197.71	
	1200.80	+3.09		
TP		-7.96	1192.84	
	1195.93	+3.09		
B.M.		-10.62	1185.31	Spike in west end of Elm. E side road N. of old barn & fence
	1186.50	+1.19		
TP		-4.60	1181.90	
	1190.35	+8.45		
TP		-5.47	1184.88	
	1186.78	+1.90		E. end 28" Maple W side 50' S. of back house
B.M.		5.17	1181.61	
TP		-0.00	1186.78	
	1191.36	+4.58		
TP		-7.30	1184.06	
	1188.29	+4.21		

B.M. 1188.27 11.95 || 76.32 ² spike in W root 3' E of
E side 2 100' N. of
culvert 0

T.P. -5.33 1182.94

1195.32 +12.38

T.P. -0.89 1194.45

1197.51 +3.06

T.P. B.M. -2.47 1195.04 spike in W root 16
Maple 30' E

1197.20 +2.16

T.P. -5.91² 1191.29

1191.34 +0.05

T.P. -4.44 1186.90

1187.50 +0.60

T.P. -12.14 1174.76

1175.70 +0.94⁵

T.P. -12.77 1162.93

1162.98 +0.05

B.M. -5.90 1157.08 2 spike in W root W
train chest at 125' E
at (Saint) Road W

HENNEY
GRAW

JUNE 1st 20

17

	B.M.	B.S.	F.S.	ELEV.
B.M.				1195.04
H.I.		3.70		
T.P.			2.51	
H.I.		2.55		
T.P.			11.90	
H.I.		1.13		
T.P.			12.25	
H.I.		0.32		
T.P.			8.39	
H.I.		1.32		
T.P.			11.54	
H.I.		0.25		
T.P.			8.48	
H.I.		1.90		
B.M.			7.53	1143.61

2 SPIKES W. ROOT, W. ROOT 16" MAPLE 30'E

GEOL. B.M. 1/2 MI. E. SMITHS COR. }
CORRECT ELEV. }
1143.435

BM. B.S. F.S. ELEV.

BM. 1157.08

HI 4.13 1161.21

T.P. 0.37 1160.84

HI 11.31 1172.15

T.P. 0.26 1171.89

HI 11.69 1183.58

T.P. 0.27 1183.31

HI 10.25 1193.56

BM. ^{F.S.} -2.50 1191.06

T.P. 0.00 1193.56

HI 7.30 1200.86

T.P. 0.19 1200.67

HI 9.80 1210.47

BM. ^{F.S.} -1.08 1209.39

T.P. 4.18 1206.29

HI 1.18 1207.47

BM. ^{T.P.} 5.53 1201.94

HI 0.39 1202.33

2 SPIKES IN ROOT - W. TWIN CHESTNUT - 1.25' L OF ϕ
AT (CROSS) CENTER ROAD

X ON S.E. COR. WELL FOUNDATION - VAN. WAGNER'S

^{FRONT}
BASE OF S.E. CORNER BOARD FARLEY'S

SPIKE IN ROOT OF 18" MAPLE 30 RT. ϕ - 200'S - 3 CORNERS

B.M.	B.S.	F.S.	ELEV.
T.P.		11.68	1190.65
H.I.	0.25		1190.90
T.P.		11.47	1179.43
H.I.	0.15		1179.58
T.P.		11.82	1167.76
H.I.	0.21		1167.97
B.M.	5.00		1162.97
T.P.		11.33	1156.64
H.I.	0.64		1157.28
T.P.		11.07	1146.21
H.I.	0.43		1146.64
T.P.		11.28	1135.36
H.I.	0.08		1135.44
T.P.		12.00	1123.44
H.I.	0.56		1124.00
T.P.		10.91	1113.09
H.I.	0.85		1113.94
T.P.		11.40	1102.54

S.W. COR. BAIRD'S CONCRETE PORCH

X ON S. PARAPET - TO BURTON ROAD



B.M.	B.S.	F.S.	ELEV.
H.I.	0.76		1103.30
T.P.		9.55	1093.75
H.I.	1.59		1095.34
B.M.		4.76	1090.58

X ON S.W. COR. FOUNDATION TOWN HALL PARKMAN ✓

⊥

REF. 1-2-3-4-5-6 DIRECT MEASUREMENT

H. J.

T. F.

H. Z.

B. M.

IN FRONT OF STUDIO AT 3 CORNERS

(4) P.I.

30 + 35.6

T. POLE
WOODEN HUB
26.50

ANG 14° 30' RT.
USE 6' EXTERNAL

40.40

NAIL-ROOT 16" WALNUT

FRONT OF F. HEWITT'S NAIL

(3)

ANG 0° 4' RT.

20 + 06.9

29.00' - (3) 16" MAPLE

62.70'

NAIL
(1) 16" MAPLE

FRONT OF MRS. COOKES

(2)

ON WALK X - 22' - IRON PIN - 25' - ON WALK X
- DIRECT LINE WITH -

7 + 53.3

MAIN MARKET

TACK E 4' ELM

(1)

HUB. 0-100'

IRON PIN
59.20
27.85' - ON WALK

⊥

VAN WAGNER'S

X MILK HOUSE FOUNDATION

(7)

NAIL
1 TREE

IRON PIN
47.95'

51 + 47.9

37.65'

NAIL - COR. FENCE POST

59.50'

(6)

NAIL STAKE
IRON PIN
24.75'

200'S. OF VAN WAGNER'S

48 + 39.7

TACKED STAKE

(5)



28.20' IRON PIN
IN LINE WITH

55.40'

34 + 58.7?



WELL PUMP

FRONT EVERGREEN LODGE



TACK IN V.S. ROOT


14" APPLE




IN FRONT OF OLD HOUSE

NAIL IN

STUMP




5" BRICK FROM 511
N.E. COR. FOUNDATION




TACK IN V
SE. SIDE 14" APPLE

TACK INSIDE
12" MAPLE



SIDE OF WOODS
156+61.0



AT CROSS ROAD
Farley Rd
ANG. 0° 8' RT.

V IN V. ROOT 14" MAPLE

TACKED STAKE

71.00


300 S of ROAD EAST

TACK-SIDE 20" EIM

31.20

IRON 142+78.2

13



19 ANG 0° 55' LT
AT WEST ROAD (Twp Line)
203+48.0

N.E. COR.
PARAPET
CONCRETE
CULVERT

TACK 16" MAPLE

53.3

27.0 TACK ON
SIDE STUMP

SIDE OF ORCHARD

18

TACK ON
12" APPLE

44.4

196+78.2

TACK ON
12" APPLE

35.3

TACK 20" MAPLE

23.60

17 ANGLT. 0° 5'

IRON

FRONT OF
K.E. LARMI HOUSE
182+16.1

28.95

TACK 26" MAPLE

TACK ON S SIDE
2' MAPLE

54.1

300' N. OF
CULVERT

225+76.3?

TACK ON 8"
BUCKEYE IRON PIN

25.9

(23)

400' N-4 CORNERS

(26) PI ANG. 3° 45' RT

IRON PIN

22.80

TACK STAKE

TACK STAKE

26.05

35.70

TACK ON 12'
APPLE

AT 4 CORNERS - BOWEN SCHOOL HOUSE

(25) PI ANG 60° 15' LT
EXT. NOT 612'

IRON PIN

242+08.7

TACK ON
12' CHERRY

81.30

73.05

TACK ON
14" MAPLE

NW COR.
PARAPET

46.3

21.075'

STAKE
NEAR BEECH
STUB

(25)

TACK IN V 16" APPLE

TACK S SIDE ROOT
10" APPLE

51.15'

NAIL IN HUB

50' S. OF PAPER
HOUSE

(21) ANG 12° 20' AT.

23.9

TACKED
STAKE

(24)

20'

25'

TACKED
STAKE

THIS ANG INCREASED - BY MOVING
HUB #24 - TO RT. 6'

ABOUT 200' S OF N-S. ROAD

NAIL ON 8" MAPLE

626-

WOODEN

ABOUT 20' EXTERNAL



30 ANG. $35^{\circ}57'$ RT. IRON PIN 24.6
 NAIL ON 8" MAPLE $\frac{2}{3}$
 TACK ON 30" MAPLE

29
 IRON PIN 24.6
 TACK ON 30" MAPLE
 TACK ON 30" MAPLE
 57.8
 200'S OF OLD HOUSE
 FRONT OF WHITE HOUSE

28
 IRON PIN 29.0
 TACK ON 30" PINE
 TACK ON 30" MAPLE
 TACK ON 30" HICKORY

27 P.I. $9^{\circ}4'$ RT. IRON PIN 26.4
 ANG
 TACK INSIDE 20" MAPLE

76.30

Sta B.S. H. I. F.S. Elev.
1122 80

T.P. 1140 1133 68 0.52 1122.28

7 5.3 28.4

+50 0.6 33.1

T.P. 9.33 1142.41 0.60 1133.08

8 8.8 33.6

9 6.2 36.2

10 2.8 39.6

T.P. 8.30 1149 85 0.86 1141.55

B.M. 3.59 ^{1146.21} 1146.26

3.7 46.2

11 3.9 46.0

T.P. 10.59 1159 64 0.80 1149.05

12 9.7 49.9

13 6.4 53.2

All outside readings are on walk.

+0.9	+0.1	-2.9	0.0	0.0	0.0	-1.7	+1.3
<u>4.4</u>	<u>5.2</u>	<u>8.2</u>	<u>5.3</u>	<u>5.3</u>	<u>5.3</u>	<u>7.0</u>	<u>4.0</u>
30	23	19	10	00	9	14	25

same 0.6 same as #7

+0.5	-1.2	-0.2	0.0	+0.3	-0.4	+0.4	+1.8
<u>8.3</u>	<u>1.0</u>	<u>9.0</u>	<u>8.8</u>	<u>8.5</u>	<u>9.2</u>	<u>8.1</u>	<u>7.0</u>
30	16	10	00	11	16	18	26

+0.8	-0.9	-0.2	0.0	0.0	-0.8	0.0	+1.9
<u>5.4</u>	<u>7.1</u>	<u>6.4</u>	<u>6.2</u>	<u>6.2</u>	<u>7.0</u>	<u>6.2</u>	<u>4.3</u>
30	20	12	00	9	15	18	25

+1.3	-1.0	-0.1	0.0	0.0	+1.5
<u>1.5</u>	<u>3.8</u>	<u>2.9</u>	<u>2.8</u>	<u>2.8</u>	<u>1.3</u>
30	20	11		8	25

x on S. parapet opposite stall
100' W. on W. road.

+0.2	0.0	+0.3	-0.8	+0.2	+0.7
<u>3.7</u>	<u>3.9</u>	<u>3.6</u>	<u>4.7</u>	<u>3.7</u>	<u>3.0</u>
30		8	15	20	25

+1.3	-0.1	-1.5	-0.6	0.0	-0.8	+1.3
<u>8.4</u>	<u>9.8</u>	<u>11.2</u>	<u>10.3</u>	<u>9.7</u>	<u>10.5</u>	<u>8.4</u>
30	23	21	11		17	25

+1.4	0.0	-1.1	-0.4	0.0	-0.3	+1.9
<u>5.0</u>	<u>6.4</u>	<u>7.5</u>	<u>6.9</u>	<u>6.4</u>	<u>6.7</u>	<u>4.5</u>
30	22	19	12		19	25

1159 64

T.P. 1072 1168.24 2.12 1157.52

14 11.3 56.9

B.M. 5.21 1163.03

15 5.5 62.7

16 2.2 66.0

T.P. 1139 1178.09 1.54 1166.70

17 8.9 69.2

18 4.1 74.0

T.P. 9.03 1187.08 0.04 1178.05

19 9.2 77.9

20 5.6 81.5

T.P. 7.46 1192.35 2.19 1184.89

21 8.4 84.0

+1.3	-0.2	+1.4	-0.6	0.0	-0.2	-0.7	+0.3	+1.6
10.0	11.5	12.7	11.9	11.3	11.5	12.0	11.0	9.7
26	23	19	15		9	13	18	25

S.W. con Baird's Corn porch floor.

+0.7	+0.3	-1.5	-0.2	0.0	-0.5	-1.6	-0.1	0.0
4.8	5.2	7.0	5.7	5.5	6.0	7.1	5.6	5.5
30	21	19	13		9	14	17	25

+0.8	-0.3	-1.4	-0.4	0.0	-0.1	-0.8	+0.5
1.4	2.5	3.6	2.6	2.2	2.3	3.0	1.7
30	20	13	6		8	16	25

+4.3	+0.7	-1.1	-0.2	0.0	-0.3	-1.1	+1.0	+2.3
4.6	8.0	10.0	9.1	8.9	9.2	10.0	7.2	6.6
27	17	12	6		8	15	18	25

+5.1	+3.1	-1.5	+0.1	0.0	-0.9	+2.6	+2.9
<u>-1.0</u>	1.0	5.6	4.0	4.1	5.0	1.5	1.2
30	23	13	9		15	20	25

+4.2	-1.0	0.0	0.0	-0.3	-1.3	+2.2	+2.6
5.0	10.2	9.2	9.2	9.5	10.5	7.0	6.6
30	15	11		10	14	17	25

+3.4	+1.0	-1.1	-0.1	0.0	-0.5	+1.6
2.2	4.6	6.7	5.7	5.6	6.1	4.0
30	18	15	10		20	25

+3.4	+0.9	-0.2	-1.1	-0.6	+0.1	0.0	-0.2	-1.3	-0.2	+1.4
5.0	7.5	8.6	9.5	9.0	8.3	8.4	8.6	9.7	8.6	7.0
30	20	18	15	13	8		6	10	15	25

1210.32

+86 5.1 05.2

31 4.5 05.8

32 2.6 07.7

B.M. -0.40 1210.72

T.P. 4.74 1211 79 3.27 1207.05

33 4.4 07.4

34 4.2 07.6

35 4.7 07.1

36 5.8 06.0

T.P. 6.94 1210 31 8.42 1203.37

B.M. 0.85 1209.46

T.P. 2.18 1205 55 6.94 1203.37

37 1.4 04.2

100' N.E. 07 x Road.

+2.3	+1.7	+0.7	0.0	-0.3	+0.6	+1.1	+0.7	-0.5
2.2	2.8	3.8	4.5	4.8	3.9	3.4	3.8	5.0
30	20	17		10	12	15	18	25

+1.3	+0.8	-0.4	0.0	-0.9	-0.2	-0.2
1.3	1.8	3.0	2.6	3.5	2.8	2.8
30	18	9		10	19	25

Base S.E. Cor. Board W.S. Station

+0.7	-0.1	-1.0	-0.2	0.0	-0.4	-0.8	-0.4	-0.6	-0.8
3.7	4.5	5.4	4.6	4.4	4.8	5.2	4.8	5.0	5.2
30	14	13	8		6	8	10	20	25

+0.4	-0.3	-0.6	-1.2	-0.1	0.0	-0.5	-1.2	-0.6
3.8	4.5	4.8	5.4	4.3	4.2	4.7	5.4	4.8
25	20	13	11	6		5	8	10-25

+0.5	+0.1	-0.5	-1.7	-0.3	0.0	-0.1	-1.2	-0.5	-0.2
4.2	4.6	5.2	6.1	5.0	4.7	4.8	5.8	5.2	4.9
27	17	14	12	7		6	9	11	25

+0.7	0.0	-1.7	-0.3	0.0	-0.2	-1.4	-0.6	0.0
4.7	5.8	7.5	6.1	5.8	6.0	7.2	6.4	5.8
28	15	12	7		6	9	11	25

Base S.E. cor. board Farley's House

+1.4	+0.1	+0.4	-0.6	-0.3	0.0	-0.2	-1.1	+0.2	+1.1
0.0	1.3	1.0	2.0	1.7	1.4	1.6	2.5	1.2	0.3
25-19	17	15	13	8		7	10	12	25

1195 86

47 2.0 93.9

48 2.7 93.2

+55 culv-

49 5.3 90.6

50 7.4 88.5
6-15-20 Kenney
Glendonings
Herri

B.M. 0.56 1191 62 478 1191.08

51 6.4 85.2

52 11.1 80.5

T.P. 1.50 1183 .59 9.53 1182.09

53 11.9 71.7

T.P. 1.63 1173 16 1206 1171.53

54 11.2 62.0

T.P. 0.50 1162 33 11.33 1161.83

55 5.2 57.1

-0.4 -0.7 -0.1 0.0 -0.2 -1.3 -0.9 -0.7
2.4 2.7 2.1 2.0 2.2 3.3 2.9 2.7
25-14 11 6 4 9 13 25

-0.4 0.0 -0.3 0.0 -0.2 -1.0 -0.7 -1.1
3.1 2.7 3.0 2.7 2.7 3.7 3.4 3.8
25 13 12 5 10 12 25

+1.3 +4.5 -0.3 -1.3 -0.4 0.0 -0.1 -0.8 -0.2 0.0
4.0 4.8 5.6 6.6 5.7 5.3 5.4 6.1 5.5 5.3
25 15 13 10 7 7 10 15 25

+1.4 +0.9 -1.0 -0.2 0.0 -0.3 -0.9 +0.3 +0.5
6.0 6.5 8.4 7.6 7.4 7.7 8.3 7.1 6.7
25 14 9 6 6 10 13 25

x on Van Waggers Well Foundation

+2.6 +2.0 +0.4 -1.0 -0.2 0.0 -0.1 -0.9 +0.1 +0.6
3.8 4.4 6.0 7.4 6.6 6.4 6.5 7.3 6.3 5.8
30 18 12 8 4 7 12 14 25

2.9 +2.8 +0.1 -1.0 -0.1 0.0 -0.2 -1.4 +0.1 +0.4
8.2 8.3 11.0 12.1 11.2 11.1 11.3 12.5 11.0 10.7
30 19 15 12 9 8 12 13 25

+3.9 +3.4 +0.2 -0.4 -0.8 -0.3 0.0 -0.6 -1.6 -0.8
8.0 8.5 11.7 12.3 12.7 12.2 11.9 12.5 13.5 12.7
25 21 15 13 12 9 6 8-12 25 21

+4.4 +4.2 +0.4 -0.8 -0.2 0.0 -0.6 -0.9 -1.8 -0.6 +3.0 +3.9
6.8 7.0 10.8 12.0 11.4 11.2 11.8 12.1 13.0 11.8 8.2 7.3
25 20 12 13 10 3 7 9 12 19 25

-0.4 -1.0 -1.5 -0.6 -0.2 0.0 -0.4 -1.8 -0.8 -0.4
5.4 6.2 6.7 5.8 5.4 5.2 5.6 7.0 6.0 5.6
25 13 11 9 7 6 9 10 25

Hot
+1.3
196



TACK ON S SIDE
2' MAPLE

54.1

300' N. OF
CULVERT

TACK ON 8"
BUCKEYE IRON PIN

25.9

225+76.3?

(23)

400' N-4 CORNERS

(26) PI ANG. 3° 45' RT

IRON PIN

22.80

TACK STAKE

TACK STAKE

26.05

35.70

TACK ON 12"
APPLE

AT 4 CORNERS - BOWEN SCHOOL HOUSE

(25)

PI ANG 60° 15' LT
EXT. 1076.12

IRON PIN

242+08.7

TACK ON
12' CHERRY

81.30

73.05

TACK ON
14" MAPLE

NW COR.
PARAPET

46.3

21.075'

STAKE
NEAR BEECH
STUB

(24)

TACKED
STAKE

20'

25'

TACKED
STAKE

TACK IN 16" APPLE

TACK S SIDE ROOT
10" APPLE

51.15'

NAIL IN HUB

50' S. OF PAPER
HOUSE

(21) ANG 12° 20' AT.

23.9

THIS ANG INCREASED - BY MOVING
HUB #24 - TO RT. 6'

ABOUT 200' S OF N-S. ROAD

1162 33

B.M. 5.25 1157.08

56 7.8 54.5

T.P. 3.18 1158.35 7.16 1155.17

68
56+75

→ 3.3 55.1

57 4.8 53.6

7.8 50.6

58 3.1 55.0

T.P. 11.65 1169.46 0.54 1157.81

58+50 10.5 59.0

T.P. 6.76 1185.22 1.00 1168.46

59 11.0 64.2

T.P. 5.60 1176.97 3.85 1171.37

59+50 7.2 69.8


✓

two rails in W-root Twin Chestnut 200' Rt. Sta 57

-1.5	-0.3	-0.3	+0.2	0.0	-0.2	-0.7	-0.3	-1.7
<u>9.3</u>	<u>8.1</u>	<u>8.0</u>	<u>7.6</u>	7.8	<u>8.0</u>	<u>8.5</u>	<u>8.1</u>	<u>9.5</u>
25	14	9	5		6	9	11	25

8' wooden span stone mells

4.7	0.0	0.0	0.0	4.7
<u>3.0</u>	<u>3.3</u>	<u>3.3</u>	<u>3.3</u>	<u>3.0</u>
7	6	6	6	7



-2.0	-1.4	-0.7	-0.2	0.0	-0.2	-0.5	-1.1	-0.7	-1.2
<u>6.8</u>	<u>6.2</u>	<u>5.5</u>	<u>5.0</u>	4.8	<u>5.0</u>	<u>5.3</u>	<u>5.9</u>	<u>5.5</u>	<u>6.0</u>
25	12	9	5		7	15	16	18	25

100' W. of W-Rd -

+0.9	-0.8	0.0	+0.4	0.0	+0.7	+1.1	+1.9
<u>2.5</u>	<u>4.2</u>	3.4	<u>3.0</u>	<u>3.4</u>	<u>2.7</u>	<u>2.0</u>	<u>1.5</u>
25	10		4	14	16	19	25

+4.2	+3.8	-1.2	-0.2	0.0	+0.1	-1.1	+4.5	+4.8
<u>6.3</u>	<u>6.7</u>	<u>11.7</u>	<u>10.7</u>	10.5	<u>10.4</u>	<u>11.6</u>	<u>6.0</u>	<u>5.7</u>
30-23	12	4	3.0		8	12	21	30

+7.5	+8.0	+7.8	-0.7	0.0	0.0	-0.2	-1.1	+7.3	+7.6
<u>3.5</u>	<u>3.0</u>	<u>3.2</u>	<u>11.7</u>	<u>11.0</u>	11.0	<u>11.2</u>	<u>12.1</u>	<u>3.7</u>	<u>3.4</u>
30	24	18	5	4		6	9	24	30

+4.0	+4.6	+5.6	-0.3	0.0	+0.2	-1.0	+6.8	+7.2
<u>3.2</u>	<u>2.6</u>	<u>1.6</u>	<u>7.5</u>	7.2	<u>7.0</u>	<u>8.2</u>	<u>0.4</u>	<u>0.0</u>
30	25	12	4		8	10	20	25

-700
1176 97

60 5.0 72.0

-3.6 -0.1 0.0 +0.1 -0.6 +0.2 +0.4 +2.5
8.6 5.1 5.0 4.9 5.6 4.8 4.6 2.5
25 2 9 13 16 20 25

61 2.7 74.3

-1.3 -0.3 0.0 +0.3 -0.3 +0.1 -0.3
4.0 3.0 2.7 2.4 3.0 2.6 3.0
25 30 10 13 15 25

T.P. 1151 1187 55 093 1176.09

61+50 11.4 76.2

+4.8 +5.7 +0.2 -0.6 0.0 +0.1 -0.6 +0.1+3.0 +4.7
4.4 5.7 11.2 12.0 11.4 11.3 12.0 11.3 8.4 7.0
25 12 5 3 9 12 14 19 30

62 7.5 80.1

+7.0 +6.7 -0.5 0.0 +0.2 -0.8 +6.5 +6.9
0.5 0.8 8.0 7.5 7.3 8.3 1.0 0.6
30 12 1 9 11 24 30

T.P. 8.67 1193 71 2.51 1185.04

63 6.1 87.6

+1.9 +1.5 -1.0 -0.2 0.0 -0.1 -1.5 +1.7 +2.3 +2.4
4.2 4.6 7.1 6.3 6.1 6.2 7.6 4.4 3.8 3.7
30 10 6 3 7 10 14 16 25

63+50 5.0 88.7

+1.0 -0.5 0.0 -0.6 +0.5
4.0 6.0 5.0 5.6 4.5
30-14 9 4 25

64 5.1 88.6

-0.1 -0.5 -0.7 -0.2 0.0 -0.1 -1.0 +0.3 +1.0
5.2 5.6 6.0 5.3 5.1 5.2 6.2 4.8 4.1
25 10 8 7 7 10 13 25

65 6.7 87.0

+0.1 0.0 -0.8 -0.2 0.0 -0.1 -0.8 +0.7 +0.2 +1.4
6.6 6.7 7.5 6.7 6.7 6.8 7.5 6.0 6.5 5.3
25 11 8 4 7 10 13 18 25

T.P. 4.75 1191.01 7.45 1186.26

66 4.6 84.4

-1.2 -0.8 -0.2 0.0 -0.2 -1.2 -0.3 +0.2
5.8 5.4 4.8 4.6 4.7 5.8 4.7 4.4
25 8 4 8 11 12 25

1191 01

67 5.0 86.0

+62 culv

68 7.8 86.2

T.P. 8.33 1197.15 2.19 118882

69 10.0 87.2

9.0 88.2

70 7.0 90.2

71 5.1 92.1

72 4.4 92.8

73 3.9 93.3

74
↘
4.5 92.7

T.P. 4.80 1196.77 5.18 1191.97

75 4.7 92.1

+15 culv

$$\begin{array}{cccccccc} -1.1 & -0.8 & -0.1 & 0.0 & 0.0 & -1.0 & -0.4 & \\ \hline 6.1 & 5.8 & 5.1 & 5.0 & 5.0 & 6.0 & 5.4 & \\ \hline 25 & 8 & 5 & & 7 & 12 & 13-25 & \end{array}$$

$$\begin{array}{cccccccc} -0.6 & -0.3 & -0.7 & 0.0 & 0.0 & -0.8 & -0.2 & \\ \hline 5.4 & 5.1 & 5.5 & 4.8 & 4.8 & 5.6 & 5.0 & \\ \hline 21 & 7 & 7 & & 7 & 11 & 12-23 & \end{array}$$

$$\begin{array}{cccccccccccc} +1.6 & +1.6 & 0.0 & -0.5 & 0.0 & 0.0 & +0.5 & +0.8 & +1.1 & +0.8 & \\ \hline 8.4 & 8.4 & 10.0 & 10.5 & 10.0 & 10.0 & 9.5 & 9.2 & 8.9 & 9.2 & \\ \hline 25 & 20 & 15 & 9 & 3 & & 9 & 16 & 21 & 30 & \end{array}$$

100' E on X Rd.

$$\begin{array}{cccccccccccc} +0.6 & -0.6 & -1.6 & -1.0 & -0.1 & 0.0 & -0.2 & -1.2 & -0.8 & -0.6 & +1.8 & \\ \hline 6.1 & 7.6 & 8.6 & 8.0 & 7.1 & 7.0 & 7.2 & 8.2 & 7.8 & 7.6 & 5.2 & \\ \hline 25 & 21 & 12 & 11 & 6 & & 7 & 11 & 13 & 16 & 25 & \end{array}$$

$$\begin{array}{cccccccccccc} +0.3 & -0.4 & -0.6 & -1.3 & -0.2 & 0.0 & -0.2 & -0.7 & -1.7 & -1.0 & +0.5 & \\ \hline 4.8 & 5.5 & 5.7 & 6.1 & 5.3 & 5.1 & 5.3 & 6.0 & 6.8 & 6.1 & 4.6 & \\ \hline 30 & 21 & 14 & 11 & 7 & & 4 & 7 & 9 & 11 & 25 & \end{array}$$

$$\begin{array}{cccccccccccc} -0.7 & -0.8 & -1.3 & -0.2 & 0.0 & -0.2 & -1.3 & -0.4 & -0.1 & & & \\ \hline 5.1 & 5.2 & 5.7 & 4.6 & 4.4 & 4.6 & 5.7 & 4.8 & 4.5 & & & \\ \hline 30 & 13 & 11 & 6 & & 6 & 10 & 16 & 25 & & & \end{array}$$

$$\begin{array}{cccccccccccc} -0.1 & -0.3 & -1.5 & -0.2 & 0.0 & -0.1 & -0.5 & -1.2 & -0.4 & +0.4 & & \\ \hline 4.0 & 4.2 & 5.4 & 4.1 & 3.9 & 4.0 & 4.1 & 5.1 & 4.3 & 3.5 & & \\ \hline 30 & 13 & 11 & 5 & & 5 & 8 & 11 & 12 & 25 & & \end{array}$$

$$\begin{array}{cccccccccccc} -0.2 & -0.5 & -1.2 & -0.3 & 0.0 & -0.1 & -0.7 & +0.4 & & & & \\ \hline 4.7 & 5.0 & 5.7 & 4.8 & 4.5 & 4.6 & 5.4 & 4.1 & & & & \\ \hline 30 & 13 & 10 & 5 & & 4 & 9 & 25 & & & & \end{array}$$

$$\begin{array}{cccccccccccc} -0.6 & -0.7 & -0.2 & -0.8 & -0.4 & 0.0 & -0.4 & -0.8 & -0.5 & +0.2 & & \\ \hline 5.3 & 5.4 & 4.9 & 5.5 & 5.1 & 4.7 & 5.1 & 5.5 & 5.2 & 4.5 & & \\ \hline 30 & 15 & 12 & 9 & 8 & & 8 & 10 & 11 & 25 & & \end{array}$$

1196 77

76 4.6 92.2

$$\begin{array}{r} -0.6 \quad -0.9 \quad -0.2 \quad 0.0 \quad -0.2 \quad -0.8 \quad -0.2 \quad +0.2 \\ 5.2 \quad 5.5 \quad 4.8 \quad 4.6 \quad 4.8 \quad 5.1 \quad 4.8 \quad 4.4 \\ \hline 30-11 \quad 9 \quad 5 \quad \quad 8 \quad 11 \quad 14 \quad 25 \end{array}$$

77 4.1 92.7

$$\begin{array}{r} -1.3 \quad -0.7 \quad -1.2 \quad -0.2 \quad 0.0 \quad -0.3 \quad -0.9 \quad -0.3 \\ 5.7 \quad 4.8 \quad 5.3 \quad 4.3 \quad 4.1 \quad 4.4 \quad 5.0 \quad 4.4 \\ \hline 23 \quad 11 \quad 9 \quad 7 \quad \quad 8 \quad 11 \quad 25 \end{array}$$

78 3.6 93.2

$$\begin{array}{r} +0.6 \quad -0.8 \quad -1.2 \quad -0.1 \quad 0.0 \quad -0.1 \quad -1.1 \quad -0.5 \quad +0.3 \\ 3.0 \quad 4.4 \quad 4.8 \quad 3.7 \quad 3.6 \quad 3.7 \quad 4.7 \quad 4.1 \quad 3.3 \\ \hline 26 \quad 18-11 \quad 10 \quad 5 \quad \quad 7 \quad 11 \quad 13 \quad 25 \end{array}$$

79 3.0 93.8

$$\begin{array}{r} +0.3 \quad -0.7 \quad -1.2 \quad -0.2 \quad 0.0 \quad -0.2 \quad -1.0 \quad 0.0 \quad +0.7 \\ 2.7 \quad 3.7 \quad 4.2 \quad 3.2 \quad 3.0 \quad 3.2 \quad 4.0 \quad 3.0 \quad 2.3 \\ \hline 24 \quad 12 \quad 10 \quad 6 \quad \quad 6 \quad 10 \quad 13 \quad 25 \end{array}$$

B.M. 1.75 1195.02

on 30" maple 30' Rt. Sta. 79

T.P. 4.12 1197.74 3.15 1193.62

80 3.8 93.9

$$\begin{array}{r} -0.3 \quad -0.9 \quad -1.4 \quad -0.2 \quad 0.0 \quad -0.4 \quad -1.2 \quad -0.4 \\ 4.1 \quad 4.7 \quad 5.2 \quad 4.0 \quad 3.8 \quad 4.2 \quad 5.0 \quad 4.2 \\ \hline 25 \quad 12 \quad 10 \quad 5 \quad \quad 6 \quad 10 \quad 25 \end{array}$$

81 4.6 93.1

$$\begin{array}{r} +0.6 \quad -0.8 \quad -0.4 \quad 0.0 \quad -1.0 \quad -0.4 \quad +0.7 \\ 4.0 \quad 5.4 \quad 5.0 \quad 4.6 \quad 5.6 \quad 5.0 \quad 3.2 \\ \hline 25 \quad 12 \quad 7 \quad \quad 9 \quad 11 \quad 25 \end{array}$$

82 4.8 92.9

$$\begin{array}{r} -1.6 \quad -1.5 \quad -0.5 \quad 0.0 \quad -0.4 \quad -1.2 \\ 6.4 \quad 6.3 \quad 5.3 \quad 4.8 \quad 5.2 \quad 6.0 \\ \hline 25 \quad 14 \quad 10 \quad \quad 6 \quad 8-25 \end{array}$$

83 5.1 92.6

$$\begin{array}{r} +0.2 \quad -0.7 \quad -0.2 \quad 0.0 \quad -0.9 \quad -0.4 \quad +1.1 \quad +1.7 \\ 4.2 \quad 5.3 \quad 5.3 \quad 5.1 \quad 6.0 \quad 5.5 \quad 4.0 \quad 3.4 \\ \hline 25 \quad 20 \quad 10 \quad \quad 8 \quad 13 \quad 17 \quad 25 \end{array}$$

T.P. 6.00 1198.92 4.82 1192.92

84 5.2 93.7

$$\begin{array}{r} -0.2 \quad -1.0 \quad -0.7 \quad -1.1 \quad -0.1 \quad 0.0 \quad -0.2 \quad -1.1 \quad -0.6 \quad -0.7 \quad +0.4 \\ 5.4 \quad 6.2 \quad 5.9 \quad 6.3 \quad 5.3 \quad 5.2 \quad 5.4 \quad 6.3 \quad 5.8 \quad 5.3 \quad 4.8 \\ \hline 25 \quad 17 \quad 15 \quad 14 \quad 9 \quad \quad 4 \quad 8 \quad 10 \quad 15 \quad 22 \end{array}$$

1198 92

85 4.8 94.1

0.0	-0.6	-1.0	-1.2	-0.2	0.0	0.0	-1.3	-0.9	+0.1
<u>4.8</u>	<u>5.4</u>	<u>5.8</u>	<u>6.0</u>	<u>5.0</u>	<u>4.8</u>	<u>4.8</u>	<u>6.1</u>	<u>5.7</u>	<u>4.7</u>
25	20	13	11	6		6	13	18	23

B.M. 3.57 1195.35

86 5.0 93.9

Eroot Maple 25' Lt E Sta 85+70

	+0.2	0.0	0.0	-1.7	-0.7	+0.6
dwy	<u>4.8</u>	<u>5.0</u>	<u>5.0</u>	<u>6.7</u>	<u>5.9</u>	<u>4.9</u>
	26		8	14	16	21

87 7.1 91.8

+1.6	+0.3	-0.6	0.0	-0.2	-1.3	-0.3	+1.4	+2.4
<u>5.5</u>	<u>6.8</u>	<u>7.7</u>	<u>7.1</u>	<u>7.3</u>	<u>8.4</u>	<u>7.1</u>	<u>5.7</u>	<u>4.7</u>
26	9	8		7	13	15	19	24

87+50 8.9 90.0

8.9 same as 87

T.P. 1.43 1190 63 9.72 1189.20

88 4.8 85.8

+3.3	-0.8	-0.2	0.0	-0.2	-1.3	+0.3	+4.8
<u>1.3</u>	<u>5.6</u>	<u>5.0</u>	<u>4.8</u>	<u>5.0</u>	<u>6.1</u>	<u>4.5</u>	<u>0.0</u>
26-19	11	8		6	9	12	28

89 8.0 82.0

0.0	-0.9	-0.4	0.0	-0.3	-1.3	-0.6	-0.3	-0.7
<u>8.6</u>	<u>9.5</u>	<u>9.0</u>	<u>8.6</u>	<u>8.9</u>	<u>9.9</u>	<u>9.2</u>	<u>8.9</u>	<u>9.3</u>
25	12	6		7	11	12	15	19-2

+69 culv.

90 10.5 80.1

-1.7	-1.1	-0.4	0.0	-0.2	-1.0	-0.6	-1.2
<u>12.2</u>	<u>11.6</u>	<u>10.9</u>	<u>10.5</u>	<u>10.7</u>	<u>11.5</u>	<u>11.1</u>	<u>11.7</u>
25	10	7		8	13	17	25

91 9.9 80.7

+0.3	+1.1	-0.8	-0.2	0.0	+0.2	-0.6	+2.7	+2.9
<u>9.6</u>	<u>8.8</u>	<u>10.7</u>	<u>10.1</u>	<u>9.9</u>	<u>9.7</u>	<u>10.5</u>	<u>7.2</u>	<u>7.0</u>
25	10	6	3		8	14	23	25

T.P. 1.74 1184 44 7.93 1182.70

+60 2.8 81.6

+1.5	-0.8	-0.1	0.0	-0.1	-0.7	+2.1
<u>1.3</u>	<u>3.6</u>	<u>2.9</u>	<u>2.8</u>	<u>2.9</u>	<u>3.7</u>	<u>0.7</u>
25-10	7	4		8	12	16-25



1181 44

92				7,0	77,4
93				8,6	75,8
94				8,8	75,6
T.P.	6,77	1183	95	7,26	1177,18
95				6,7	77,3
T.P.	6,87	1190	23	0,59	1183,36
96				8,0	82,2
97				4,9	85,3
98				5,0	85,2
99				6,0	84,2
100				6,6	83,6

+2,3	+2,2	-0,9	0,0	0,0	-1,2	+2,0	+2,6
<u>4,7</u>	<u>4,8</u>	<u>7,9</u>	7,0	<u>7,0</u>	<u>8,2</u>	<u>5,0</u>	<u>4,4</u>
25	9	4		10	14	20	25

-2,9	0,0	0,0	0,0	-3,9
<u>12,5</u>	<u>8,6</u>	<u>8,6</u>	<u>8,6</u>	<u>12,5</u>
6	5	80	13	14
		51	131	314
-3,2	0,0	-2,3		
<u>12,0</u>	8,8	<u>11,1</u>		
25		25		

+0,4	-1,0	-0,4	0,0	-0,9	-0,1	+0,4	-0,6
<u>8,0</u>	<u>9,4</u>	<u>8,8</u>	8,4	<u>9,3</u>	<u>8,5</u>	<u>8,0</u>	<u>9,0</u>
25	8	7		12	14	17	21

+0,3	-0,4	+0,2	-0,6	0,0	0,0	-0,1	+0,7	0,0	-0,4
<u>6,7</u>	<u>7,1</u>	<u>6,5</u>	<u>7,3</u>	<u>6,7</u>	<u>6,7</u>	<u>6,8</u>	<u>7,4</u>	<u>6,7</u>	<u>7,1</u>
23	15	8	6	3		8	11	13	25

+2,7	2,3	+0,6	-1,0	-0,3	0,0	0,0	-0,9	+3,0	+3,4
<u>5,3</u>	<u>5,7</u>	<u>7,4</u>	<u>9,0</u>	<u>8,3</u>	8,0	<u>8,0</u>	<u>8,9</u>	<u>5,0</u>	<u>4,6</u>
25	15	9	6	3		5	9	15	25

+0,1	-0,7	0,0	-0,2	-0,9	+0,1	+0,2
<u>4,8</u>	<u>5,6</u>	<u>4,9</u>	<u>5,1</u>	<u>5,8</u>	<u>4,8</u>	<u>4,7</u>
25	8		7	10	15	25

-0,1	-0,9	-1,0	0,0	-0,3	-1,6	-0,6	+0,1
<u>5,1</u>	<u>5,9</u>	<u>6,3</u>	<u>5,0</u>	<u>5,3</u>	<u>6,6</u>	<u>5,6</u>	<u>4,9</u>
25	10	8		8	13	15	25

+0,2	-0,6	-1,0	-0,2	0,0	-0,1	-1,1	-0,3	+0,3
<u>5,8</u>	<u>6,6</u>	<u>7,0</u>	<u>6,2</u>	<u>6,0</u>	<u>6,1</u>	<u>7,1</u>	<u>6,3</u>	<u>5,7</u>
23	11	9	4		8	13	14	25

-0,3	-0,4	-0,5	-0,9	0,0	-0,2	-1,3	-0,6	-0,2
<u>6,7</u>	<u>7,0</u>	<u>7,1</u>	<u>7,5</u>	<u>6,6</u>	<u>6,8</u>	<u>7,9</u>	<u>7,2</u>	<u>6,8</u>
24	19	10	8		6	13	16	25

119023

B.M. 2.89 1187.34

6-23-20 Hanna
Rain Thompson
Merritt

B.M. 11.07 1187.39

T.P. 6.15 1189.73 3.81 1183.58


101 6.1 83.6

+84 5.7 84.0

12" C.I.
~~Cast~~ Pipe (sec.)
(Good cond)

102 5.4 84.1

103 5.2 84.5



5425

Base N.E. Cor. Board House. 75' Lt. Sta 97

spike in W. root 3' Elm ~~89~~²⁴ + 25, 25' RT

$\frac{-0.3}{25-18}$ $\frac{-1.1}{15}$ $\frac{-0.7}{10}$ $\frac{-1.0}{8}$ 0.0 $\frac{+0.1}{3}$ $\frac{-0.1}{9}$ $\frac{-1.2}{13}$ $\frac{-0.3}{15}$ $\frac{0.0}{25}$

$\frac{2.3}{19}$ $\frac{-2.3}{6}$ $\frac{-0.7}{4}$ 0.0 $\frac{+0.1}{3}$ $\frac{-0.3}{10}$ $\frac{-2.1}{12}$ $\frac{-0.8}{15}$



< 6 x 10 >

Hedge $\frac{-0.1}{22}$ $\frac{-0.6}{9}$ $\frac{-1.0}{7-6}$ $\frac{-0.3}{3}$ 0.0 $\frac{+0.1}{3}$ $\frac{-0.4}{10}$ $\frac{-1.2}{14}$ $\frac{-0.6}{15}$ $\frac{+0.1}{25}$

$\frac{0.0}{20}$ $\frac{-0.7}{18}$ $\frac{-0.9}{8}$ $\frac{-1.0}{7}$ 0.0 $\frac{+0.1}{3}$ $\frac{-0.2}{8}$ $\frac{-1.1}{12}$ $\frac{-0.4}{15}$ $\frac{+0.3}{25}$



1189 73

104 4.1 85.3

$$\begin{array}{cccccccc} -0.3 & -0.7 & -1.3 & -0.2 & 0.0 & -0.2 & -1.2 & -0.4 & +0.4 \\ \hline 20 & 18 & 9 & 8 & 3 & 8 & 12 & 14 & 25 \end{array}$$

105 3.3 86.4

$$\begin{array}{cccccccc} +0.4 & -0.3 & -1.3 & -0.3 & 0.0 & -0.2 & -1.2 & 0.0 & +0.7 \\ \hline 20 & 11 & 9 & 3 & 3 & 7 & 11 & 15 & 25 \end{array}$$

106 1.7 88.0

$$\begin{array}{cccccccc} +0.5 & +0.2 & -0.2 & -1.3 & -0.3 & 0.0 & -0.2 & -1.2 & +0.7 & +1.7 \\ \hline 20 & 18 & 11 & 9 & 4 & 4 & 6 & 10 & 15 & 25 \end{array}$$

T.P. 4.59 1191 91 2.41 1187.32

+50 3.4 88.5

$$\begin{array}{cccccccc} -0.4 & -0.4 & -1.3 & -0.2 & 0.0 & 0.0 & -0.6 & +0.5 & +1.0 \\ \hline 20 & 11 & 9 & 4 & 5 & 5 & 10 & 14 & 25 \end{array}$$

107 3.9 88.0

$$\begin{array}{cccccccc} -0.3 & -0.7 & -1.3 & -0.3 & 0.0 & -0.1 & -0.9 & +0.3 & +1.2 \\ \hline 21 & 11 & 9 & 4 & 5 & 5 & 10 & 15 & 25 \end{array}$$

108 5.1 86.8

$$\begin{array}{cccccccc} 0.0 & -0.3 & -1.5 & -0.3 & 0.0 & -0.1 & -1.4 & +0.9 & +1.6 \\ \hline 21 & 12 & 9 & 4 & 5 & 5 & 10 & 15 & 25 \end{array}$$

109 7.3 84.6

$$\begin{array}{cccccccc} +1.0 & +0.7 & -1.6 & -0.5 & 0.0 & -0.3 & -1.8 & +1.3 & +1.9 \\ \hline 21 & 13 & 9 & 5 & 5 & 5 & 9 & 14 & 19-25 \end{array}$$

110 10.8 81.1

T.P. 5.75 1185.67 11.99 1179.92

$$\begin{array}{cccccccc} +1.6 & +0.7 & -1.2 & -0.1 & 0.0 & -0.3 & -1.5 & +1.7 & +2.8 \\ \hline 21 & 13 & 9 & 4 & 4 & 4 & 7 & 12 & 25 \end{array}$$


111 6.5 79.2

$$\begin{array}{cccccccc} -1.3 & -0.7 & -0.8 & -0.3 & 0.0 & -0.1 & -0.5 & -0.2 & -0.5 \\ \hline 23 & 13 & 5 & 4 & 4 & 4 & 10 & 13 & 15 \end{array}$$

7
118567

111+52 Good stone Box. 6.8 78.9

3' x 2 1/2'



112 7.1 78.6

$\frac{-1.9}{25} \frac{-0.7}{13} \frac{-1.2}{10} \frac{-0.4}{7} 0.0 \frac{-0.2}{7} \frac{-0.7}{11} \frac{-1.0}{25}$

B.M. 4.07 1181.60

E. root 24" Maple 25' Lt. ST₉ 112+95

113 6.0 79.7

$\frac{+1.7}{25} \frac{+0.9}{18} \frac{-0.9}{14} \frac{+0.1}{13} \frac{-0.3}{4} 0.0 \frac{-0.1}{3} \frac{-0.9}{7} \frac{+0.5}{11} \frac{+2.2}{25}$

114 3.3 82.4

$\frac{+1.3}{25} \frac{+0.3}{16} \frac{-0.7}{13} \frac{+0.1}{8} 0.0 \frac{+0.1}{9} \frac{+1.7}{11} \frac{+2.1}{25}$

T.P. 6.90 1191 10 1.47 1184.20

115 6.2 84.9

$\frac{0.0}{25} \frac{+0.1}{14} \frac{-1.0}{11} \frac{-0.2}{7} 0.0 \frac{-0.3}{3} \frac{-0.9}{7} \frac{+0.4}{10} \frac{+1.7}{25}$

+80 4.4 86.7

$\frac{-0.1}{25} \frac{-0.6}{14} \frac{-1.2}{11} \frac{-0.3}{6} 0.0 \frac{-0.3}{3} \frac{-1.1}{7} \frac{0.0}{10} \frac{+0.9}{25}$

116 4.5 86.6

$\frac{-0.2}{25} \frac{-0.3}{12} \frac{-1.1}{10} \frac{-0.1}{5} 0.0 \frac{-0.2}{4} \frac{-0.9}{7} \frac{+0.2}{10} \frac{+1.5}{25}$

✓

H. I
Sta. B.S. F.S. Elev.

116t ⁹⁵ 12" Cor Pipe N.G.

5.1

6.24-120 Hot-Muggy-

S.P. 7.55 1191.75

1189.20

↓ Pipe

6.1 85.7

117

6.0 85.8

118

6.0 85.8

119

4.6 87.2

+75

3.2 88.6

120

4.0 87.8

121

7.5 84.3

122

9.7 82.1

Lt. $\frac{1}{2}$ Rt.

storm
qui

~~00 -0.4 -1.4~~
~~8~~

T.F.

16' long

$\frac{-1.9}{25}$ $\frac{-1.6}{13}$ $\frac{-1.5}{7}$ $\frac{-0.5}{6}$ 0.0 $\frac{-0.4}{8}$ $\frac{-1.4}{9}$ $\frac{-0.5}{12}$

$\frac{-1.7}{25}$ $\frac{-1.2}{11}$ $\frac{-1.6}{10}$ $\frac{-0.3}{5}$ 0.0 $\frac{-0.4}{7}$ $\frac{-1.3}{10}$ $\frac{-0.4}{13}$ $\frac{+0.1}{25}$

$\frac{-0.5}{25}$ $\frac{-1.1}{10}$ $\frac{-0.6}{7}$ 0.0 $\frac{-0.3}{6}$ $\frac{-0.7}{9}$ $\frac{-0.1}{11}$ $\frac{+0.9}{25}$

$\frac{-0.6}{25}$ $\frac{-1.0}{12}$ $\frac{-1.5}{10}$ $\frac{-0.6}{6}$ 0.0 $\frac{-0.7}{5}$ $\frac{-1.0}{8}$ $\frac{-0.4}{11}$ $\frac{+0.7}{25}$

$\frac{-0.2}{25}$ $\frac{+0.1}{13}$ $\frac{-1.3}{11}$ $\frac{-0.3}{7}$ 0.0 $\frac{-0.2}{3}$ $\frac{-0.8}{6}$ $\frac{0.0}{9}$ $\frac{+0.6}{25}$

$\frac{+0.4}{25}$ $\frac{+0.3}{13}$ $\frac{-1.2}{11}$ $\frac{-0.1}{6}$ 0.0 $\frac{-0.2}{3}$ $\frac{-1.2}{6}$ $\frac{+0.5}{9}$ $\frac{+1.0}{25}$

$\frac{-0.3}{25}$ $\frac{+0.3}{12}$ $\frac{-1.2}{9}$ $\frac{-0.3}{6}$ 0.0 $\frac{-0.2}{7}$ $\frac{-1.1}{7}$ $\frac{+0.5}{10}$ $\frac{+1.8}{25}$

$\frac{-0.5}{25}$ $\frac{-0.2}{12}$ $\frac{-1.2}{9}$ $\frac{-0.4}{6}$ 0.0 $\frac{-0.3}{8}$ $\frac{-1.1}{8}$ $\frac{-0.2}{10}$ $\frac{+0.6}{14}$ $\frac{+1.5}{25}$

1191 75

T.P. 3.49 1184 05 11.19 1180.56

123 50 79.1

124 6.1 78.0

+21 3' x 2 1/2' stone 58 78.3
 Box no floor (Excellent)

125 5.5 78.6

+50 3.4 80.7


126 3.1 81.0

127 3.5 80.6

128 2.5 75.6

$$\frac{+1.5}{25} \quad \frac{+0.1}{13} \quad \frac{-0.9}{10} \quad \frac{-0.2}{7} \quad 00 \quad \frac{-0.2}{4} \quad \frac{-0.9}{8} \quad \frac{0.0}{10} \quad \frac{+0.7}{25}$$

$$\frac{-1.8}{25} \quad \frac{-1.1}{13} \quad \frac{-0.5}{7} \quad 00 \quad \frac{-0.1}{7} \quad \frac{-1.1}{12} \quad \frac{-1.5}{25}$$



$$\frac{+0.8}{23} \quad \frac{-0.4}{8} \quad 00 \quad \frac{-0.1}{9} \quad \frac{-0.8}{12} \quad \frac{-0.2}{13-16} \quad \frac{+1.1}{17}$$

$$\frac{-0.7}{25} \quad \frac{0.0}{8} \quad \frac{-0.1}{8} \quad \frac{-1.0}{12} \quad \frac{+0.7}{13-17} \quad \frac{+1.0}{25}$$

$$\frac{-0.9}{25} \quad \frac{-0.8}{9} \quad 00 \quad \frac{-0.2}{7} \quad \frac{-1.0}{11} \quad \frac{-0.1}{13} \quad \frac{+0.7}{25}$$

$$\frac{0.0}{25} \quad \frac{-0.5}{12} \quad \frac{-1.2}{10} \quad \frac{-0.4}{6} \quad 00 \quad \frac{-0.3}{6} \quad \frac{-0.9}{9} \quad \frac{+1.0}{13} \quad \frac{+1.5}{25}$$

$$\frac{+0.7}{25} \quad \frac{-1.0}{17-10} \quad \frac{-0.3}{6} \quad 00 \quad \frac{-0.3}{1-11} \quad \frac{+1.9}{16} \quad \frac{+3.0}{25}$$

1184 05 Rod
 T.P. 4.47 118062 7.90 117615
 +50 5.8 74.8

+ 78 floor 5.0 75.6
 Rt. bottom creek 10.0 70.6
 Lt. 10.2 70.4

129 5.2 75.4

130 5.1 75.5


+40 4.4 76.2

T.P. 10.61 1190 55 0.68 117994

131 10.1 80.5

B.M. 5.15 1185.40

$\frac{-2.0}{25} \frac{-1.4}{12} \frac{-0.3}{7} 0.0 \frac{-0.2}{9} \frac{-0.7}{11} \frac{+1.0}{25}$



$\frac{-2.8}{25} \frac{-1.7}{10} \frac{-0.8}{2} 0.0 \frac{-0.3}{10} \frac{-1.4}{13} \frac{-2.4}{25}$

$\frac{+0.1}{25} \frac{-0.3}{9} \frac{-0.6}{6} 0.0 \frac{-0.1}{9} \frac{+0.6}{11-25}$

$\frac{+3.3}{25} \frac{+2.7}{18} \frac{-0.2}{8} \frac{-0.8}{6} 0.0 \frac{0.0}{9} \frac{-0.7}{12-14} \frac{+6.2}{27-25}$

$\frac{+3.3}{25} \frac{+2.7}{18} \frac{+0.2}{9} 0.0 \frac{0.0}{10} \frac{-1.0}{14} \frac{+1.9}{19} \frac{+3.7}{25}$

W. root 24" Elm 30' Rt. Sta 131+05

1190 55

+25 8.0 82.6

$$\frac{+1.8}{25} \quad \frac{-0.8}{10} \quad 0.0 \quad \frac{0.0}{10} \quad \frac{-0.8}{16} \quad \frac{+2.8}{25}$$

132 4.7 85.9

$$\frac{+0.3}{25} \quad \frac{-0.4}{10} \quad 0.0 \quad \frac{-0.7}{8} \quad \frac{-1.2}{12-13} \quad \frac{0.0}{15} \quad \frac{+2.1}{25}$$

133 1.2 89.4

$$\frac{+1.2}{25} \quad \frac{-0.1}{11} \quad \frac{+0.7}{8} \quad 0.0 \quad \frac{-0.1}{8} \quad \frac{-1.3}{13} \quad \frac{+0.1}{15} \quad \frac{+1.0}{25}$$

T.P. 8.94 1197 98 1.51 1189.04

134 6.0 92.0

$$\frac{+1.1}{25} \quad \frac{+0.1}{11} \quad \frac{-0.9}{9} \quad \frac{-0.2}{5} \quad 0.0 \quad \frac{-0.1}{7} \quad \frac{-1.1}{11} \quad \frac{0.0}{13} \quad \frac{+1.7}{25}$$

135 4.1 93.9

$$\frac{-0.7}{25} \quad \frac{-1.0}{12} \quad \frac{-1.3}{10} \quad \frac{-0.4}{5} \quad 0.0 \quad \frac{-0.3}{5} \quad \frac{-1.6}{10} \quad \frac{-0.6}{13} \quad \frac{-0.2}{25}$$

136 4.3 93.7

$$\frac{-0.5}{25} \quad \frac{-0.7}{12} \quad \frac{-1.1}{10} \quad \frac{-0.4}{5} \quad 0.0 \quad \frac{-0.3}{6} \quad \frac{-1.1}{10} \quad \frac{-0.1}{13} \quad \frac{-0.3}{25}$$

137 5.2 92.8

$$\frac{-1.3}{25} \quad \frac{-1.2}{11} \quad \frac{-1.5}{10} \quad \frac{-0.5}{5} \quad 0.0 \quad \frac{-0.3}{7} \quad \frac{-1.2}{11} \quad \frac{-0.3}{13} \quad \frac{0.0}{25}$$

+52 12" Cor Pipe 5.2 92.8

(useable)

$$\leftarrow \frac{-0.0}{25} \quad \frac{-2.4}{16} \quad \frac{-1.9}{7} \quad \frac{-0.5}{6} \quad 0.0 \quad \frac{-0.5}{8} \quad \frac{-1.8}{9} \quad \frac{-1.1}{13} \quad \frac{-0.2}{25}$$

7 x 9

119798

138			5.1,	92.9	$\frac{-1.5}{25}$	$\frac{-0.9}{13}$	$\frac{-1.4}{10}$	$\frac{-0.2}{5}$	$\frac{0.0}{10}$	$\frac{-0.7}{6}$	$\frac{-0.9}{10}$	$\frac{-0.7}{25}$	
139			4.5	93.5	$\frac{-0.3}{25}$	$\frac{-0.6}{12}$	$\frac{-1.1}{11}$	$\frac{-0.2}{6}$	0.0	$\frac{-0.2}{4}$	$\frac{-0.8}{8}$	$\frac{-0.5}{10}$	$\frac{0.0}{25}$
140			3.3	94.7	$\frac{+0.9}{25}$	$\frac{+0.5}{13}$	$\frac{-1.2}{11}$	$\frac{-0.2}{6}$	0.0	$\frac{-0.2}{3}$	$\frac{-1.1}{8}$	$\frac{+0.1}{11}$	$\frac{+1.1}{25}$
141			1.2	96.8	$\frac{-0.5}{25}$	$\frac{-0.4}{12}$	$\frac{-1.5}{10}$	$\frac{-0.3}{5}$	0.0	$\frac{-0.3}{4}$	$\frac{-1.5}{8}$	$\frac{-0.4}{10}$	$\frac{-0.2}{25}$
T.P.	7.84	1204.42	1.40	1196.58									
142			6.4	98.0	$\frac{-0.4}{25}$	$\frac{-0.8}{13}$	$\frac{-1.3}{11}$	$\frac{-0.2}{5}$	0.0	$\frac{-0.2}{4}$	$\frac{-0.8}{8}$	$\frac{-0.2}{11}$	$\frac{+0.6}{25}$
143			5.0	99.4	$\frac{-0.9}{25}$	$\frac{-1.5}{12}$	$\frac{-0.3}{10}$	0.0	$\frac{-0.2}{4}$	$\frac{-0.8}{9}$	$\frac{-0.2}{11}$	$\frac{+0.6}{25}$	
144			6.2	98.2	$\frac{-0.6}{25}$	$\frac{-0.4}{10}$	$\frac{-1.0}{8}$	$\frac{-0.2}{4}$	0.0	$\frac{-0.4}{9}$	$\frac{+0.8}{25}$		
145			7.0	97.1	$\frac{-0.6}{25}$	$\frac{-0.3}{9}$	$\frac{-0.5}{7}$	$\frac{-0.1}{4}$	0.0	$\frac{0.0}{6}$	$\frac{-0.4}{10}$	$\frac{-0.1}{12}$	$\frac{+0.2}{25}$
+25	Plank box (12" Cor. Req'd)		6.8	97.6	$\frac{-1.7}{25}$	$\frac{-1.6}{6}$	$\frac{-0.7}{6}$	0.0	$\frac{-0.2}{9}$	$\frac{-0.6}{10}$	$\frac{-1.2}{16}$		

1204 41

154 2,2 02,2

T.P. 4,94 12 06,95 2,40 1202,01

155 4,1 02,9

156 4,6 02,4

+98 12" C.I.P. - 16"
(Good)

157 4,9 02,1

T.P. 5,42 1207,34 5,03 1201,92

158 5,2 02,1

159 4,6 02,7

160 4,1 03,2

161 3,7 03,6

$$\frac{+0,6}{25} \frac{+0,7}{16} \frac{-0,4}{13} 0,0 \frac{-0,3}{5} \frac{-0,9}{8} \frac{+1,1}{14} \frac{+1,3}{25}$$

$$\frac{-0,1}{23} \frac{-0,4}{17} \frac{-0,8}{14} \frac{-0,1}{9} 0,0 \frac{-1,2}{7} \frac{+0,6}{12-25}$$

$$\frac{+0,1}{25} \frac{-0,4}{15} \frac{-1,0}{13} \frac{-0,2}{9} \frac{+0,2}{4} 0,0 \frac{-1,2}{6} \frac{+0,1}{11} \frac{+0,6}{25}$$

$$\frac{27-13}{40} \frac{-1,3}{25} \frac{-1,0}{19} \frac{-2,0}{12} \frac{-0,5}{11} \frac{+0,2}{3} 0,0 \frac{-0,4}{4} \frac{-1,8}{4} \frac{-1,1}{8-25}$$

$$\frac{-0,2}{25} \frac{-0,6}{13} \frac{-1,2}{11} \frac{-0,2}{6} 0,0 \frac{-1,0}{7} \frac{-0,6}{8} \frac{+0,4}{25}$$

$$\frac{0,0}{25} \frac{-0,6}{14} \frac{-1,1}{11} \frac{-0,2}{6} \frac{+0,1}{3} 0,0 \frac{-0,3}{3} \frac{-1,1}{7} \frac{-0,8}{9} \frac{+0,4}{18} \frac{0,5}{25}$$

$$\frac{-0,6}{25} \frac{-0,7}{13} \frac{-1,3}{11} \frac{-0,2}{6} 0,0 \frac{-0,2}{3} \frac{-1,2}{8} \frac{-0,8}{9} \frac{-0,1}{15} \frac{+0,4}{25}$$

$$\frac{-0,7}{25} \frac{-0,7}{11} \frac{-1,1}{10} \frac{-0,3}{15} 0,0 \frac{-0,2}{4} \frac{-1,1}{4} \frac{0,2}{15} \frac{+0,5}{12}$$

120734

162 3.4 03.9

$$\frac{-0.9}{25} - \frac{-1.3}{12} - \frac{-0.4}{10} - \frac{0.0}{5} - \frac{-0.4}{5} - \frac{-1.3}{10} - \frac{-0.5}{12} - \frac{0.0}{25}$$

163 4.1 03.2

$$\frac{-0.2}{25} - \frac{-0.1}{12} - \frac{-0.7}{8} - \frac{-0.2}{4} - \frac{0.0}{7} - \frac{-0.2}{11} - \frac{-1.0}{12} - \frac{+0.2}{25}$$

T.P. 4.60 120757 4.37 1202.97

164 4.4 03.2

$$\frac{-0.2}{25} - \frac{-1.3}{19} - \frac{-0.3}{8} - \frac{0.0}{5} - \frac{-0.3}{9} - \frac{-1.6}{13} - \frac{-0.2}{17} - \frac{+0.1}{25}$$

+05 Plank culv 4.4 03.2

12" or 18" Reg

$$\leftarrow \frac{-2.0}{18} - \frac{-0.4}{6} - \frac{0.0}{5} - \frac{+0.1}{3} - \frac{-0.4}{11} - \frac{-1.7}{11} - \frac{-0.7}{17} - \frac{0.0}{25}$$

165 4.9 02.7

$$\frac{+0.1}{25} - \frac{-0.2}{13} - \frac{-0.9}{9} - \frac{-0.3}{4} - \frac{0.0}{8} - \frac{-0.2}{13} - \frac{-2.0}{13} - \frac{+0.9}{25}$$

166 5.1 02.5

$$\frac{-0.1}{25} - \frac{-0.4}{10} - \frac{-0.9}{9} - \frac{-0.2}{4} - \frac{0.0}{10} - \frac{-0.2}{10} - \frac{-0.9}{15} - \frac{-0.2}{16} - \frac{+0.4}{25}$$

167 4.8 02.8

$$\frac{+0.7}{25} - \frac{-0.2}{5} - \frac{0.0}{10} - \frac{0.0}{10} - \frac{-0.4}{13} - \frac{+0.1}{15} - \frac{+1.2}{25}$$

168 4.3 03.3

$$25 - \frac{-0.1}{7} - \frac{-0.7}{5} - \frac{0.0}{5} - \frac{+0.2}{5} - \frac{-0.2}{10} - \frac{-1.0}{15} - \frac{-0.4}{17} - \frac{+0.7}{20}$$

169 5.3 02.3

$$\frac{+0.3}{25} - \frac{-0.2}{4} - \frac{-0.6}{5} - \frac{0.0}{5} - \frac{+0.2}{K} - \frac{0.0}{9} - \frac{-0.9}{13} - \frac{-0.3}{15} - \frac{+0.8}{25}$$

120757

170 5.2 02.4

$$\frac{-1.3}{25} \quad \frac{-0.8}{6} \quad 0.0 \quad \frac{-0.2}{6} \quad \frac{-1.4}{12} \quad \frac{-0.5}{14} \quad \frac{0.0}{25}$$

+08 12" G.I.P. (16 ft) 5.0 02.6
 Good relay

$$\leftarrow \frac{-1.8}{25} \quad \frac{-2.0}{19} \quad \frac{-1.7}{6} \quad \frac{-0.5}{5} \quad 0.0 \quad \frac{-0.3}{9} \quad \frac{-1.5}{10} \quad \frac{-1.4}{14} \quad \frac{-1.1}{25}$$

FL. FL.

171 4.8 02.8

$$25 \quad \frac{-0.2}{8} \quad \frac{-0.9}{6} \quad 0.0 \quad \frac{+0.2}{3} \quad \frac{-0.3}{10} \quad \frac{-1.2}{13} \quad \frac{-0.3}{15} \quad \frac{+0.7}{25}$$

172 24-PM 6-25-20 AM 4.2 03.4

$$\frac{+0.6}{25} \quad \frac{-0.1}{6} \quad \frac{-0.9}{6} \quad 0.0 \quad \frac{+0.3}{3} \quad \frac{0.0}{8} \quad \frac{-0.8}{11} \quad \frac{-0.5}{14} \quad \frac{+0.7}{25}$$

T.P. 6.40 12/0.82 3.15 1204.42

173 6.0 04.8

$$\frac{-0.5}{25} \quad \frac{-0.6}{10} \quad \frac{-1.2}{8} \quad \frac{-0.3}{3} \quad 0.0 \quad \frac{-0.4}{6} \quad \frac{-1.2}{8} \quad \frac{-0.3}{12} \quad \frac{+0.2}{25}$$

174 7.4 03.4

$$\frac{-0.3}{25} \quad \frac{-0.5}{11} \quad \frac{-1.1}{9} \quad \frac{-0.4}{4} \quad 0.0 \quad \frac{-0.1}{6} \quad \frac{-1.0}{10} \quad \frac{-0.1}{14} \quad \frac{+0.6}{25}$$

175 8.0 02.8

$$\frac{-0.5}{25} \quad \frac{-0.4}{13} \quad \frac{-1.1}{10} \quad \frac{-0.4}{6} \quad 0.0 \quad \frac{-0.3}{4} \quad \frac{-1.1}{10} \quad \frac{-0.6}{12} \quad \frac{-0.1}{25}$$

174
 +75 18" Cor Pipe
 (Just fair cond)

7.7 03.1

$$\leftarrow \frac{1.8}{50} \quad \frac{-1.5}{25} \quad \frac{-1.9}{8} \quad \frac{-0.5}{7} \quad 0.0 \quad \frac{-0.5}{7} \quad \frac{-1.6}{8} \quad \frac{-0.9}{14} \quad \frac{-0.3}{25}$$

FL. FL.

176 7.8 03.0

$$\frac{-1.1}{25} \quad \frac{-0.3}{11} \quad \frac{-0.9}{11} \quad \frac{-0.2}{6} \quad 0.0 \quad \frac{-0.3}{5} \quad \frac{-1.1}{10} \quad \frac{-0.6}{12} \quad \frac{-0.2}{25}$$

121082

177 6.7 03.9 $\frac{+1.1}{25} \frac{+0.1}{12} \frac{-1.1}{10} \frac{-0.3}{2} 00 \frac{-0.2}{5} \frac{-0.9}{9} \frac{-0.2}{11} \frac{+0.5}{25}$

+75 4.1 06.7 $\frac{+0.9}{25} \frac{+0.2}{11} \frac{-0.3}{9} \frac{-0.5}{5} 00 \frac{-0.4}{5} \frac{-1.5}{9} \frac{-0.1}{12} \frac{+0.5}{25}$

178 4.1 06.7 $\frac{+0.3}{25} \frac{+0.1}{13} \frac{-0.4}{11} \frac{-1.3}{9} \frac{-0.4}{1} 00 \frac{-0.3}{5} \frac{-1.0}{10} \frac{-0.3}{13} \frac{+0.2}{25}$

179 4.9 05.9 $\frac{-0.1}{25} \frac{-0.5}{11} \frac{-1.1}{8} \frac{-0.3}{5} 00 \frac{-0.2}{6} \frac{-0.9}{10} \frac{-0.4}{12} \frac{-0.2}{25}$

+70 Plank box M.S. 4.8 06.0 $\left(\begin{array}{l} \text{is Req. Locate 9+48} \end{array} \right)$ $\leftarrow \frac{-1.4}{25} \frac{-1.2}{7} \frac{-0.4}{2} 00 \frac{-0.3}{7} \frac{-1.2}{8} \frac{-0.8}{13} \frac{0.0}{25}$

B.M. 4.14 121070 4.14 1206.68 1206.56 E.A.F. on E. root 28" Elm 25' Lt. Sta 180+05

180 5.0 05.7 $\frac{-0.5}{25} \frac{-0.2}{13} \frac{-0.5}{11} \frac{-0.1}{8} 00 \frac{0.0}{6} \frac{-0.4}{9} \frac{+0.3}{25}$

181 3.5 07.2 $\frac{+0.3}{25} \frac{-0.4}{14} \frac{-1.0}{12} \frac{-0.2}{7} 00 \frac{-0.2}{4} \frac{-0.9}{7} \frac{+0.1}{9} \frac{+0.8}{25}$

T.P. 7.18 1215.07 2.81 1207.89

182 4.1 11.0 $\frac{+0.1}{25} \frac{0.0}{11} \frac{-0.6}{6} \frac{-0.3}{4} 00 \frac{-0.3}{4} \frac{-0.7}{7} \frac{0.0}{10} \frac{+1.1}{2.5}$

1215 07

+25 3.6 11.5

$$\frac{0.0}{2.5} \frac{-0.2}{11} \frac{-0.7}{8} 0.0 \frac{-0.4}{4} \frac{-1.1}{8} \frac{-0.4}{10} \frac{+0.3}{2.5}$$

183 6.1 09.0

$$\frac{+0.3}{2.5} \frac{+0.3}{9} \frac{-0.6}{7} \frac{-0.2}{5} 0.0 \frac{-0.1}{5} \frac{-0.4}{7} \frac{+0.4}{10} \frac{+1.6}{2.5}$$

184 7.8 07.3

$$\frac{+0.9}{2.5} \frac{+0.4}{12} \frac{-0.9}{10} \frac{-0.2}{6} 0.0 \frac{-0.1}{4} \frac{-0.3}{6} \frac{+1.2}{11-17} \frac{+2.3}{2.5}$$

T.P. 2.81 1209 91 7.97 1207.10

185 3.2 06.7

$$\frac{-1.1}{2.5} \frac{-0.7}{18-13} \frac{-1.4}{11} \frac{-0.3}{6} 0.0 \frac{-0.3}{5} \frac{-1.1}{8} \frac{-0.1}{11-14} \frac{+0.7}{2.5}$$

186 4.0 05.9

$$\frac{-1.0}{2.5} \frac{-0.8}{14} \frac{-1.6}{12} \frac{-0.3}{8} 0.0 \frac{-0.4}{4} \frac{-1.2}{7} \frac{-0.4}{9} \frac{+0.7}{2.5}$$

187 5.6 04.3

$$\frac{+0.9}{2.5} \frac{+0.4}{14} \frac{-0.9}{11} \frac{-0.1}{8} 0.0 \frac{-0.1}{2} \frac{-0.9}{5} \frac{+1.0}{8} \frac{+2.6}{2.5}$$

188 7.1 02.8

$$\frac{-0.6}{2.5} \frac{-0.4}{13} \frac{-1.0}{11} \frac{-0.3}{7} 0.0 \frac{-0.1}{3} \frac{-1.0}{6} \frac{+0.4}{9} \frac{+1.7}{2.5}$$

189 8.4 01.5

$$\frac{-0.3}{2.5} \frac{-0.7}{13} \frac{-0.3}{11} \frac{0.0}{8} 0.0 \frac{-0.3}{3} \frac{-1.1}{6} \frac{-0.1}{8} \frac{+0.8}{21} \frac{+1.6}{2.5}$$

190 9A 00.5

$$\frac{-1.2}{2.5} \frac{-0.4}{11} \frac{-0.1}{7} \frac{+0.2}{3} 0.0 \frac{-0.2}{3} \frac{-0.6}{6} \frac{+0.2}{9} \frac{+0.6}{2.5}$$

T.P. 4.00 1204 54 9.37 1200.54

✓

12.0454

+58 12" Cor Pipe (N.G) 3.9 00.6

191 4.6 1199.9

192 3.9 00.6

+25 4.1 00.4

193 6.8 97.7

194 8.3 96.2

+03 10" Cor pipe (16ft) (Req. 12") 8.3 96.2

195 7.7 96.8

196 6.6 97.9

T.P. 5.29 1204 08 5.75 1198.79

$$\leftarrow \frac{-1.8}{25} \frac{-0.9}{10} 0.0 \frac{-0.2}{5} \frac{-1.1}{6} \frac{-0.5}{10} \frac{+0.5}{19}$$

$$\frac{-0.7}{25} \frac{-0.3}{11} \frac{-0.6}{10} \frac{-0.2}{6} 0.0 \frac{-0.1}{5} \frac{-0.6}{9} \frac{+0.2}{11} \frac{+1.8}{25}$$

$$\frac{-0.9}{25} \frac{-0.6}{22} \frac{-0.5}{12} \frac{-1.1}{10} \frac{-0.7}{6} 0.0 \frac{-0.7}{4} \frac{-1.3}{8} \frac{+0.3}{11} \frac{+1.9}{25}$$

oo same as 192+00

$$\frac{+1.8}{25} \frac{+0.6}{11} \frac{-1.2}{9} \frac{-0.3}{4} 0.0 \frac{-0.4}{5} \frac{-1.3}{7.8} \frac{+2.0}{15} \frac{+2.3+3.5}{21} \frac{+3.5}{25}$$

$$\frac{-1.7}{25} \frac{-0.7}{10} \frac{-0.3}{6} 0.0 \frac{-0.2}{5} \frac{-1.2}{8} \frac{-0.9}{10} \frac{-0.2}{20} \frac{+0.7}{25}$$

\leftarrow

same

$$\frac{-2.5}{25} \frac{-2.1}{9} 0.0 \frac{-1.6}{7} \frac{-0.7}{9}$$

$$\frac{-2.0}{25} \frac{-1.0}{17} \frac{-0.7}{11} \frac{-0.9}{9} \frac{-0.2}{5} 0.0 \frac{-0.3}{5} \frac{-0.7}{9} \frac{-0.2}{10-18} \frac{+0.5}{25}$$

$$\frac{-1.4}{25} \frac{-0.4}{13} \frac{-0.9}{12} \frac{-0.3}{7} 0.0 \frac{-0.2}{7} \frac{+0.5}{9} \frac{+0.6}{17} \frac{+1.6}{25}$$

✓

120408

+55 3.9 00.2

$$\frac{-0.8}{25} + \frac{+0.6}{15} - \frac{0.9}{12} - \frac{0.0}{8} 00 - \frac{0.7}{7} - \frac{0.5}{9} - \frac{1.0}{13} + \frac{2.7}{19} + \frac{3.1}{25}$$

197 5.5 98.6

$$\frac{+1.0}{25} + \frac{1.4}{19} + \frac{1.0}{14} - \frac{1.0}{12} - \frac{0.2}{8} 00 - \frac{0.1}{4} - \frac{0.9}{7} - \frac{0.2}{11-15} + \frac{3.5}{21} + \frac{4.0}{25}$$

+50 9.7 94.4

$$\frac{+1.1}{25} + \frac{1.4}{17} - \frac{1.5}{12} - \frac{0.2}{8} \frac{0.0}{3} 00 \frac{0.0}{3} - \frac{1.3}{6} + \frac{4.3}{19} + \frac{5.2}{25}$$

198 13.2 90.9

$$\frac{+0.8}{25} + \frac{0.5}{17} + \frac{0.1}{13} - \frac{2.1}{10} - \frac{0.3}{6} 00 - \frac{0.2}{4} - \frac{1.5}{8} + \frac{3.2}{20} + \frac{3.8}{25}$$

T.P. 3.41 1195.42 12.07 1192.01

199 7.8 87.6

$$\frac{-1.8}{25} - \frac{1.3}{20} - \frac{0.8}{9} - \frac{1.0}{7} - \frac{0.3}{4} 00 - \frac{0.1}{7} - \frac{1.3}{11} + \frac{2.0}{20} + \frac{2.5}{25}$$

200 10.4 85.0

$$\frac{-3.4}{25} - \frac{0.8}{6} 00 + \frac{0.2}{5} \frac{0.0}{13} + \frac{0.4}{14-20} + \frac{0.9}{25}$$

+60 Plank (NG)
Req'd 12" pipe 10.4 85.0

$$\frac{-2.0}{25} - \frac{1.6}{4} - \frac{0.7}{4} 00 + \frac{0.4}{4} - \frac{0.2}{11} - \frac{1.6}{12} - \frac{0.4}{12}$$

201 9.5 85.9

$$\frac{-2.5}{25} - \frac{0.4}{9} - \frac{0.6}{6} 00 - \frac{0.3}{8} - \frac{0.6}{10} - \frac{0.3}{11-13} + \frac{1.0}{17} + \frac{1.7}{25}$$

202 3.7 91.7

$$\frac{0.0}{25} + \frac{0.8}{9} - \frac{1.1}{7} - \frac{0.3}{3} 00 - \frac{0.1}{5} - \frac{0.7}{8} + \frac{1.5}{11} + \frac{2.5}{25}$$

B.M. 2.99 1192.43

E. root 14" Maple 25' Lt. Stg 203+05

✓

119542

203 35 91.9

1.25 119374 1192.49 BM,

204 3.8 89.9

205 7.8 85.9

T.P. 1.91 1186.26 9.39 1184.35

206 5.8 80.5

T.P. 1.76 1176.24 11.78 1174.48

207 6.8 69.4

T.P. 0.99 1167.52 9.71 1166.53

208 6.7 60.8

T.P. 0.15 1160.51 7.16 1160.36

209 3.5 57.0

210 7.0 53.5

T.P. 2.02 1152.75 7.78 1152.73

$$\frac{0.0}{25} + \frac{+0.5}{12} - \frac{0.7}{11} 0.0 - \frac{0.1}{4} - \frac{0.5}{7} + \frac{0.8}{9} + \frac{1.5}{25}$$

$$\frac{+1.0}{25} + \frac{+0.6}{8} - \frac{0.3}{6} 0.0 - \frac{0.1}{7} - \frac{0.4}{8} + \frac{1.0}{11} + \frac{1.7}{15} + \frac{1.8}{25}$$

$$\frac{+0.6}{25} + \frac{+0.2}{14} + \frac{1.0}{7} - \frac{0.6}{5} 0.0 + \frac{0.1}{4} - \frac{0.7}{10} + \frac{2.7}{19-25}$$

$$\frac{+2.4}{25} + \frac{+2.5}{18} + \frac{1.5}{15} - \frac{1.0}{7} - \frac{0.4}{5} 0.0 + \frac{0.1}{6} - \frac{0.4}{8} 0.0 + \frac{4.0}{9-10} + \frac{1.3}{17} + \frac{1.3}{25}$$

$$\frac{+4.6}{25-20} - \frac{0.4}{10} + \frac{0.1}{9} 0.0 \frac{0.0}{3} - \frac{0.9}{5-6} + \frac{3.5}{13} + \frac{6.0}{21-25}$$

$$\frac{+2.1}{25-18} + \frac{0.8}{13} - \frac{0.3}{10} 0.0 0.0 \frac{0.0}{4} - \frac{0.5}{5} + \frac{1.9}{11} + \frac{1.7}{25}$$

$$\frac{+1.0}{2.5} + \frac{1.3}{15} - \frac{0.7}{11} \frac{0.0}{8} 0.0 - \frac{0.8}{5} + \frac{0.9}{8} + \frac{1.3}{12-25}$$

$$\frac{+2.0}{25} + \frac{2.3}{17} - \frac{1.2}{10} - \frac{0.4}{6} 0.0 - \frac{0.3}{5} - \frac{1.2}{7} + \frac{2.7}{14} + \frac{2.5}{25}$$

✓

115275

+50 3.5 49.3

211 5.2 47.6

212 6.7 46.1

+52 7x45 corr Bdg.
Good cond, 6.73 46.02Temp
B.M. 5.03 1147.72

213 8.4 44.7

T.P. 4.26 1151 98 5.03 1147.72

214 6.1 45.9

+60 4.2 47.8

215 4.7 47.3

$$\frac{+3.5}{25} \frac{+2.3}{16} \frac{-1.0}{9-10} \frac{0.0}{6} 0.0 \frac{0.0}{4} \frac{-0.8}{56} \frac{+3.5}{12} \frac{+5.2}{20-25}$$


At bank ends at +90

$$\frac{-1.1}{25} \frac{-0.2}{16} \frac{-0.7}{14-11} \frac{-0.9}{12-8} \frac{-0.2}{4} 0.0 \frac{-0.3}{3} \frac{-1.0}{7} \frac{-0.7}{10} \frac{+3.2}{26} \frac{+4.3}{25}$$

$$\frac{-1.7}{25} \frac{-0.9}{11} \frac{-1.0}{8} \frac{-0.4}{6} 0.0 \frac{-0.4}{7} \frac{-1.0}{10} \frac{-0.8}{11} \frac{-1.4}{25}$$

Top of floor

7' span



S.W. cor W. Parapet.

$$\frac{0.0}{25} \frac{-1.0}{28} \frac{-1.0}{11} \frac{-0.2}{4} 0.0 \frac{-0.2}{9} \frac{-0.8}{13} \frac{-1.2}{25}$$

$$\frac{+3.6}{25} \frac{+2.5}{15} \frac{-0.9}{7} \frac{-0.2}{3} 0.0 \frac{-0.3}{8} \frac{-0.9}{10-11} \frac{+1.5}{12-20} \frac{+1.2}{25}$$

$$\frac{+3.7}{25} \frac{+3.1}{15} \frac{-0.7}{6} \frac{+0.3}{5} 0.0 \frac{-0.3}{8} \frac{-0.7}{11} \frac{+0.8}{13} \frac{-1.0}{25}$$

$$\frac{+2.7}{25} \frac{+2.0}{13} \frac{-0.7}{7} 0.0 \frac{-0.5}{10} \frac{+0.9}{12} \frac{-0.5}{25}$$

1151 98

T.F. 5.73 1151 38 6.33 1145.65

+85 Plan A Culv. (H. G.) ^{id} 5.5 45.9
_{NOT REQ}

216 5.6 45.8

+8.5 3.5 47.9

217 3.9 47.5

B.M. 5.27 1146.11

218 5.7 45.7

+3.37 1149.47 ^{F.G. 3.} July 15th 1920 1146.10
(marked 218 original)
219 4.7 1144.5

220 5.0 44.5

7 9 -9.17 1140.30

+3.73 1144.03
221 6.0 38.0

+7.0 10.9 33.1

$\frac{-0.2}{18} \frac{-1.2}{9} \frac{-0.2}{8} 0.0 \frac{-0.4}{5} \frac{-1.3}{6} \frac{1.8}{25} \rightarrow$

$\frac{-0.3}{25} \frac{-0.1}{9} 0.0 \frac{-0.2}{5} \frac{-0.4}{7} \frac{+0.1}{8} \frac{-0.9}{25}$

$\frac{+1.1}{25} \frac{+0.6}{10} \frac{-0.8}{8} \frac{-0.2}{4} 0.0 \frac{-0.6}{9} \frac{0.0}{9} \frac{-0.1}{25}$

$\frac{+1.3}{25} \frac{+1.2}{20} \frac{+0.5}{14} \frac{-0.5}{9} \frac{-0.1}{7} 0.0 \frac{-0.4}{7} \frac{+0.5}{10} \frac{-0.1}{25}$

staple in W. root 50' Rt. Sta 217+30

$\frac{+2.0}{25} \frac{+0.2}{2} \frac{-0.0}{4} 0.0 \frac{-0.2}{3-10} \frac{0.0}{11} \frac{-1.1}{25}$

$\frac{+1.4}{3.3} \frac{0.0}{4.7} \frac{-0.6}{5.3} 0.0 0.0 \frac{-0.5}{4.7} \frac{-0.1}{5.2} \frac{-0.3}{4.8} \frac{-0.3}{5.0}$
 $\frac{2.5}{5.0} \frac{4.0}{4.7} \frac{7.9}{7.9} \frac{13.1}{13.1} \frac{25.0}{25.0}$

$\frac{+1.5}{2.5} \frac{+1.5}{3.5} \frac{-0.7}{5.7} \frac{-0.1}{5.1} 0.0 \frac{-0.3}{5.3} \frac{-1.2}{6.2} \frac{+1.4}{3.6} \frac{+1.7}{3.3}$
 $\frac{2.5}{2.5} \frac{5.0}{5.0} \frac{7.5}{7.5} \frac{10.0}{10.0} \frac{12.5}{12.5} \frac{15.0}{15.0} \frac{17.5}{17.5} \frac{20.0}{20.0}$

$\frac{+4.4}{1.6} \frac{+4.0}{2.0} \frac{-1.3}{2.3} \frac{-0.6}{6.6} 0.0 \frac{-0.5}{6.5} \frac{-1.3}{7.3} \frac{+3.8}{2.2} \frac{+3.8}{2.2}$
 $\frac{25.0}{25.0} \frac{16.0}{16.0} \frac{8.0}{8.0} \frac{7.0}{7.0} \frac{6.0}{6.0} \frac{8.0}{8.0} \frac{9.0}{9.0} \frac{17.0}{17.0} \frac{25.0}{25.0}$

$\frac{+1.1}{7.8} \frac{+0.3}{10.6} \frac{-0.7}{11.6} \frac{-0.1}{11.0} 0.0 \frac{-0.1}{11.0} \frac{-0.6}{11.5} \frac{+1.2}{9.7} \frac{+1.7}{9.2} \frac{+1.3}{9.6}$
 $\frac{2.5}{2.5} \frac{1.4}{1.4} \frac{10.0}{10.0} \frac{9.0}{9.0} \frac{10.9}{10.9} \frac{8.0}{8.0} \frac{10.0}{10.0} \frac{13.0}{13.0} \frac{17.0}{17.0} \frac{25.0}{25.0}$

222 1144.03 12.6 31.4

T.P. -11.90 1132.13

+1.48 1133.61

+3.1

+3.1 7.3 1129.31

223 4.9 28.7

+5.0 4.1 29.5

224 2.5 31.1

T.P. -0.46 1133.15

225 +10.33 1143.48 7.5 36.0

T.P. -0.20 1143.28


226 +9.43 1152.71 10.2 42.5

227 5.6 47.1

-2.8 -0.9 -0.5 -0.1 0.0 -0.1 -0.6 +0.5 -0.5
 15.5 13.6 13.2 12.8 12.7 13.3 12.2 13.2
 2.5 16. 12 8. 12.6 7. 10.0 14. 2.5

-Arch-

16 ft. Com. Stone + Concrete Culvert 0.5 ft. deep
 flow to R. →



Stone head wall needs relaying or new bank

9.8 x 6.2

-6.5 16. ft. +2.7 0.0 +1.0 > -4.9 -1.1 -4.3
 10.8 11.6 3.3 10.7 5.4 8.6
 9.8 9.5 4.3 6. 6.2 6.2 5.2 8.6
 (under side top of Key Stone walls for arch.)

-0.5 -1.5 -2.4 -1.1 -0.6 -0.1 0.0 -0.2 -1.2 -0.3 -1.4
 5.4 6.4 7.5 6.0 5.3 5.0 4.9 5.1 6.1 5.2 6.3
 2.5 2.1 1.8 1.7 1.1 8. 4.9 4.0 7. 1.8 2.5

-0.2 +0.8 -0.9 +0.1 0.0 -0.2 -0.8 +0.6 -0.4 -1.4
 4.3 3.3 5.0 4.0 4.3 4.9 3.5 4.5 3.5
 2.5 11. 9. 6. 4. 5. 6 8. 13. 2.5

+4.0 +2.0 +0.9 -0.3 0.0 -0.3 -0.8 +1.4
 1.5 0.5 1.6 2.8 2.8 3.3 1.1
 2.5 20. 11. 6. 2.5 7. 6. 10. + 2.5

+3.5 +3.3 +1.1 -0.8 0.0 0.0 -0.9 -0.2 +2.3
 1.4 4.2 6.4 8.3 7.5 7.1 8.4 2.7 5.2
 2.5 3.0 12 8. 6. 7. 9. 13 + 2.5

+1.9 +0.9 -0.8 0.0 -0.1 -1.1 +1.7
 8.3 9.3 11.0 10.3 11.3 8.5
 18.7 2.5 11. 8. 10.2 9. 10. 15 + 2.5

+1.4 +1.3 -0.2 0.0 0.0 +2.0
 4.2 4.3 5.8 5.6 3.6
 2.5 12. 9. 5.6 8. 13 + 2.5

1152.71

+25			4.6	48.1
-----	--	--	-----	------

228			4.9	47.8
-----	--	--	-----	------

229			4.9	47.8
-----	--	--	-----	------

T.P.	-4.88			1147.83
------	-------	--	--	---------

230	+9.75	1155.58	7.4	48.2
-----	-------	---------	-----	------

231			6.5	49.1
-----	--	--	-----	------

232			3.8	51.8
-----	--	--	-----	------

T.P.	-2.10			1153.48
------	-------	--	--	---------

233	+10.08	1163.56	10.5	53.1
-----	--------	---------	------	------

234			9.1	54.5
-----	--	--	-----	------

235			5.8	57.8
-----	--	--	-----	------

236			6.5	57.1
-----	--	--	-----	------

+0.2	+0.6	-0.6	00	-0.4	+2.0
<u>4.4</u>	<u>4.0</u>	<u>5.2</u>		<u>5.0</u>	<u>2.6</u>
25	12.	10.	4.6	10.	17.7 25

-1.0	-0.7	-1.2	-0.6	00	-0.7	+1.4	+1.7
<u>5.9</u>	<u>5.6</u>	<u>6.1</u>	<u>5.5</u>		<u>5.6</u>	<u>3.5</u>	<u>3.0</u>
25	12.	10.	8.	4.9	12.	17.	25.

-0.3	-0.9	-1.2	-0.4	0.0	-0.4	-1.0	-0.7	-1.2	-1.0
<u>5.2</u>	<u>5.8</u>	<u>6.1</u>	<u>5.3</u>		<u>5.3</u>	<u>5.9</u>	<u>5.6</u>	<u>6.1</u>	<u>5.9</u>
25	13.	11.	9.	4.9	6.	7.	8.	19.	25.

+0.8	-0.7	-0.6	-1.3	-0.6	0.0	-0.1	-0.6	-0.2	-1.4
<u>6.6</u>	<u>3.1</u>	<u>8.0</u>	<u>3.7</u>	<u>3.0</u>		<u>7.5</u>	<u>8.0</u>	<u>7.6</u>	<u>8.8</u>
25	17.	11.	10.	8.	7.4	5.	6.	7.	25.

+1.9	+2.1	+1.3	-0.6	-0.1	0.0	-0.1	-0.5	+1.1	+2.0	+1.2
<u>4.6</u>	<u>4.4</u>	<u>5.2</u>	<u>3.1</u>	<u>6.6</u>		<u>6.6</u>	<u>7.</u>	<u>5.4</u>	<u>4.5</u>	<u>5.8</u>
25	18.	8.	6.	7.	6.5	8.	11.	15.	20	25.

+1.1	+1.0	+0.2	-0.9	0.0	0.0	-0.4	+0.3	+0.4	+0.1
<u>2.7</u>	<u>2.8</u>	<u>3.6</u>	<u>4.7</u>	<u>3.8</u>		<u>4.2</u>	<u>3.5</u>	<u>3.4</u>	<u>3.7</u>
25	17.	11.	9.	5.	3.8	6.	7.	17	25.

+0.7	-0.3	-0.8	-0.2	0.0	-0.2	-1.3	-3.3
<u>9.8</u>	<u>10.8</u>	<u>11.3</u>	<u>10.7</u>		<u>10.7</u>	<u>11.8</u>	<u>13.8</u>
25	13.	11.	10.	10.5	3	6.	20.7 25.

+1.5	-0.5	0.0	0.0	-0.3	+0.3	+0.6
<u>7.6</u>	<u>7.5</u>	<u>9.1</u>		<u>9.4</u>	<u>8.8</u>	<u>8.5</u>
25 20	12.	6.	9.1	5.	9.	25.

+1.3	+0.4	-0.4	+0.1	0.0	-0.4	+0.4	+0.8	+0.5
<u>4.6</u>	<u>5.4</u>	<u>6.2</u>	<u>5.7</u>		<u>6.2</u>	<u>5.4</u>	<u>5.0</u>	<u>5.3</u>
25 21	14.	13.	8.	5.8	4.	5.	15.	25.

+0.5	+0.1	-0.3	0.0	-0.3	+0.8	+1.4
<u>6.0</u>	<u>6.4</u>	<u>6.8</u>		<u>6.3</u>	<u>5.7</u>	<u>5.1</u>
25	12.	11.	6.5	5.	13.	25.

242493

125474

stone Culvert 4' x 2'-2" (filled up) Good Cond.

Int. Pt. 100' S.E. of Road 4.90 49.8

243 5.6 49.1

242793

X sec Thru & Culvert - Stone 5.6 49.1

244 2.1 52.6

T.P. -0.19

1754.55

+11.39 1765.92

+88 9.3 56.6

2 of drive 10' wide bet. 5 lines on L,
245 - at bottom "

8.8 57.1

+13 8.3 57.6

246 6.0 59.9

247 4.0 61.9

T.P. -2.41 1763.51

248 +6.26 1769.77 6.3 63.5

29' Parapet 2' x 6'

15' x 14'

-4.0	-2.4	-0.2	0.0	-0.2	-2.9	-3.2
<u>9.6</u>	<u>8.0</u>	<u>5.8</u>		<u>5.8</u>	<u>8.6</u>	<u>8.9</u>
25	14	10	5.6	10	18	25

fl. = 11.4	Par. 6.1	Parapet 6.0	11.5	7.8
15.7	7.5	7.4	14.1	
5.8	-0.5	0.0	-0.4	-5.9

+8 +3.00	+5.1	-0.5	-0.2	0.0	-0.1	-0.7	+6.5
25	7.7	12	2.1	6	8	23	25

+7.7	+7.4	-0.6	0.0	0.0	-0.3	-1.0	+7.1	+7.2	+7.1
0.0	1.9	9.9	9.3		9.6	10.3	2.2	2.1	2.2
30	25	12	10	9.3	6	9	22	25	30

+1.8	+0.4	0.0	-0.3	-0.7	+6.6
7.0	7.4		9.1	9.9	2.2
25	12	7.8	7	9.1	20

+7.5	+6.4	+4.5	-0.7	+0.3	0.0	-0.3	-0.8	+7.0
6.8	1.9	3.8	9.0	8.0		8.6	9.1	1.3
30	25	23	13	10	7.3	8	9	20

+4.6	+3.9	-1.2	-0.2	0.0	-0.2	-1.0	+3.4	+3.7
1.4	2.1	7.2	6.2		6.2	9.0	2.6	2.3
25	19	7.1	7	6.0	6	11	17	25

+1.8	+2.7	-1.7	-0.3	0.0	-0.4	-1.6	+1.4	+2.3	+2.5
2.1	1.5	5.7	4.3		4.4	5.6	2.6	1.7	1.5
25	19	7.1	7	4.0	6	9	12	2.1	2.5

+0.7	+0.5	-1.5	-0.3	0.0	-0.3	-0.8	+0.2	+0.7
5.6	5.8	2.8	6.6		6.6	7.1	6.1	5.6
25	15	12	9	6.3	6	9	14	25

14.0
 $\frac{249}{1469 \quad 77} \quad 5.4 \quad 64.4$

250 $\frac{4.7}{65.1}$

251 $\frac{4.4}{65.4}$

252 $\frac{4.1}{65.7}$

253 $\frac{3.1}{66.7}$

S.P. -3.06 $\frac{1766.71}{1774.0}$

254+50 $\frac{1774.11}{1771.10}$

Tem. RM. -3.01

7-26-20 (Harry Thompson Morrill)

S.P. 3.97 $\frac{1175.07}{6.2 \quad 68.9}$

254 $\frac{6.2}{68.9}$

255 $\frac{4.9}{70.2}$

$\frac{5.4}{25} \quad \frac{5.5}{18} \quad \frac{6.1}{14} \quad \frac{5.4}{5} \quad 5.4 \quad \frac{5.4}{4} \quad \frac{6.1}{6.74} \quad \frac{5.4}{25} \quad \frac{4.8}{25}$

$\frac{4.8}{25} \quad \frac{5.7}{15} \quad \frac{4.8}{5} \quad 4.7 \quad \frac{5.1}{6} \quad \frac{5.8}{7} \quad \frac{5.0}{9} \quad \frac{4.6}{21} \quad \frac{4.0}{25}$

$\frac{4.5}{25} \quad \frac{4.6}{14} \quad \frac{5.4}{13} \quad \frac{4.7}{7} \quad 4.4 \quad \frac{4.5}{5} \quad \frac{4.8}{5} \quad \frac{4.8}{9} \quad \frac{3.9}{20} \quad \frac{3.4}{25}$

$\frac{3.4}{25} \quad \frac{4.1}{15} \quad \frac{4.8}{14} \quad \frac{4.5}{10} \quad 4.1 \quad \frac{3.9}{8} \quad \frac{3.0}{9} \quad \frac{2.2}{20} \quad \frac{1.8}{25}$

$\frac{0.9}{25} \quad \frac{1.9}{24} \quad \frac{2.8}{15} \quad \frac{4.1}{13} \quad \frac{3.4}{9} \quad 3.1 \quad \frac{3.3}{7} \quad \frac{2.2}{9} \quad \frac{1.0}{20} \quad \frac{1.0}{25}$

Bent spike in W. most Hickory "Ref. tree"

$\frac{2.3}{25} \quad \frac{1.6}{16} \quad \frac{1.6}{11} \quad \frac{0.5}{8} \quad 0.0 \quad \frac{0.4}{5} \quad \frac{0.8}{8} \quad \frac{0.7}{13} \quad \frac{1.5}{18} \quad \frac{1.4}{25}$

$\frac{0.1}{25} \quad \frac{0.1}{18} \quad \frac{0.6}{14} \quad \frac{1.5}{13} \quad \frac{0.7}{9} \quad 0.0 \quad \frac{0.1}{3} \quad \frac{0.7}{9} \quad \frac{0.0}{10-25}$

177507

256 4.7 70.4

$$\frac{+0.4}{25} - \frac{0.5}{14} - \frac{0.9}{13} - \frac{0.3}{9} 00 - \frac{0.2}{6} - \frac{0.6}{9} - \frac{0.3}{11} - \frac{0.4}{25}$$

257 4.2 70.9

$$\frac{-0.4}{25} - \frac{0.6}{14} - \frac{1.2}{13} - \frac{0.1}{6} 00 - \frac{0.3}{5} - \frac{1.1}{11} - \frac{0.7}{12} - \frac{0.8}{25}$$

T.P. 6.79 1177 58 4.28 1270.79

258 6.2 71.4

$$\frac{+0.4}{25} - \frac{0.3}{12} - \frac{1.2}{11} - \frac{0.2}{4} 00 - \frac{0.3}{6} - \frac{1.0}{11} - \frac{0.6}{12} - \frac{0.1}{25}$$

259 5.7 71.9

$$\frac{+0.1}{25} - \frac{0.1}{11} - \frac{1.0}{10} - \frac{0.3}{5} 00 - \frac{0.4}{9} - \frac{0.8}{13} - \frac{0.3}{15} + \frac{0.2}{25}$$

260 4.8 72.8

$$\frac{-0.1}{25} - \frac{0.9}{10} - \frac{0.2}{9} - \frac{0.2}{4} 00 - \frac{0.3}{9} - \frac{0.7}{13} - \frac{0.5}{14} - \frac{0.3}{21} + \frac{0.1}{25}$$

261 4.2 73.4

$$\frac{+2.0}{25} + \frac{1.4}{15} + \frac{1.6}{11} - \frac{0.5}{5} 00 + \frac{0.2}{5} - \frac{0.0}{9} - \frac{0.6}{12} + \frac{1.2}{14} + \frac{0.6}{25}$$

262 8.0 69.6

$$\frac{+2.9}{25} + \frac{2.7}{21} + \frac{1.5}{9} - \frac{0.4}{4} 00 - \frac{0.2}{10} - \frac{0.4}{13} + \frac{1.5}{16} + \frac{1.6}{25}$$

T.P. 1.40 1170 03 8.95 1168.63

263 3.7 66.3

$$+ \frac{4.2}{25} + \frac{1.8}{10} - \frac{1.2}{5} 00 + \frac{0.1}{4} - \frac{0.1}{9} - \frac{1.1}{13} + \frac{2.2}{17} + \frac{2.1}{25}$$

264 7.0 63.0

$$\frac{+2.2}{25} + \frac{0.2}{11} - \frac{0.8}{8} - \frac{1.4}{7} 00 - \frac{0.3}{8} - \frac{1.1}{12} - \frac{0.4}{13-15} + \frac{1.1}{20} + \frac{1.3}{25}$$

B.M. 7.33 1162.70

x on S.E. con Rt. Parapet.

+40 Condi. EXC. Network

CON BOX 3x3 O.K. 10' H.W.S Iron Rail.

⊕ about 1/2 length of culv.

1170.03

265 8.2 61.8

T.P. 9.19 11.71 89 7.33 1162.70

266 9.5 62.4

267 7.1 64.8

+50 3.9 68.0

T.P. 9.64 1179 83 1.70 1170.19

268 8.5 71.3

269 5.7 74.1

270 2.9 76.9

T.P. 9.23 1187 47 1.59 1178.24

271 7.5 80.0

272 5.6 81.9

273 3.0 84.5

T.P. 8.03 1193 18 2.32 1185.15

$$\frac{30-27}{25} \frac{-1}{21} \frac{-13}{17} \frac{-27}{14} \frac{-05}{10} 00 \frac{-06}{9} \frac{-22}{11} \frac{-10}{12-25}$$

$$\frac{-13}{25} \frac{-03}{15} \frac{-12}{13-12} \frac{-04}{9} 00 \frac{-03}{6} \frac{-09}{7-9} \frac{-04}{10} \frac{-10}{25}$$

$$\frac{42}{25} \frac{+41}{23} \frac{-10}{14-13} \frac{-04}{11} 00 \frac{-02}{6} \frac{-06}{8} \frac{+48}{76} \frac{+55}{25}$$

$$\frac{+32+20}{25} \frac{+10}{21} \frac{-12}{18} \frac{-03}{15-13} 00 \frac{+11}{7} \frac{+04}{9-10} \frac{+53}{19} \frac{56}{25}$$

$$\frac{+12}{25} \frac{+08}{16} \frac{-19}{13} \frac{-05}{9} 00 \frac{+07}{6} \frac{-06}{10} \frac{+29}{13} \frac{+39}{25}$$

$$\frac{+25}{25} \frac{+07}{13} \frac{-10}{10-8} \frac{-03}{7} 00 \frac{-02}{8} \frac{-10}{10} \frac{+22}{16} \frac{+28}{25}$$

$$\frac{+31}{25} \frac{+29}{17} \frac{-07}{10-8} \frac{-02}{7} 00 \frac{-03}{8} \frac{-13}{11-12} \frac{+09}{15} \frac{+13}{18} \frac{+20}{25}$$

$$\frac{+21}{25} \frac{+09}{15} \frac{-03}{13-12} \frac{-07}{11-10} \frac{00}{8} 00 \frac{-04}{8} \frac{-15}{12} \frac{+06}{15} \frac{+21}{21-25}$$

$$\frac{+20}{25} \frac{+16}{18} \frac{+04}{13} \frac{-12}{10-8} \frac{-05}{6} 00 \frac{-02}{8} \frac{-09}{11-12} \frac{+11}{16} \frac{+17}{19} \frac{+15}{25}$$

$$\frac{+05}{25} \frac{+03}{11} \frac{-15}{8} \frac{-08}{6} 00 \frac{00}{10} \frac{-10}{12} \frac{+03}{14} \frac{0-15}{12}$$

1193.18

274 7.5 85.7

$\frac{-0.7}{25} \frac{-1.0}{9} \frac{-0.4}{8} \frac{0.0}{5} \frac{-0.2}{10} \frac{-0.6}{11-12} \frac{-0.3}{13} \frac{+0.4}{25}$

275 6.7 86.5

$\frac{-0.1}{25} \frac{-0.4}{9} \frac{-1.0}{8-7} \frac{-0.1}{5} \frac{0.0}{9} \frac{-0.1}{10-12} \frac{-0.5}{13} \frac{-0.4}{25}$

276 5.9 87.3

$\frac{+1.2}{25} \frac{-0.2}{13-9} \frac{-1.0}{8-7} \frac{-0.3}{5} \frac{0.0}{8} \frac{-0.2}{10} \frac{-0.6}{11} \frac{0.0}{25}$

B.M. \rightarrow 4.45 1188.73 \leftarrow 1188.87 \leftarrow 4.45 1193.32

staple in W. root 16" Maple, 25' Rt. Sta. 276+75

277 4.5 88.8

$\frac{+1.1}{25} \frac{-0.4}{10} \frac{-1.3}{28} \frac{-0.3}{5} \frac{0.0}{6} \frac{-0.4}{8} \frac{-1.0}{13} \frac{-0.4}{20} \frac{+0.1}{25} \frac{+0.4}{25}$

278 3.6 89.7

$\frac{+2.2}{25} \frac{+0.1}{10} \frac{-0.8}{9-8} \frac{-0.7}{7} \frac{0.0}{9} \frac{-0.5}{7-10} \frac{0.0}{18} \frac{+1.3}{21} \frac{+2.5}{25}$

279 2.0 91.3

$\frac{+2.0}{25} \frac{+1.2}{12} \frac{-0.8}{7-6} \frac{-0.1}{4} \frac{0.0}{9} \frac{-0.4}{9} \frac{+1.2}{14-25}$

T.P. 11.00 1201 85 2.47 1190.85

280 8.0 93.9

$\frac{+2.8}{25} \frac{+1.7}{17} \frac{-0.1}{14} \frac{-1.0}{10} \frac{-0.2}{7.8} \frac{0.0}{5} \frac{-0.3}{6} \frac{-0.7}{8} \frac{+1.0}{18} \frac{+2.5}{20}$
 $\frac{+3.0}{23} \frac{+2.8}{25}$

281 5.0 94.9

$\frac{+3.7}{25} \frac{2.3}{15} \frac{-1.3}{9-8} \frac{0.0}{6} \frac{0.0}{6} \frac{-0.4}{6} \frac{-1.0}{8} \frac{+1.8}{12} \frac{+1.7}{25}$

T.P. 10.01 1209 10 2.76 1199.09



120910

282 9,3 99,8

$$\frac{+1,9}{25} \frac{+1,6}{17} \frac{+0,6}{13-12} \frac{-1,3}{8} \frac{-0,5}{6} 0,0 \frac{-0,3}{6} \frac{-1,2}{9} \frac{+0,6}{12} \frac{+1,3}{25}$$

283 7,5 1201,6

$$\frac{+1,5}{25} \frac{+0,8}{13} \frac{-0,7}{9} \frac{-0,1}{5} 0,0 \frac{-0,1}{7} \frac{-0,7}{9} \frac{+0,3}{11} \frac{+1,2}{25}$$

284 5,4 03,7

$$\frac{+1,2}{25} \frac{+0,3}{14} \frac{-1,2}{10-9} \frac{-0,6}{7} 0,0 \frac{-0,3}{11} \frac{-1,1}{10} \frac{+0,3}{13} \frac{+0,5}{21} \frac{+1,2}{25}$$

285 4,7 04,4

$$\frac{+0,8}{25} \frac{-0,7}{13} \frac{-1,2}{12-9} \frac{-0,5}{7} 0,0 \frac{-0,5}{9} \frac{-1,1}{10-12} \frac{-0,8}{14} \frac{-0,7}{25}$$

286 5,5 03,6

$$\frac{+0,9}{25} \frac{-0,1}{13} \frac{-0,9}{11-10} \frac{-0,3}{8} 0,0 \frac{-0,5}{10} \frac{-0,1}{12} \frac{0,0}{25}$$

287 6,0 03,1

$$\frac{+1,4}{25} \frac{+0,2}{14} \frac{-0,9}{12-7} \frac{0,0}{3} 0,0 \frac{-0,1}{9} \frac{+0,5}{18} \frac{+1,0}{25}$$

288 7,1 02,0

$$\frac{+1,6}{25} \frac{-0,3}{12} \frac{-1,5}{9} \frac{-0,5}{7} 0,0 \frac{-0,1}{9} \frac{0,0}{18} \frac{+0,8}{25}$$

B.M. 1,51 1205 29 5,32 1203,78

Elm₃₅'L+, 288+75

289 5,5 99,8

$$\frac{+2,3}{25} \frac{+1,7}{15} \frac{-0,3}{10} \frac{-0,2}{8} 0,0 \frac{-0,2}{5} \frac{-0,7}{8-10} \frac{+0,8}{11} \frac{+1,4}{5}$$

290 7,6 97,7

$$\frac{+2,5}{25} \frac{+1,3}{13} \frac{-0,6}{8} \frac{-0,7}{4} 0,0 \frac{-0,1}{6} \frac{-0,5}{8} \frac{+1,4}{11-25}$$

1205 29

291 9.7 95.6

T.P. 2.97 1196.23 12.03 1193.26

292 4.0 92.2

293 6.2 90.0

294 7.2 89.0

295 7.9 88.3

296 9.1 87.1

T.P. 3.25 1190.19 9.29 1186.94

297 3.6 86.6

298 4.4 85.8

299 4.9 85.3

300 5.2 85.0

$$\frac{+3.4}{25} \frac{+3.1}{14} \frac{-1.3}{9} \frac{-0.4}{6} 0.0 \frac{-0.5}{5} \frac{-1.0}{8} \frac{+0.8}{11-20} \frac{+2.3}{25}$$

$$\frac{3.7}{25} \frac{+3.2}{14} \frac{-1.0}{7} \frac{-0.4}{5} 0.0 \frac{-0.3}{6} \frac{-0.8}{8-9} \frac{+2.1}{15} \frac{+1.5}{17} \frac{+3.0}{25}$$

$$\frac{+1.7}{25} \frac{+0.6}{14} \frac{-0.5}{9-7} \frac{-0.1}{5} 0.0 \frac{-0.1}{7} \frac{-0.4}{8} \frac{+0.6}{11} \frac{+1.2}{25}$$

$$\frac{+0.5}{25} \frac{-0.3}{12} \frac{-0.8}{9-8} \frac{-0.4}{6} 0.0 \frac{-0.3}{6} \frac{-0.5}{8-11} \frac{+0.2}{13} \frac{-0.0}{25}$$

$$\frac{-0.5}{25} \frac{-0.7}{12} \frac{-1.5}{8} \frac{-0.7}{7} \frac{-0.3}{3} 0.0 \frac{-0.3}{6} \frac{-1.0}{9-11} \frac{-0.3}{18} \frac{-0.7}{25}$$

$$\frac{-0.2}{25} \frac{-0.5}{11} \frac{-1.1}{10-8} \frac{-0.4}{7} \frac{0.0}{3} 0.0 \frac{0.0}{7} \frac{-0.7}{10-11} \frac{+0.1}{13-25}$$

$$\frac{-0.7}{25} \frac{-0.6}{12} \frac{-1.4}{10} \frac{-0.7}{8} \frac{-0.4}{5} 0.0 \frac{+0.1}{6} \frac{-0.8}{10-12} \frac{-0.1}{13-25}$$

$$\frac{+1.7}{22} \frac{+0.2}{18} \frac{-0.2}{15} \frac{-1.1}{13-12} \frac{-0.4}{9} 0.0 \frac{-0.2}{7} \frac{-0.6}{10} \frac{+0.2}{13} \frac{+1.1}{25}$$

$$\frac{+1.1}{25} \frac{-0.2}{15} \frac{-0.9}{13} 0.0 \frac{-0.3}{10} \frac{+0.1}{12} \frac{+0.4}{25}$$

$$\frac{+0.2}{25} \frac{-0.2}{15} \frac{+0.1}{13-11} \frac{-0.2}{8} 0.0 \frac{-0.4}{9} \frac{+0.1}{11-25}$$

119019

301 5.7 84.5

+35 ϕ 15" Iron pipe+52 to ϕ Rd. to Lt. 6.4 83.8 ϕ

5.2 85.0 "100' Lt.

4.8 85.4 "200' Lt.

302 7.0 83.2

T.P. 352 1185 84 6.87 1183.32

303 5.3 81.5

304 7.5 79.3

305 10.2 76.6

+72 3x2 k(?) (Good Cond)
Parapets about same elev. as
present Roadway.

306 10.3 76.5

$$\frac{0.0}{25} - \frac{0.5}{15} - \frac{0.7}{18-11} - \frac{0.3}{9} 0.0 \frac{0.0}{7} + \frac{0.2}{8} - \frac{0.5}{10-11} - \frac{1.1-0.3}{12-14-25}$$


$$\underline{18'-9''}$$

$$\frac{+1.0}{25} + \frac{+0.3}{15} 0.0 - \frac{0.2}{7} - \frac{0.5}{9} - \frac{1.5}{11-13} \frac{+1.4+1.7}{18 \quad 25}$$

$$\frac{3.4}{25} \frac{+3.1}{20} \frac{+0.7}{14} - \frac{0.8}{11} - \frac{0.1}{10} 0.0 - \frac{0.3}{8} - \frac{1.2}{14} + \frac{2.6}{20-25}$$

$$\frac{+4.1}{25} \frac{+3.8}{18} - \frac{0.8}{9} - \frac{0.4}{7} 0.0 - \frac{0.2}{9} - \frac{1.4}{13} - \frac{0.4}{15} + \frac{0.6}{19} \frac{+3.4}{21} \frac{+2.1}{25}$$

$$\frac{+0.3}{25} - \frac{0.3}{19} - \frac{1.7}{12} - \frac{0.4}{8} 0.0 - \frac{0.4}{10} - \frac{1.3}{13} - \frac{0.6}{15} \frac{+1.0}{25}$$



$$-\frac{1.7}{25} - \frac{1.7}{11} - \frac{0.7}{1} 0.0 - \frac{0.3}{10} - \frac{1.5}{15} - \frac{1.9}{25}$$

118684

307

9.0 77.8

T.P. 1114 1192.66

532 1181.52

308

9.8 82.9

+50

6.9 85.8

309

6.2 80.5

B.M.

3.89 1188.77

310

4.6 88.1

311

6.1 86.6

312

7.0 85.7

313

7.6 84.1

$$\frac{2.7}{25} \frac{+1.9}{18} \frac{0.0}{14} \frac{-0.7}{10} \frac{-0.2}{9} \frac{0.0}{5} \frac{+0.2}{8-10} \frac{-0.3}{14} \frac{+1.0}{19} \frac{+3.4}{19} \frac{+4.0}{25}$$

$$\frac{+3.7}{25} \frac{+2.3}{21} \frac{+2.7}{17} \frac{-0.8}{11} \frac{0.0}{9} \frac{0.0}{6} \frac{0.0}{8} \frac{-0.5}{14} \frac{+3.6}{14} \frac{+4.2}{25}$$

$$\frac{+2.4}{25} \frac{+1.0}{16} \frac{-0.8}{10} \frac{+0.1}{7} \frac{0.0}{10} \frac{+0.2}{10} \frac{-1.5}{12} \frac{+1.6}{17} \frac{+1.7}{25}$$

$$\frac{+2.2}{25} \frac{+2.0}{19} \frac{+0.9}{11} \frac{-0.5}{9} \frac{-0.2}{6} \frac{0.0}{15} \frac{-0.2}{15-25} \frac{+1.3}{15-25}$$

27' RT 309 + 15

$$\frac{+2.1}{25} \frac{+0.8}{12} \frac{-0.7}{9-7} \frac{0.0}{16} \frac{-0.5}{19-22} \frac{+0.2}{19-22} \frac{-0.9}{23-25}$$

$$\frac{+2.2}{25} \frac{+1.7}{22} \frac{-0.9}{17} \frac{-0.8}{14-11} \frac{-0.2}{10} \frac{0.0}{9-11} \frac{-0.5}{14-18} \frac{+0.3}{19} \frac{-0.3}{19} \frac{+0.1}{25}$$

$$\frac{+1.1}{25} \frac{-1.3}{23} \frac{-1.2}{19} \frac{-0.5}{11} \frac{0.0}{9} \frac{-0.4}{10} \frac{-1.0}{13-4} \frac{-0.6}{16-21} \frac{-1.1}{23-25}$$

$$\frac{+1.0}{25} \frac{+0.4}{21} \frac{-0.9}{17-14} \frac{-0.4}{12} \frac{0.0}{7} \frac{-0.1}{7} \frac{-1.2}{18} \frac{+0.2}{20-25}$$

Note to Instrument man-

Exc. was figured for a
14" - 10" thick Rd Metal. So,
to balance set grades 0.20ft.
below Profile Grades.

VOID

2.48

3.11

Hanna
Grou

Slope Stakes

B.M. 279 1191 54

313+83^E

6.76

1188.75

1184.78

29.28

313

6.33

85.21

312+50³ P.T.

6.14

85.40

312

5.58

85.96

311+50

4.82

86.72

311

3.77

87.77

~~8~~

310+50

3.34

88.20

310

3.18

88.36

309

4.79

86.75

5/8/22

P.M.

slope stakes set out 1 ft
from pt. of slope

Graded Stake

ground

Graded Stake

676
435
16

F1.6
15.0

F1.5
14.9

F1.2
16.0

F1.3
17.0

676
502
1.8

633
733
1.5

F1.5
16.2

F1.7
15.2

F1.7
15.2

F2.0
16.2

633
533
2.0

614
754
1.4 Banked
1.7

F1.7

F1.6
15.4

F1.5
15.5

F1.5

614
754
1.5

558 Banked
5.0
5.0
6.8
1.9

F1.9

F2.1
14.6

F1.4
15.8

F0.8

558
638
0.8

482 Banked
4.5
4.32
2.0

F2.3

F2.5
14.0

F1.8
15.0

F1.1

482
592
1.1

377 Banked
3.5
3.27
4.07
1.6

F1.6

F2.8
14.7

F1.2
16.0

F1.0

377
477
1.0

334 Banked
3.5
2.84
2.54
0.3

C0.3

C0.1
17.9

F1.5
15.5

F1.3

334
464
1.3

318 Banked
3.5
2.93
1.73
1.2

C1.2

C1.0
19.3

F0.5
16.9

F0.2

318
338
0.2

479
329
1.5

C1.5

C1.3
19.7

C1.2
19.5

479
349
1.3

1191.54

308+40

6.67 1184.87

308

7.97 83.57

T.P. 1.68 1184.27

8.95 1182.59

307

3.95 80.32

306

6.26 78.01

305

5.45 78.82

T.P. 10.91 1189.26

5.92 1178.35

304

8.69 80.57

303

6.94 82.32

302

5.32 83.94

301

4.49 84.77

~~T.P.~~ $\frac{6.67}{4.57}$
2.1

(C2.1)

 $\frac{C2.0}{20.7}$ $\frac{C2.7}{21.8}$

(C2.8)

 $\frac{6.67}{4.57}$
2.8 $\frac{7.97}{6.47}$
1.5

(C1.5)

 $\frac{C1.2}{19.5}$ $\frac{C3.4}{22.9}$

(C3.4)

 $\frac{7.97}{4.57}$
3.4 $\frac{3.95}{5.63}$
1.7

(F1.7)

 $\frac{F2.4}{14.2}$ $\frac{C0.8}{19.0}$

(C1.1)

 $\frac{3.95}{4.85}$
1.1 $\frac{6.26}{8.86}$
2.6

(F2.6)

 $\frac{F2.6}{14.7}$ $\frac{F2.8}{15.1}$

(F2.9)

 $\frac{6.26}{9.16}$
2.9 $\frac{5.45}{8.05}$
2.6

(F2.6)

 $\frac{F2.6}{14.7}$ stake set
at 20'
special ditch

(F2.2)

 $\frac{5.45}{1.65}$
2.6 $\frac{8.69}{5.79}$
2.9

(C2.9)

 $\frac{C2.7}{21.8}$ $\frac{F1.2}{17.0}$
1' ditch

(F0.5)

 $\frac{8.69}{9.19}$
0.5 $\frac{6.94}{1.44}$
2.5

(C2.5)

 $\frac{C2.3}{21.2}$ $\frac{C1.5}{24.0}$

(C1.8)

 $\frac{6.94}{5.14}$
1.8

5.32

None set
Road $\frac{C0.7}{19.8}$

(C0.7)

 $\frac{5.32}{4.62}$
0.7 $\frac{4.49}{4.99}$
0.5

(F0.5)

 $\frac{F0.5}{18.0}$ $\frac{F0.7}{17.7}$

(F0.6)

 $\frac{4.49}{5.09}$
0.6

1' ditch RT & LT

11892C

300			3.79	85.47
TP	4.15	1190	2.90	1186.30
299			4.28	86.17
298			3.58	86.87
Q.P.	5.64	1191	4.15	1186.30
297	3.P. 5-9-22 Warm - cloudy HANN GRAU		4.37	87.57
296			3.67	88.27
295			2.97	88.97
294			1.88	90.06
T.P.	9.31	1199	1.37	1190.57
293			7.97	91.91
292			5.73	94.15
291			3.49	96.39

3.79 4.27 0.5	(F0.5)	$\frac{F0.6}{17.9}$	$\frac{F0.6}{17.9}$	(F0.6)	379 437 0.6
4.28 4.65 0.4	(F0.4)	$\frac{F0.6}{17.9}$	$\frac{F0.7}{17.7}$	(F0.6)	428 475 0.6
3.58 3.88 0.1	(F0.1)	$\frac{F0.7}{18.5}$	$\frac{F0.5}{18.0}$	(F0.5)	358 408 0.5
4.37 5.87 1.5	(F1.5)	$\frac{F1.4}{16.7}$		$\frac{F1.3}{16.8}$ (F1.3)	437 567 1.3
3.67 5.27 1.6	(F1.6)	$\frac{F1.6}{16.3}$	$\frac{F1.4}{16.7}$	(F1.4)	3.67 5.07 1.4
2.97 4.17 1.2	(F1.2)	$\frac{F1.1}{17.1}$	$\frac{F1.2}{17.0}$	(F1.3)	2.97 4.27 1.3
1.88 4.68 0.8	(F0.8)	$\frac{F1.0}{17.3}$	$\frac{F1.0}{17.3}$	(F0.8)	1.88 2.68 0.8
7.97 8.57 0.6	(F0.6)	$\frac{F0.7}{17.7}$	$\frac{F1.0}{17.3}$	(F0.9)	7.97 8.87 0.9
5.73 4.13 1.6	(C1.6)	$\frac{C1.4}{19.9}$	$\frac{F0.8}{16.6}$	(F0.6)	5.73 6.83 0.6
3.49 8.89 2.6	(C2.6)	$\frac{C2.5}{21.5}$	$\frac{C0.1}{17.9}$	(C0.1)	3.49

1199.88

T.P. 8.33 1206.57 1.64 1198.24
 290 7.94 98.03

289 5.70 00.87
 B.M. 2.80 1203.78
 288 3.65 02.92

287 2.76 03.81

284 2.06 04.51

T.P. 3.59 1208 40
 285 3.42 04.98

284 4.36 04.04

283 4.03 02.37

282 8.26 00.14
 T.P. 2.23 1201.09 9.54 1198.86

$$\begin{array}{r} 794 \\ 674 \\ \hline 120 \end{array}$$

C1.2

$$\frac{C1.0}{19.3}$$

$$\frac{C0.5}{18.5}$$

C0.4

$$\begin{array}{r} 7.94 \\ 7.84 \\ \hline .1 \end{array}$$

$$\begin{array}{r} 570 \\ 470 \\ \hline 100 \end{array}$$

C1.0

$$\frac{C0.8}{19.0}$$

$$\frac{00}{17.8}$$

C0.1

$$\begin{array}{r} 570 \\ 560 \\ \hline 10 \end{array}$$

$$\begin{array}{r} 3.65 \\ 3.65 \\ \hline 0 \end{array}$$

0.0

$$\frac{00}{17.8}$$

$$\frac{F1.1}{16.1}$$

F1.0

$$\begin{array}{r} 3.65 \\ 4.65 \\ \hline 1 \end{array}$$

$$\begin{array}{r} 276 \\ 276 \\ \hline 0 \end{array}$$

0.0

$$\frac{0.0}{17.8}$$

$$\frac{F0.4}{17.2}$$

F0.2

$$\begin{array}{r} 2.76 \\ 2.96 \\ \hline .2 \end{array}$$

$$\begin{array}{r} 206 \\ 280 \\ \hline 0.8 \end{array}$$

F0.8

$$\frac{F0.7}{16.7}$$

$$\frac{F1.0}{16.3}$$

F1.0

$$\begin{array}{r} 206 \\ 3.06 \\ \hline 1 \end{array}$$

$$\begin{array}{r} 342 \\ 312 \\ \hline 0.5 \end{array}$$

F0.5

$$\frac{F0.8}{16.5}$$

$$\frac{F1.4}{15.7}$$

F1.3

$$\begin{array}{r} 342 \\ 472 \\ \hline 1.3 \end{array}$$

$$\begin{array}{r} 436 \\ 346 \\ \hline 0.9 \end{array}$$

C0.9

$$\frac{C0.8}{19.0}$$

$$\frac{F0.1}{17.6}$$

0.0

$$\begin{array}{r} 436 \\ 436 \\ \hline 0 \end{array}$$

$$\begin{array}{r} 603 \\ 543 \\ \hline 0.9 \end{array}$$

C0.6

$$\frac{C0.6}{18.7}$$

$$\frac{F0.7}{17.5}$$

F0.1

$$\begin{array}{r} 603 \\ 613 \\ \hline 1 \end{array}$$

$$\begin{array}{r} 826 \\ 656 \\ \hline 1.4 \end{array}$$

C1.4

$$\frac{C1.4}{19.9}$$

$$\frac{C0.5}{18.5}$$

C0.5

$$\begin{array}{r} 826 \\ 746 \\ \hline 1.4 \end{array}$$

281			3.68	97.41	$\frac{3.5}{1.1} \frac{8}{2.5}$	(C2.5)	$\frac{C2.4}{21.3}$	$\frac{C1.2}{19.5}$	(C1.1)	$\frac{3.68}{2.58}$ $\frac{1.1}{1.1}$
280			6.31	94.78	$\frac{6.31}{1.7}$	(C1.7)	$\frac{C1.8}{20.4}$	$\frac{C0.9}{19.1}$	(C1.5)	$\frac{6.31}{1.5}$
T.P	0.97	1194	1.4	7.92	1193.17					
279			0.97	93.17	$\frac{0.97}{1.7} \frac{1.7}{0.2}$	(F0.2)	$\frac{F0.2}{17.5}$	$\frac{F0.7}{16.7}$	(F0.7)	$\frac{0.97}{1.7}$ $\frac{1.7}{0.2}$
278			2.41	91.73	$\frac{2.41}{2.1} \frac{1.1}{0.5}$	(F0.5)	$\frac{F0.7}{16.7}$	$\frac{F2.2}{14.3}$	(F2.0)	$\frac{2.41}{1.1}$
277			3.85	90.29	$\frac{3.85}{4.25} \frac{1.1}{1.1}$	(F1.1)	$\frac{F1.3}{15.8}$	$\frac{F1.8}{15.1}$	(F1.8)	$\frac{3.85}{1.8}$ $\frac{1.8}{1.8}$
B.M.			5.29	1188.85						
276			5.29	88.85	$\frac{5.29}{6.19} \frac{0.9}{0.9}$	(F0.9)	$\frac{F1.3}{15.8}$	$\frac{F1.6}{15.4}$	(F1.4)	$\frac{5.29}{1.4}$ $\frac{1.4}{1.4}$
T.P.	2.95	1189	0.2	7.27	1186.87					
275			2.41	87.41	$\frac{2.41}{3.5} \frac{1.1}{1.1}$	(F1.1)	$\frac{F1.2}{16.0}$	$\frac{F0.9}{16.4}$	(F0.9)	$\frac{2.41}{3.31}$ $\frac{0.9}{0.9}$
274			3.85	85.97	$\frac{3.85}{4.43} \frac{0.6}{0.6}$	(F0.6)	$\frac{F0.6}{16.9}$	$\frac{F0.1}{17.4}$	(F0.1)	$\frac{3.85}{3.91}$ $\frac{0.1}{0.1}$
273			5.29	84.53	$\frac{5.29}{4.89} \frac{0.4}{0.4}$	(C0.4)	$\frac{C0.3}{18.2}$	$\frac{C0.2}{18.0}$	(C0.2)	$\frac{5.29}{5.09}$ $\frac{0.2}{0.2}$
272			6.73	83.09	$\frac{6.73}{6.13} \frac{0.6}{0.6}$	(C0.6)	$\frac{C0.5}{18.5}$	$\frac{C0.5}{18.5}$	(C0.6)	$\frac{6.73}{6.13}$ $\frac{0.6}{0.6}$

T.P. 270 1189 82
271 1183 29
5.23 1179.59
2.13 81.16

270 5.04 78.25

269 8.44 74.85

T.P. 4.75 1176.89
268 11.15 1172.14
5.44 71.45

267⁵⁰ 7.14 69.75

267 8.84 68.05

T.P. 2.50 1166.73
266 12.66 1164.23
2.08 64.65

265 3.88 62.85

264 2.48 64.25

B.M. 3.36 1142.77

$\frac{213}{1.43}$
0.7
C0.7
C0.4
18.4
C0.2
18.7
C0.5
 $\frac{213}{1.63}$
0.5

$\frac{5.04}{3.12}$
1.6
C1.8
C1.6
20.1
C0.1
17.9
C0.4
 $\frac{5.04}{4.64}$
0.9

$\frac{8.44}{7.44}$
1.1
C1.0
C0.7
18.8
C1.9
20.6
C2.1
 $\frac{8.44}{6.34}$
2.1

$\frac{5.44}{4.24}$
1.2
C1.2
C0.9
19.1
C3.3
23.4
C4.0
 $\frac{5.44}{4.2}$
1.3

$\frac{7.14}{6.44}$
1.1
F2.3
F3.0
15.4
C4.0
23.7
C4.2
 $\frac{7.14}{2.94}$
2.4

$\frac{8.84}{11.74}$
0.7
F2.9
F3.4
16.3
C2.9
20.8
C2.1
 $\frac{8.84}{6.74}$
1.3

$\frac{2.08}{4.98}$
0.4
F2.9
20.0
19
19
F3.1
20.0
 $\frac{2.08}{5.18}$
0.4

$\frac{3.88}{6.68}$
0.6
F2.8
18.7
17.7
19
F2.3
20.0
 $\frac{3.88}{5.18}$
0.7

$\frac{2.48}{3.78}$
0.7
F0.9
F1.1
16.1
F0.9
16.4
F0.7
 $\frac{2.48}{3.18}$
0.8

ck. ad.

11710

1166.73

T.P.	10.56	1176.49	0.80	1165.93
263			9.24	67.25
Q.P.			2.57	1173.92
B.M.	8.54	1171.31		1162.77
262			1.80	1169.50
T.P.	6.36	1177.42	0.25	1171.06
B.M.			3.52	1173.90
261			4.20	1173.20
				1172.83
260			4.60	1172.80
				1172.90
259			5.50	1171.90
				1172.55
T.P.	3.53	1175.95	5.00	1172.42
258			4.50	1171.40
				1172.20
257			5.00	1170.90
				1171.85
256			5.50	1170.40
				1171.50
T.P.	3.94	1174.46	5.43	1170.52

$$\begin{array}{r} 924 \\ 574 \\ \hline 350 \end{array}$$

C3.5

$$\frac{C3.1}{22.4}$$

$$\frac{C1.2}{19.5}$$

C1.4

$$\begin{array}{r} 924 \\ 784 \\ \hline 140 \end{array}$$

staple in W. side Maple Rt. 261+40
263+60

Culvert. RT. Park

$$\frac{C0.8}{18.9}$$

F0.7

$$\frac{C1.0}{19.2}$$

Staple in N. S. Maple Rt 261+40

$$\frac{C2.1}{20.9}$$

C0.4

$$\frac{C1.4}{19.8}$$

$$\frac{F0.2}{17.5}$$

F0.1

$$\frac{F0.6}{16.9}$$

$$\frac{F0.5}{17.0}$$

F0.6

$$\frac{F1.0}{16.3}$$

$$\frac{F1.1}{16.1}$$

F0.8

$$\frac{F1.2}{16.0}$$

$$\frac{F1.6}{15.4}$$

F0.9

$$\frac{F1.8}{15.2}$$

$$\frac{F1.4}{15.7}$$

F1.1

$$\frac{F1.4}{15.3}$$

17446

Sta	+R	H.I	-R	Elev	Grade
255			4.30	1170.90	1170.84
B.M.			3.31	1171.15	
254			5.60	1168.90	1169.55
253			7.80	1166.80	1168.10
252			8.90	1165.60	1166.95
T.P.	3.49	1169.68	8.27	1166.19	
251			4.20	1165.50	1166.10
250			4.50	1165.20	1165.55
249			5.30	1164.40	1164.98
248			6.30	1163.40	1164.85
T.P.	2.32	1166.39	5.61	1164.07	
247			4.10	1162.20	1162.78
246			6.30	1160.80	1161.15

 Clear
 Robax }
 Walter }
 Rose } 5/11/22

Sta	+R	H.I	-R	Elev	Grade
255			4.30	1170.90	1170.84
B.M.			3.31	1171.15	
254			5.60	1168.90	1169.55
253			7.80	1166.80	1168.10
252			8.90	1165.60	1166.95
T.P.	3.49	1169.68	8.27	1166.19	
251			4.20	1165.50	1166.10
250			4.50	1165.20	1165.55
249			5.30	1164.40	1164.98
248			6.30	1163.40	1164.85
T.P.	2.32	1166.39	5.61	1164.07	
247			4.10	1162.20	1162.78
246			6.30	1160.80	1161.15

Hickory Pt 254+80

114829

116639

Sta.	+R.	H.I.	-R.	Elev	Grade
245+13			8.50	1157.90	1159.00
245			9.10	1157.20	1158.60
T.P.	118	1161.58	5.99	1160.40	
244			9.10	1152.50	1154.55
T.P.	1.50	1153.64	9.44	1152.14	
B.M.			5.37	1148.27	
243			4.40	1149.20	1150.30
+50			4.90	1148.70	1149.55
242			5.00	1148.60	1149.90
+50			5.40	1148.20	1151.35
T.P.					
241	9.77	1158.24	5.17	1148.47	
241			7.00	1151.20	1153.35
T.P.	6.28	1162.54	1.98	1156.26	
240			5.00	1157.50	1157.11
239			5.60	1156.80	1157.45

Lt	C	Rt	
$\frac{C3.0}{222}$	F.11	$\frac{C6.2}{22.7}$	1' to 1' slope
$\frac{F0.5}{170}$	F.14	$\frac{C6.0}{22.5}$	1' to 1' slope
$\frac{C1.3}{197}$	F.2.0	$\frac{C4.1}{20.6}$	1' to 1' slope

Elm Lt 243+60

$\frac{F4.9}{193}$	F.11	$\frac{F4.0}{17.5}$
$\frac{F3.5}{165}$	F0.8	$\frac{F2.0}{14.2}$
$\frac{F3.0}{155}$	F.1.3	$\frac{F0.9}{16.4}$
$\frac{F5.9}{214}$	F.3.1	$\frac{F3.3}{16.1}$
$\frac{F0.1}{17.6}$	F.1.1	$\frac{0.0}{17.8}$
$\frac{C1.0}{19.3}$	COA	$\frac{C2.7}{21.8}$
$\frac{C1.3}{197}$	F0.8	$\frac{C1.9}{20.6}$

DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope 1 1/2 to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in the table.

IMPROVED TABLES
AND
INFORMATION

TABLE No. 2.

To find Tangent and External for curve of any other degree divide by degree of curve and add correction found in column of correction. Degree of curve with a given L may be found by dividing tangent, (or external), opposite L by given tangent, (or external).
The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.

DIRECTIONS FOR USE OF TABLES

TABLE No. 1.

Distance of slope stake from side or shoulder stake for any width roadway, slope $1\frac{1}{2}$ to 1. If ground is nearly level, the cut or fill at side stake is located by the double entry method in left column and top row. The number in body of table in same row and column gives distance from side stake to slope stake. If ground is not level estimate the difference in elevation between the side stake and slope stake, lower target by this amount if cut, elevate if fill. Add this amount to cut or fill and find distance in table. Set up rod at this point, and line of sight should cut target. If it does not make the slight adjustment necessary.

TABLE No. 9.

To find Tangent and External for curve of any other degree, divide by degree of curve and add correction found in column of corrections.

Degree of curve with a given I may be found by dividing tangent, (or external), opposite I by given tangent, (or external).

The distance from a point on the tangent to the curve is very nearly the square of the tangent length divided by twice the radius.




TABLE II
TRIGONOMETRIC FORMULÆ.

$$\angle A = \angle MOP \quad \angle B = \angle PON = \angle OPL$$

$$R = OB = c = 1$$

$$\sin A = \frac{a}{c} = \frac{a}{1} = a = \cos B = LP$$

$$\cos A = \frac{b}{c} = \frac{b}{1} = b = \sin B = OL$$

$$\tan A = \frac{a}{b} = \frac{MQ}{OM} = \frac{MQ}{1} = MQ = \cot B = MQ$$

$$\cot A = \frac{NT}{ON} = \frac{NT}{1} = NT = \tan B = NT$$

$$\sec A = \frac{OQ}{OM} = \frac{OQ}{1} = OQ = \csc B = OQ$$

$$\csc A = \frac{OT}{ON} = \frac{OT}{1} = OT = \sec B = OT$$

$$\text{vers } A = \frac{LM}{OP} = LM = \text{covers } B \#$$

$$\text{covers } A = \frac{OP - LP}{OP} = OP - LP = \text{vers } B$$

$$\text{exsec } A = PQ = \text{coexsec } B$$

$$\text{coexsec } A = PT = \text{exsec } B$$

$$\sin \frac{1}{2} A = \sqrt{\frac{1 - \cos A}{2}} \quad \cos \frac{1}{2} A = \sqrt{\frac{1 + \cos A}{2}}$$

$$\sin 2A = 2 \sin A \cos A \quad \cos 2A = \cos^2 A - \sin^2 A$$

$$\text{Law of Lines} \quad \frac{\sin A}{a} = \frac{\sin B}{B} = \frac{\sin C}{C}$$

$$\text{Law of Cosines} \quad c^2 = a^2 + b^2 - 2ab \cos C$$

$$\text{Law of Tangents} \quad \frac{a+b}{a-b} = \frac{\tan \frac{1}{2}(A+B)}{\tan \frac{1}{2}(A-B)}$$

TABLE II—Continued
TRIGONOMETRIC FORMULAE (continued)

In any triangle:

Given a, b, C; to find c, B, A.

Use Law of Lines.

Given A, B, c; to find a, b, C.

Use Law of Lines.

Given a, b, c; to find A, B, C.

$$\text{Let } \frac{a+b+c}{2} = s, \quad \sqrt{\frac{(s-a)(s-b)(s-c)}{s}} = r$$

$$\cos \frac{1}{2} A = \sqrt{\frac{s(s-a)}{bc}}$$

$$\tan \frac{1}{2} A = \frac{r}{s-a}$$

$$\tan \frac{1}{2} B = \frac{r}{s-b}$$

$$\tan \frac{1}{2} C = \frac{r}{s-c}$$

Area of a triangle:

$$\text{Area} = \frac{1}{2} ab \sin C$$

$$\text{Area} = \sqrt{s(s-a)(s-b)(s-c)}$$

PRISMOIDAL FORMULA.

$$\text{Vol.} = \frac{h}{6} (B+b+4M)$$

h = altitude; b, B = bases; M = midsection

TABLE III
INCHES AND FRACTIONS OF AN INCH IN DECIMALS OF A FOOT

	0	1	2	3	4	5	6	7	8	9	10	11	
$\frac{1}{16}$.0052	.0885	.1719	.2552	.3385	.4219	.5052	.5885	.6719	.7552	.8385	.9219	$\frac{1}{16}$
$\frac{1}{8}$.0104	.0938	.1771	.2604	.3438	.4271	.5104	.5938	.6771	.7604	.8438	.9271	$\frac{1}{8}$
$\frac{3}{16}$.0156	.0990	.1823	.2656	.3490	.4323	.5156	.5990	.6823	.7656	.8490	.9323	$\frac{3}{16}$
$\frac{1}{4}$.0208	.1042	.1875	.2708	.3542	.4375	.5208	.6042	.6875	.7708	.8542	.9375	$\frac{1}{4}$
$\frac{5}{16}$.0260	.1094	.1927	.2760	.3594	.4427	.5260	.6094	.6927	.7760	.8594	.9427	$\frac{5}{16}$
$\frac{3}{8}$.0313	.1146	.1979	.2813	.3646	.4479	.5313	.6146	.6979	.7813	.8646	.9479	$\frac{3}{8}$
$\frac{7}{16}$.0365	.1198	.2031	.2865	.3698	.4531	.5365	.6198	.7031	.7865	.8698	.9531	$\frac{7}{16}$
$\frac{1}{2}$.0417	.1250	.2083	.2917	.3750	.4583	.5417	.6250	.7083	.7917	.8750	.9583	$\frac{1}{2}$
$\frac{9}{16}$.0469	.1302	.2135	.2969	.3803	.4635	.5469	.6302	.7135	.7969	.8802	.9635	$\frac{9}{16}$
$\frac{5}{8}$.0521	.1354	.2188	.3021	.3854	.4688	.5521	.6354	.7188	.8021	.8854	.9688	$\frac{5}{8}$
$\frac{11}{16}$.0573	.1406	.2240	.3073	.3906	.4740	.5573	.6406	.7240	.8073	.8906	.9740	$\frac{11}{16}$
$\frac{3}{4}$.0625	.1458	.2292	.3125	.3958	.4792	.5625	.6458	.7292	.8125	.8958	.9792	$\frac{3}{4}$
$\frac{13}{16}$.0677	.1510	.2344	.3177	.4010	.4844	.5677	.6510	.7344	.8177	.9010	.9844	$\frac{13}{16}$
$\frac{7}{8}$.0729	.1563	.2396	.3229	.4063	.4896	.5729	.6563	.7396	.8229	.9063	.9896	$\frac{7}{8}$
$\frac{15}{16}$.0781	.1615	.2448	.3281	.4115	.4948	.5781	.6615	.7448	.8281	.9115	.9948	$\frac{15}{16}$
1	.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167	1.000	1
	0	1	2	3	4	5	6	7	8	9	10	11	

TABLE IV
USEFUL RELATIONS.

Lineal feet	×.00019	= miles
Lineal yards	×.0006	= miles
Square inches	×.007	= square feet
Square feet	×.111	= square yards
Square yards	×.0002067	= acres
Acres	×4840	= square yards
Cubic inches	×.00058	= cubic feet
Cubic feet	×.03704	= cubic yards
Links	×.22	= yards
Links	×.66	= feet
Feet	×1.5	= links

360° = 21600' = 1296000"
Radius = arc of 57.2957790°

Arc of 1° (radius = 1) = .017453292

Arc of 1' (radius = 1) = .000290888

Arc of 1" (radius = 1) = .000004848

$$\pi = 3.141592654 \quad \sqrt{\frac{1}{4}} = 0.564190$$

$$\frac{\pi}{4} = 0.785398163 \quad \sqrt[3]{\frac{6}{\pi}} = 1.240700982$$

$$\frac{\pi}{6} = 0.523598776 \quad \pi^2 = 9.869604401$$

$$\sqrt{\frac{4}{\pi}} = 1.128379167 \quad \frac{1}{\pi^2} = 0.101321184$$

$$\frac{\pi}{6} = 0.523598776 \quad \sqrt{\pi} = 1.772453851$$

$$\frac{4\pi}{3} = 4.188790205 \quad \frac{1}{\pi} = 0.3183099$$

Curvature of Earth's surface = about 0.7 feet in 1 mile

Curvature in feet = 0.667 (Dist. in miles)²

Difference between arc and chord length, 0.05 feet in 11½ miles

$$\text{Probable error of a single observation} = 0.6754 \sqrt{\frac{M v^2}{n-1}}$$

Error in chaining of 0.01 feet in 100 feet:

Due to—

1. Length of tape error of 0.01 feet
2. Alignment. One end 1.4 feet out of line
3. Sag of tape at centre of 0.61 feet.
4. Temperature difference of 15°
5. Difference of pull of 15 lbs.

STADIA REDUCTION FORMULAE.

Horizontal Distance = R — R sin² a + C cos a

Vertical Distance = R ½ sin 2 a + C sin a

R = Reading × $\frac{\text{distance from Object glass to cross hairs}}{\text{distance between cross hairs}}$

C = distance from Object glass to cross hairs + distance from Object glass to center of instrument.

a = angle of elevation for mid Reading

TABLE VI (continued)
SINES, COSINES, TANGENTS, COTANGENTS (continued)

deg.	sin 0'	tan 0'	sin 10'	tan 10'	sin 20'	tan 20'	sin 30'	tan 30'	sin 40'	tan 40'	sin 50'	tan 50'	deg.
46	7193	1.0355	7214	1.0416	7234	1.0477	7254	1.0533	7274	1.0599	7294	1.0661	43
47	314	.0724	333	.0786	353	.0850	373	.0913	392	.0977	412	1.041	42
48	431	.1106	451	.1171	470	.1237	490	.1303	509	.1369	528	.1436	41
49	547	.1504	566	.1571	585	.1640	604	.1708	623	.1778	642	.1847	40
									1.2203				
50	660	1.1918	7679	1.1988	7698	1.2059	7716	1.2131	7735	.2647	7753	1.2276	39
51	771	2349	790	.2423	808	.2497	826	.2572	844	.3111	862	.2723	38
52	880	.2799	898	.2876	916	.2954	934	.3032	951	.3597	969	.3190	37
53	986	.3270	8004	.3351	8021	.3452	8039	.3514	8056	.4106	8073	.3680	36
54	8090	.3764	107	.3848	124	.3934	141	.4019	158	.4641	175	.4193	35
55	192	4281	208	.4370	225	.4460	241	.4550	258	.5204	274	.4733	34
56	290	.4826	307	.4919	323	.5013	339	.5108	355	.5798	371	.5301	33
57	387	.5399	403	.5497	418	.5597	434	.5697	450	.6426	465	.5900	32
58	480	.6003	496	.6107	511	.6212	526	.6319	542	.7090	557	.6534	31
59	572	.6643	587	.6753	601	.6864	613	.6977	631		646	.7205	30
60	660	1.7321	8675	1.7437	8689	1.7556	8704	1.7675	8718	1.7797	8732	1.7917	29
61	746	.8040	760	.8165	774	.8291	788	.8418	802	.8546	816	.8376	28
62	829	.8807	843	.8940	857	.9074	870	.9210	884	.9347	897	.9486	27
63	910	.9626	923	.9768	936	.9912	949	2.0057	962	2.0204	975	2.0353	26
64	988	2.0503	9001	2.0655	9013	2.0809	9026	.0965	9038	.1123	9051	1.283	25
65	9063	.1445	075	.1609	088	.1775	100	.1943	112	.2113	124	.2286	24
66	135	.2460	147	.2637	159	.2817	171	.2998	182	.3183	194	.3369	23
67	205	.3559	216	.3750	228	.3945	239	.4142	250	.4342	261	.4545	22
68	272	.4751	283	.4960	293	.5172	304	.5386	315	.5605	325	.5826	21
69	336	.6051	346	.6279	356	.6511	367	.6746	377	.6985	387	.7228	20
70	397	2.7475	9407	2.7725	9417	2.7980	9426	2.8239	9436	2.8502	9446	2.8770	19
71	455	.9042	465	.9319	474	.9600	483	.9887	492	3.0178	502	3.0475	18
72	511	3.0777	520	3.1084	528	3.1397	537	3.1716	546	.2041	555	.2371	17
73	563	.2709	572	.3052	580	.3402	588	.3759	596	.4124	605	.4495	16
74	613	.4874	621	.5261	628	.5656	636	.6059	644	.6470	652	.6891	15
75	659	.7321	667	.7760	674	.8208	681	.8657	689	.9136	696	.9617	14
76	703	4.0108	710	4.0611	717	4.1126	724	4.1653	730	4.2193	737	4.2747	13
77	744	.3315	750	.3897	757	.4494	763	.5107	769	.5736	775	.6382	12
78	781	.7046	787	.7729	793	.8430	799	.9152	805	.9894	811	5.0658	11
79	816	.1446	822	5.2257	827	5.3093	833	5.3955	838	5.4845	845	.5764	10
80	9848	5.6713	9853	5.7694	9858	5.8708	9863	5.9758	9868	6.0844	9872	6.1970	9
81	877	6.3138	881	6.4348	886	6.5606	890	6.6912	894	.8269	899	.9682	8
82	903	7.1154	907	7.2687	911	7.4287	914	7.5958	918	7.7704	922	7.9530	7
83	925	8.1443	929	8.3450	932	8.5555	936	8.7769	939	9.0098	942	9.2553	6
84	945	9.5144	948	9.7882	951	10.078	954	10.385	957	10.711	959	11.059	5
85	962	11.430	964	11.826	967	12.250	969	12.706	971	13.197	974	13.727	4
86	976	14.300	978	14.924	980	15.605	981	16.350	983	17.169	985	18.075	3
87	986	19.081	988	20.206	989	21.470	990	22.903	992	24.542	993	26.432	2
88	994	28.636	995	31.242	996	34.368	997	38.189	997	42.964	998	49.104	1
89	999	57.290	999	68.750	999	85.940	999	114.58	1.000	171.88	1.000	343.77	0
60'	60'	50'	50'	40'	40'	30'	30'	30'	20'	10'	10'		deg.
cos	cot	cos	cot	cos	cot	cos	cot	cos	cot	cos	cot		

TABLE VII
RODS IN FEET AND INCHES

Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches	Rods	Feet Inches
1	16-6	21	346-6	41	676-6	61	1006-6	81	1336-6
2	33-0	22	363-0	42	693-0	62	1023-0	82	1353-0
3	49-6	23	379-6	43	709-6	63	1039-6	83	1369-6
4	66-0	24	396-0	44	726-0	64	1056-0	84	1386-0
5	82-6	25	412-6	45	742-6	65	1072-6	85	1402-6
6	99-0	26	429-0	46	759-0	66	1089-0	86	1419-0
7	115-6	27	445-6	47	775-6	67	1105-6	87	1435-6
8	132-0	28	462-0	48	792-0	68	1122-0	88	1452-0
9	148-6	29	478-6	49	808-6	69	1138-6	89	1468-6
10	165-0	30	495-0	50	825-0	70	1155-0	90	1485-0
11	181-6	31	511-6	51	841-6	71	1171-6	91	1501-6
12	198-0	32	528-0	52	858-0	72	1188-0	92	1518-0
13	214-6	33	544-6	53	874-6	73	1204-6	93	1534-6
14	231-0	34	561-0	54	891-0	74	1221-0	94	1551-0
15	247-6	35	577-6	55	907-6	75	1237-6	95	1567-6
16	264-0	36	594-0	56	924-0	76	1254-0	96	1584-0
17	280-6	37	610-6	57	940-6	77	1270-6	97	1600-6
18	297-0	38	627-0	58	957-0	78	1287-0	98	1617-0
19	313-6	39	643-6	59	973-6	79	1303-6	99	1633-6
20	330-0	40	660-0	60	990-0	80	1320-0	100	1650-0

TABLE VIII
LINKS IN FEET AND INCHES

Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches	Links	Feet Inches
1	0-7.92	18	11-10.56	35	23-1.20	52	34-3.84	69	45-6.48
2	1-3.84	19	12-6.48	36	23-9.12	53	34-11.76	70	46-2.40
3	1-11.76	20	13-2.40	37	24-5.04	54	35-7.68	71	46-10.32
4	2-7.68	21	13-10.32	38	25-0.96	55	36-3.60	72	47-6.24
5	3-3.60	22	14-6.24	39	25-8.88	56	36-11.52	73	48-2.16
6	3-11.52	23	15-2.16	40	26-4.80	57	37-7.44	74	48-10.08
7	4-7.44	24	15-10.08	41	27-0.72	58	38-3.36	75	49-6.00
8	5-3.36	25	16-6.00	42	27-8.64	59	38-11.28	76	50-1.92
9	5-11.28	26	17-1.92	43	28-4.56	60	39-7.20	77	50-9.84
10	6-7.20	27	17-9.84	44	29-0.48	61	40-3.12	78	51-5.76
11	7-3.12	28	18-5.76	45	29-8.40	62	40-11.04	79	52-1.68
12	7-11.04	29	19-1.68	46	30-4.32	63	41-6.96	80	52-9.60
13	8-6.96	30	19-9.60	47	31-0.24	64	42-2.88	81	53-5.52
14	9-2.88	31	20-5.52	48	31-8.16	65	42-10.80	82	54-1.44
15	9-10.80	32	21-1.44	49	32-4.08	66	43-6.72	83	54-9.36
16	10-6.72	33	21-9.36	50	33-0.00	67	44-2.64	84	55-5.28
17	11-2.64	34	22-5.28	51	33-7.92	68	44-10.56	85	56-1.20
								86	56-9.12
								87	57-5.04
								88	58-0.96
								89	58-8.88
								90	59-4.80
								91	60-0.72
								92	60-8.64
								93	61-4.56
								94	62-0.48
								95	62-8.40
								96	63-4.32
								97	64-0.24
								98	64-8.16
								99	65-4.08
								100	66-0.00
								101	66-7.92
								102	67-3.84

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=10°	I	T	E	I=20°	I	T	E	I=30°
1°	50.00	.218	+	11°	551.70	26.500	+	21°	1061.9	97.577	+
10'	58.34	.297	5° C.	10'	560.11	27.313	5° C.	10'	1070.6	99.155	5° C.
20'	66.67	.388	T	20'	568.53	28.137	T	20'	1079.2	100.75	T
30'	75.01	.491	T	30'	576.95	28.974	T	30'	1087.8	102.35	T
40'	83.34	.606	.03	40'	585.36	29.824	.06	40'	1096.4	103.97	.10
50'	91.68	.733	E	50'	593.79	30.686	E	50'	1105.1	105.60	E
2°	100.01	.873	.001	12°	602.21	31.561	.006	22°	1113.7	107.24	.013
10'	108.35	1.024		10'	610.64	32.447		10'	1122.4	108.90	
20'	116.68	1.188		20'	619.07	33.347		20'	1131.0	110.57	
30'	125.02	1.364		30'	627.50	34.259		30'	1139.7	112.25	
40'	133.36	1.552		40'	635.93	35.183		40'	1148.4	113.95	
50'	141.70	1.752		50'	644.37	36.120		50'	1157.0	115.66	
3°	150.04	1.964	10° C.	13°	652.81	37.070	10° C.	23°	1165.7	117.38	10° C.
10'	158.38	2.188	T	10'	661.25	38.031	T	10'	1174.4	119.12	T
20'	166.72	2.425	.06	20'	669.70	39.006	.13	20'	1183.1	120.87	.19
30'	175.06	2.674	E	30'	678.15	39.993	E	30'	1191.8	122.63	E
40'	183.40	2.934	.003	40'	686.60	40.992	.011	40'	1200.5	124.41	.025
50'	191.74	3.207		50'	695.06	42.004		50'	1209.2	126.20	
4°	200.08	3.492		14°	703.51	43.029		24°	1217.9	128.00	
10'	208.43	3.790		10'	711.97	44.066		10'	1226.6	129.82	
20'	216.77	4.099		20'	720.44	45.116		20'	1235.3	131.65	
30'	225.12	4.421		30'	728.90	46.178		30'	1244.0	133.50	
40'	233.47	4.755		40'	737.37	47.253		40'	1252.8	135.35	
50'	241.81	5.100	15° C.	50'	745.85	48.341	15° C.	50'	1261.5	137.23	15° C.
5°	250.16	5.459	T	15°	754.32	49.441	T	25°	1270.2	139.11	T
10'	258.51	5.829	.09	10'	762.80	50.554	.19	10'	1279.0	141.01	.29
20'	266.86	6.211	E	20'	771.29	51.679	E	20'	1287.7	142.93	E
30'	275.21	6.606	.004	30'	779.77	52.818	.017	30'	1296.5	144.85	.038
40'	283.57	7.013		40'	788.26	53.969		40'	1305.3	146.77	
50'	291.92	7.432		50'	796.75	55.132		50'	1314.0	148.75	
6°	300.28	7.863		16°	805.25	56.309		26°	1322.8	150.71	
10'	308.64	8.307		10'	813.75	57.498		10'	1331.6	152.69	
20'	316.99	8.762		20'	822.25	58.699		20'	1340.4	154.69	
30'	325.35	9.230		30'	830.76	59.914		30'	1349.2	156.70	
40'	333.71	9.710	20° C.	40'	839.27	61.141	20° C.	40'	1358.0	158.72	20° C.
50'	342.08	10.202	T	50'	847.78	62.381	T	50'	1366.8	160.76	T
7°	350.44	10.707	E	17°	856.30	63.634	E	27°	1375.6	162.81	E
10'	358.81	11.224	.006	10'	864.82	64.900	.022	10'	1384.4	164.86	.051
20'	367.17	11.753		20'	873.35	66.178		20'	1393.2	166.94	
30'	375.54	12.294		30'	881.88	67.470		30'	1402.0	169.04	
40'	383.91	12.847		40'	890.41	68.774		40'	1410.9	171.15	
50'	392.28	13.413		50'	898.95	70.091		50'	1419.7	173.27	
8°	400.66	13.991		18°	907.49	71.421		28°	1428.6	175.41	
10'	409.03	14.582		10'	916.03	72.764		10'	1437.4	177.55	
20'	417.41	15.184	25° C.	20'	924.58	74.119	25° C.	20'	1446.3	179.72	25° C.
30'	425.79	15.799	T	30'	933.13	75.488	T	30'	1455.1	181.89	T
40'	434.17	16.426	.16	40'	941.69	76.869	.32	40'	1464.0	184.08	.49
50'	442.55	17.065	E	50'	950.25	78.264	E	50'	1472.9	186.29	E
9°	450.93	17.717	.007	19°	958.81	79.671	.028	29°	1481.8	188.51	.065
10'	459.32	18.381		10'	967.38	81.092		10'	1490.7	190.74	
20'	467.71	19.058		20'	975.96	82.525		20'	1499.6	192.99	
30'	476.10	19.746		30'	984.53	83.972		30'	1508.5	195.25	
40'	484.49	20.447		40'	993.12	85.431		40'	1517.4	197.53	
50'	492.88	21.161		50'	1001.7	86.904		50'	1526.3	199.82	
10°	501.28	21.887	30° C.	20°	1010.3	88.389	30° C.	30°	1535.3	202.12	30° C.
10'	509.68	22.624	T	10'	1018.9	89.888	T	10'	1544.2	204.44	T
20'	518.08	23.375	.19	20'	1027.5	91.399	.39	20'	1553.1	206.77	.59
30'	526.48	24.138	E	30'	1036.1	92.924	E	30'	1562.1	209.12	E
40'	534.89	24.913	.008	40'	1044.7	94.462	.034	40'	1571.0	211.48	.078
50'	543.29	25.700		50'	1053.3	96.013		50'	1580.0	213.86	

T = R tan 1/2 I

E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=40°	I	T	E	I=50°	I	T	E	I=60°
31°	1589.0	216.3	+	41°	2142.2	387.4	+	51°	2732.9	618.4	+
10'	1598.0	218.7	5° C.	10'	2151.7	390.7	5° C.	10'	2743.1	622.8	5° C.
20'	1606.9	221.1	T	20'	2161.2	394.1	T	20'	2753.4	627.2	T
30'	1615.9	223.5	T	30'	2170.8	397.4	T	30'	2763.7	631.7	T
40'	1624.9	226.0	.13	40'	2180.3	400.8	.17	40'	2773.9	636.2	.21
50'	1633.9	228.4	E	50'	2189.9	404.2	E	50'	2784.2	640.7	E
32°	1643.0	230.9	.023	42°	2199.4	407.6	.037	52°	2794.5	645.2	.056
10'	1652.0	233.4		10'	2209.0	411.1		10'	2804.9	649.7	
20'	1661.0	235.9		20'	2218.6	414.5		20'	2815.2	654.3	
30'	1670.0	238.4		30'	2228.1	418.0		30'	2825.6	658.8	
40'	1679.1	241.0		40'	2237.7	421.4		40'	2835.9	663.4	
50'	1688.1	243.5		50'	2247.3	425.0		50'	2846.3	668.0	
33°	1697.2	246.1	10° C.	43°	2257.0	428.5	10° C.	53°	2856.7	672.7	10° C.
10'	1706.3	248.7	T	10'	2266.6	432.0	T	10'	2867.1	677.3	T
20'	1715.3	251.3	.26	20'	2276.2	435.6	.34	20'	2877.5	682.0	.42
30'	1724.4	253.9	E	30'	2285.9	439.2	E	30'	2888.0	686.7	E
40'	1733.5	256.5	.046	40'	2295.6	442.8	.075	40'	2898.4	691.4	.112
50'	1742.6	259.1		50'	2305.2	446.4		50'	2908.9	696.1	
34°	1751.7	261.8		44°	2314.9	450.0		54°	2919.4	700.9	
10'	1760.8	264.5		10'	2324.6	453.6		10'	2929.9	705.7	
20'	1770.0	267.2		20'	2334.3	457.3		20'	2940.4	710.5	
30'	1779.1	269.9		30'	2344.1	461.0		30'	2951.0	715.3	
40'	1788.2	272.6		40'	2353.8	464.6		40'	2961.5	720.1	
50'	1797.4	275.3	15° C.	50'	2363.5	468.4	15° C.	50'	2972.1	725.0	15° C.
35°	1806.6	278.1	T	45°	2373.3	472.1	T	55°	2982.7	729.9	T
10'	1815.7	280.8	.40	10'	2383.1	475.8	.51	10'	2993.3	734.8	.63
20'	1824.9	283.6	E	20'	2392.8	479.6	E	20'	3003.9	739.7	E
30'	1834.1	286.4	.070	30'	2402.6	483.4	.116	30'	3014.5	744.6	.168
40'	1843.3	289.2		40'	2412.4	487.2		40'	3025.2	749.6	
50'	1852.5	292.0		50'	2422.3	491.0		50'	3035.8	754.6	
36°	1861.7	294.9		46°	2432.1	494.8		56°	3046.5	759.6	
10'	1870.9	297.7		10'	2441.9	498.7		10'	3057.2	764.6	
20'	1880.1	300.6		20'	2451.8	502.5		20'	3067.9	769.7	
30'	1889.4	303.5	20° C.	30'	2461.7	506.4	20° C.	30'	3078.7	774.7	20° C.
40'	1898.6	306.4	T	40'	2471.5	510.3	T	40'	3089.4	779.8	T
50'	1907.9	309.3	.53	50'	2481.4	514.3	.68	50'	3100.2	784.9	.84
37°	1917.1	312.2	E	47°	2491.3	518.2	E	57°	3110.9	790.1	E
10'	1926.4	315.2	.093	10'	2501.2	522.2	.151	10'	3121.7	795.2	.225
20'	1935.7	318.1		20'	2511.2	526.1		20'	3132.6	800.4	
30'	1945.0	321.1		30'	2521.1	530.1		30'	3143.4	805.6	
40'	1954.3	324.1		40'	2531.1	534.2		40'	3154.2	810.9	
50'	1963.6	327.1		50'	2541.0	538.2		50'	3165.1	816.1	
38°	1972.9	330.2		48°	2551.0	542.2		58°	3176.0	821.4	
10'	1982.2	333.2	25° C.	10'	2561.0	546.3	25° C.	10'	3186.9	826.7	25° C.
20'	1991.5	336.3	T	20'	2571.0	550.4	T	20'	3197.8	832.0	T
30'	2000.9	339.3	.67	30'	2581.0	554.5	.85	30'	3208.8	837.3	.105
40'	2010.2	342.4	E	40'	2591.0	558.6	E	40'	3219.7	842.7	E
50'	2019.6	345.5	.117	50'	2601.1	562.8	.189	50'	3230.7	848.1	.283
39°	2029.0	348.6		49°	2611.2	566.9</					

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=70°	I	T	E	I=80°	I	T	E	I=90°
61°	3375.0	920.2	+	71°	4086.9	1308.2	+	81°	4893.6	1805.3	+
10'	3386.3	925.9		10'	4099.5	1315.6		10'	4908.0	1814.7	
20'	3397.5	931.6	5° C.	20'	4112.1	1322.9	5° C.	20'	4922.5	1824.1	5° C.
30'	3408.8	937.3	T	30'	4124.8	1330.3	T	30'	4937.0	1833.6	T
40'	3420.1	943.1	.25	40'	4137.4	1337.7	.30	40'	4951.5	1843.1	.36
50'	3431.4	948.9	E	50'	4150.1	1345.1	E	50'	4966.1	1852.6	E
62°	3442.7	954.8	.080	72°	4162.8	1352.6	.110	82°	4980.7	1862.2	.149
10'	3454.1	960.6		10'	4175.6	1360.1		10'	4995.4	1871.8	
20'	3465.4	966.5		20'	4188.5	1367.6		20'	5010.0	1881.5	
30'	3476.8	972.4		30'	4201.2	1375.2		30'	5024.8	1891.2	
40'	3488.3	978.3		40'	4214.0	1382.8		40'	5039.5	1900.9	
50'	3499.7	984.3		50'	4226.8	1390.4		50'	5054.3	1910.7	
63°	3511.1	990.2	10° C.	73°	4239.7	1398.0	10° C.	83°	5069.2	1920.5	10° C.
10'	3522.6	996.2	T	10'	4252.6	1405.7	T	10'	5084.0	1930.4	T
20'	3534.1	1002.3	.51	20'	4265.6	1413.5	.61	20'	5099.0	1940.3	.72
30'	3545.6	1008.3	E	30'	4278.5	1421.2	E	30'	5113.9	1950.3	E
40'	3557.2	1014.4	.159	40'	4291.5	1429.0	.220	40'	5128.9	1960.2	.299
50'	3568.7	1020.5		50'	4304.6	1436.8		50'	5143.9	1970.3	
64°	3580.3	1026.6		74°	4317.6	1444.6		84°	5159.0	1980.4	
10'	3591.9	1032.8		10'	4330.7	1452.5		10'	5174.1	1990.5	
20'	3603.5	1039.0		20'	4343.8	1460.4		20'	5189.3	2000.6	
30'	3615.1	1045.2		30'	4356.9	1468.4		30'	5204.4	2010.8	
40'	3626.8	1051.4		40'	4370.1	1476.4		40'	5219.7	2021.1	
50'	3638.5	1057.7	15° C.	50'	4383.3	1484.4	15° C.	50'	5234.9	2031.4	15° C.
65°	3650.2	1063.9	T	75°	4396.5	1492.4	T	85°	5250.3	2041.7	T
10'	3661.9	1070.2	.76	10'	4409.8	1500.5	.91	10'	5265.6	2052.1	1.09
20'	3673.7	1076.6	E	20'	4423.1	1508.6	E	20'	5281.0	2062.5	E
30'	3685.4	1082.9	.240	30'	4436.4	1516.7	.332	30'	5296.4	2073.0	.450
40'	3697.2	1089.3		40'	4449.7	1524.9		40'	5311.9	2083.5	
50'	3709.0	1095.7		50'	4463.1	1533.1		50'	5327.4	2094.1	
66°	3720.9	1102.2		76°	4476.5	1541.4		86°	5343.0	2104.7	
10'	3732.7	1108.6		10'	4489.9	1549.7		10'	5358.6	2115.3	
20'	3744.6	1115.1		20'	4503.4	1558.0		20'	5374.2	2126.0	
30'	3756.5	1121.7		30'	4516.9	1566.3		30'	5389.9	2136.7	
40'	3768.5	1128.2	20° C.	40'	4530.4	1574.7	20° C.	40'	5405.6	2147.5	20° C.
50'	3780.4	1134.8	T	50'	4544.0	1583.1	T	50'	5421.4	2158.4	T
67°	3792.4	1141.4	1.02	77°	4557.6	1591.6	1.22	87°	5437.2	2169.2	1.45
10'	3804.4	1148.0	E	10'	4571.2	1600.1	E	10'	5453.1	2180.2	E
20'	3816.4	1154.7	.321	20'	4584.8	1608.6	.445	20'	5469.0	2191.1	.603
30'	3828.4	1161.3		30'	4598.5	1617.1		30'	5484.9	2202.2	
40'	3840.5	1168.1		40'	4612.2	1625.7		40'	5500.9	2213.2	
50'	3852.6	1174.8		50'	4626.0	1634.4		50'	5517.0	2224.3	
68°	3864.7	1181.6		78°	4639.8	1643.0		88°	5533.1	2235.5	
10'	3876.8	1188.4		10'	4653.6	1651.7		10'	5549.2	2246.7	
20'	3889.0	1195.2	25° C.	20'	4667.4	1660.5	25° C.	20'	5565.4	2258.0	25° C.
30'	3901.2	1202.0	T	30'	4681.3	1669.2	T	30'	5581.6	2269.3	T
40'	3913.4	1208.9	1.28	40'	4695.2	1678.1	1.53	40'	5597.8	2280.6	1.83
50'	3925.6	1215.8	E	50'	4709.2	1686.9	E	50'	5614.2	2292.0	E
69°	3937.7	1222.7	.403	79°	4723.2	1695.8	.558	89°	5630.5	2303.5	.756
10'	3950.2	1229.7		10'	4737.2	1704.7		10'	5646.9	2315.0	
20'	3962.5	1236.7		20'	4751.2	1713.7		20'	5663.4	2326.6	
30'	3974.8	1243.7		30'	4765.3	1722.7		30'	5679.9	2338.2	
40'	3987.2	1250.8		40'	4779.4	1731.7		40'	5696.4	2349.8	
50'	3999.5	1257.9		50'	4793.6	1740.8		50'	5713.0	2361.5	
70°	4011.9	1265.0	30° C.	80°	4807.7	1749.9	30° C.	90°	5729.7	2373.3	30° C.
10'	4024.4	1272.1	T	10'	4822.0	1759.0	T	10'	5746.3	2385.1	T
20'	4036.8	1279.3	1.54	20'	4836.2	1768.2	1.84	20'	5763.1	2397.0	2.20
30'	4049.3	1286.5	E	30'	4850.5	1777.4	E	30'	5779.9	2408.9	E
40'	4061.8	1293.6	.485	40'	4864.8	1786.7	.671	40'	5796.7	2420.9	.910
50'	4074.4	1300.9		50'	4879.2	1796.0		50'	5813.6	2432.9	

T = R tan 1/2 I

E = R exsec 1/2 I

TABLE IX. TANGENTS AND EXTERNALS TO A 1° CURVE

I	T	E	I=100°	I	T	E	I=110°	I	T	E	I=120°
91°	5830.5	2444.9	+	101°	6950.6	3278.1	+	111°	8336.7	4386.1	+
10'	5847.5	2457.1		10'	6971.3	3294.1		10'	8362.7	4407.6	
20'	5864.6	2469.3	5° C.	20'	6992.0	3310.1	5° C.	20'	8388.9	4429.2	5° C.
30'	5881.7	2481.5	T	30'	7012.7	3326.1	T	30'	8415.1	4450.9	T
40'	5898.8	2493.8	.43	40'	7033.6	3342.3	.51	40'	8441.5	4472.7	.62
50'	5916.0	2506.1	E	50'	7054.5	3358.5	E	50'	8468.0	4494.6	E
92°	5933.2	2518.5	.200	102°	7075.5	3374.9	.268	112°	8494.6	4516.6	.360
10'	5950.5	2531.0		10'	7096.6	3391.2		10'	8521.3	4538.8	
20'	5967.9	2543.5		20'	7117.8	3407.7		20'	8548.1	4561.1	
30'	5985.3	2556.0		30'	7139.0	3424.3		30'	8575.0	4583.4	
40'	6002.7	2568.6		40'	7160.3	3440.9		40'	8602.1	4606.0	
50'	6020.2	2581.3		50'	7181.7	3457.6		50'	8629.3	4628.6	
93°	6037.8	2594.0	10° C.	103°	7203.2	3474.4	10° C.	113°	8656.6	4651.3	10° C.
10'	6055.4	2606.8	T	10'	7224.7	3491.3	T	10'	8684.0	4674.2	T
20'	6073.1	2619.7	.86	20'	7246.3	3508.2	.103	20'	8711.5	4697.2	1.25
30'	6090.8	2632.6	E	30'	7268.0	3525.2	E	30'	8739.2	4720.3	E
40'	6108.6	2645.5	.401	40'	7289.8	3542.4	.536	40'	8767.0	4743.6	.721
50'	6126.4	2658.5		50'	7311.7	3559.6		50'	8794.9	4766.9	
94°	6144.3	2671.6		104°	7333.6	3576.8		114°	8822.9	4790.4	
10'	6162.2	2684.7		10'	7355.6	3594.2		10'	8851.0	4814.1	
20'	6180.2	2697.9		20'	7377.8	3611.7		20'	8879.3	4837.8	
30'	6198.3	2711.2		30'	7399.9	3629.2		30'	8907.7	4861.7	
40'	6216.4	2724.5		40'	7422.2	3646.8		40'	8936.3	4885.7	
50'	6234.6	2737.9	15° C.	50'	7444.6	3664.5	15° C.	50'	8965.0	4909.9	15° C.
95°	6252.8	2751.3	T	105°	7467.0	3682.3	T	115°	8993.8	4934.1	T
10'	6271.1	2764.8	1.30	10'	7489.6	3700.2	1.56	10'	9022.7	4958.6	1.93
20'	6289.4	2778.3	E	20'	7512.2	3718.2	E	20'	9051.7	4983.1	E
30'	6307.9	2792.0	.604	30'	7534.9	3736.2	.806	30'	9080.9	5007.8	1.09
40'	6326.3	2805.6		40'	7557.7	3754.4		40'	9110.3	5032.6	
50'	6344.8	2819.4		50'	7580.5	3772.6		50'	9139.8	5057.6	
96°	6363.4	2833.2		106°	7603.5	3791.0		116°	9169.4	5082.7	
10'	6382.1	2847.0		10'	7626.6	3809.4		10'	9199.1	5107.9	
20'	6400.8	2861.0		20'	7649.7	3827.9		20'	9229.0	5133.3	
30'	6419.5	2875.0	20° C.	30'	7672.9	3846.5	20° C.	30'	9259.0	5158.8	20° C.
40'	6438.4	2889.0	T	40'	7696.3	3865.2	T	40'	9289.2	5184.5	T
50'	6457.3	2903.1	1.74	50'	7719.7	3884.0	2.08	50'	9319.5	5210.3	2.52
97°	6476.2	2917.3	E	107°	7743.2	3902.9	E	117°	9349.9	5236.2	E
10'	6495.2	2931.6	.809	10'	7766.8	3921.9	1.08	10'	9380.5	5262.3	1.46
20'	6514.3	2945.9		20'	7790.5	3940.9		20'	9411.3	5288.6	
30'	6533.4	2960.3		30'	7814.3	3960.1		30'	9442.2	5315.0	
40'	6552.6	2974.7		40'	7838.1	3979.4		40'	9473.2	5341.5	
50'	6571.9	2989.2		50'	7862.1	3998.7		50'	9504.4	5368.2	
98°	6591.2	3003.8		108°	7886.2	4018.2		118°	9535.7	5395.1	
10'	6610.6	3018.4	25° C.	10'	7910.4	4037.8	25° C.	10'	9567.2	5422.1	25° C.
20'	6630.1	3033.1	T	20'	7934.4	4057.4	T	20'	9598.9	5449.2	T
30'	6649.6	3047.9	1.18	30'	7959.0	4077.2	2.61	30'	9630.7	5476.5	3.16
40'	6669.2	3062.8	E	40'	7983.5	4097.1	E	40'	9662.6	5504.0	E
50'	6688.8	3077.7		50'	8008.0	4117.0		50'	9694.7	5531.7	
99°	6708.6	3092.7	1								

TABLE X.
MIDDLE ORDINATES OF RAILS
Length of Rail (feet)

C	R	30	28	26	24	22	20	C	R	30	28	26	24	22	20
o /	Feet	Inch	Inch	Inch	Inch	Inch	Inch	o	Feet	Inch	Inch	Inch	Inch	Inch	Inch
0-20	17189	.08	.07	.06	.05	.04	.03	8	716.8	1.88	1.64	1.42	1.20	1.01	.84
0-40	8594	.16	.14	.12	.10	.08	.07	9	637.3	2.12	1.84	1.60	1.35	1.14	.94
1-0	5730	.24	.20	.18	.15	.13	.10	10	573.7	2.36	2.05	1.78	1.50	1.27	1.04
1-20	4297	.31	.27	.23	.20	.17	.13	11	521.7	2.59	2.26	1.95	1.65	1.39	1.15
1-40	3438	.39	.34	.29	.25	.21	.17	12	478.3	3.83	2.47	2.15	1.81	1.54	1.26
2-0	2865	.47	.41	.35	.30	.25	.20	13	441.7	3.05	2.66	2.30	1.96	1.66	1.36
2-20	2456	.55	.48	.41	.35	.29	.23	14	410.3	3.30	2.87	2.48	2.10	1.78	1.46
2-40	2149	.63	.55	.47	.40	.33	.27	15	383.1	3.54	3.08	2.68	2.26	1.91	1.57
3-0	1910	.71	.62	.53	.45	.38	.31	16	359.3	3.76	3.28	2.83	2.40	2.04	1.67
3-20	1719	.78	.68	.59	.50	.42	.35	17	338.3	4.00	3.48	3.02	2.57	2.16	1.78
3-40	1563	.86	.75	.65	.55	.46	.38	18	319.6	4.21	3.67	3.18	2.70	2.28	1.87
4-0	1433	.94	.82	.71	.60	.50	.42	19	302.9	4.45	3.89	3.36	2.86	2.41	1.98
4-20	1323	1.02	.89	.77	.65	.55	.45	20	287.9	4.70	4.09	3.55	3.00	2.54	2.09
4-40	1228	1.10	.96	.83	.70	.59	.48	22	262.0	5.16	4.44	3.84	3.30	2.80	2.29
5	1146	1.18	1.03	.89	.75	.63	.52	24	240.5	5.64	4.92	4.20	3.59	3.04	2.50
6	955.3	1.41	1.23	1.06	.90	.76	.62	26	222.3	6.07	5.29	4.58	3.88	3.29	2.70
7	819.0	1.65	1.44	1.24	1.05	.89	.73								

TABLE XI.
SHORT RADIUS CURVES

Radius Feet	Chord Feet	Central Angle	Deflection Angle	Deflection for 1 Foot
35	10	16-26	8-13	49.3
45	10	12-46	6-23	38.3
50	15	17-16	8-38	34.5
60	15	14-22	7-11	28.8
75	15	11-30	5-45	23.0
100	20	11-30	5-45	17.3
120	20	9-34	4-47	14.3
150	20	7-39	3-49	11.5
190	25	7-32	3-46	9.15
200	25	7-10	3-35	8.6
225	25	6-25	3-12	7.7
240	25	5-58	2-59	7.2
250	25	5-44	2-52	6.9
275	25	5-12	2-36	6.2
288	50	9-58	4-59	6.0
300	50	9-32	4-46	5.7
350	50	8-12	4-06	4.9
376	50	7-40	3-50	4.6
400	50	7-10	3-35	4.3
410	50	7-00	3-30	4.2

To find length of curve divide angle from P. C. to P. T. by central angle of chord, and multiply by length of chord.


TABLE XII.
INCLINED DISTANCE OF 100 FT. REDUCED TO HORIZONTAL

Slope	Horizontal Distance	Correction	Rise	Slope	Horizontal Distance	Correction	Rise
0°00'	100.000	0.000	0.000	8°00'	99.027	0.973	0.139
15'	99.999	0.001	0.004	15'	98.965	1.035	0.143
30'	99.996	0.004	0.009	30'	98.902	1.098	0.148
45'	99.991	0.009	0.013	45'	98.836	1.164	0.152
1 00	99.985	0.015	0.017	9 00	98.769	1.231	0.156
15	99.976	0.024	0.022	15	98.700	1.300	0.161
30	99.966	0.034	0.026	30	98.629	1.371	0.165
45	99.953	0.047	0.031	45	98.556	1.444	0.169
2 00	99.939	0.061	0.035	10 00	98.481	1.519	0.174
15	99.923	0.077	0.039	15	98.404	1.596	0.178
30	99.905	0.095	0.044	30	98.325	1.675	0.182
45	99.885	0.115	0.048	45	98.245	1.755	0.187
3 00	99.863	0.137	0.052	11 00	98.163	1.837	0.191
15	99.839	0.161	0.057	15	98.079	1.921	0.195
30	99.813	0.187	0.061	30	97.992	2.008	0.199
45	99.786	0.214	0.065	45	97.905	2.095	0.204
4 00	99.756	0.244	0.070	12 00	97.815	2.185	0.208
15	99.725	0.275	0.074	15	97.723	2.277	0.212
30	99.692	0.308	0.078	30	97.630	2.370	0.216
45	99.657	0.343	0.083	45	97.534	2.466	0.221
5 00	99.619	0.381	0.087	13 00	97.437	2.563	0.225
15	99.580	0.420	0.092	15	97.338	2.662	0.229
30	99.540	0.460	0.096	30	97.237	2.763	0.233
45	99.497	0.503	0.100	45	97.134	2.866	0.238
6 00	99.452	0.548	0.105	14 00	97.030	2.970	0.242
15	99.406	0.594	0.109	15	96.923	3.077	0.246
30	99.357	0.643	0.113	30	96.815	3.185	0.250
45	99.307	0.693	0.118	45	96.705	3.295	0.255
7 00	99.255	0.745	0.122	15 00	96.593	3.407	0.259
15	99.200	0.800	0.126	15	96.479	3.521	0.263
30	99.144	0.856	0.131	30	96.363	3.637	0.267
45	99.087	0.913	0.135	45	96.246	3.754	0.271

For each foot take one one-hundredth of each reading.

TABLE XIII.
MINUTES IN DECIMALS OF A DEGREE.

0 30"	.00833	10' 30"	.17500	20' 30"	.34167	30' 10"	.50833	40' 30"	.67500	50' 10"	.84167
1 00	.01667	11 00	.18333	21 00	.35000	31 00	.51667	41 00	.68333	51 00	.85000
	.02500	30	.19167	30	.35833	30	.52500	30	.69167	30	.85833
2 00	.03333	12 00	.20000	22 00	.36667	32 00	.53333	42 00	.70000	52 00	.86667
	.04167	30	.20833	30	.37500	30	.54167	30	.70833	30	.87500
3 00	.05000	13 00	.21667	23 00	.38333	33 00	.55000	43 00	.71667	53 00	.88333
	.05833	30	.22500	30	.39167	30	.55833	30	.72500	30	.89167
4 00	.06667	14 00	.23333	24 00	.40000	34 00	.56667	44 00	.73333	54 00	.90000
	.07500	30	.24167	30	.40833	30	.57500	30	.74167	30	.90833
5 00	.08333	15 00	.25000	25 00	.41667	35 00	.58333	45 00	.75000	55 00	.91667
	.09167	30	.25833	30	.42500	30	.59167	30	.75833	30	.92500
6 00	.10000	16 00	.26667	26 00	.43333	36 00	.60000	46 00	.76667	56 00	.93333
	.10833	30	.27500	30	.44167	30	.60833	30	.77500	30	.94167
7 00	.11667	17 00	.28333	27 00	.45000	37 00	.61667	47 00	.78333	57 00	.95000
	.12500	30	.29167	30	.45833	30	.62500	30	.79167	30	.95833
8 00	.13333	18 00	.30000	28 00	.46667	38 00	.63333	48 00	.80000	58 00	.96667
	.14167	30	.30833	30	.47500	30	.64167	30	.80833	30	.97500
9 00	.15000	19 00	.31667	29 00	.48333	39 00	.65000	49 00	.81667	59 00	.98333
	.15833	30	.32500	30	.49167	30	.65833	30	.82500	30	.99167
10 00	.16667	20 00	.33333	30 00	.50000	40 00	.66667	50 00	.83333	60 00	1.00000



DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING.

SLOPE 1½ TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0 00	0 15	0 30	0 45	0 60	0 75	0 90	1 05	1 20	1 35	0
1	1 50	1 65	1 80	1 95	2 10	2 25	2 40	2 55	2 70	2 85	1
2	3 00	3 15	3 30	3 45	3 60	3 75	3 90	4 05	4 20	4 35	2
3	4 50	4 65	4 80	4 95	5 10	5 25	5 40	5 55	5 70	5 85	3
4	6 00	6 15	6 30	6 45	6 60	6 75	6 90	7 05	7 20	7 35	4
5	7 50	7 65	7 80	7 95	8 10	8 25	8 40	8 55	8 70	8 85	5
6	9 00	9 15	9 30	9 45	9 60	9 75	9 90	10 05	10 20	10 35	6
7	10 50	10 65	10 80	10 95	11 10	11 25	11 40	11 55	11 70	11 85	7
8	12 00	12 15	12 30	12 45	12 60	12 75	12 90	13 05	13 20	13 35	8
9	13 50	13 65	13 80	13 95	14 10	14 25	14 40	14 55	14 70	14 85	9
10	15 00	15 15	15 30	15 45	15 60	15 75	15 90	16 05	16 20	16 35	10
11	16 50	16 65	16 80	16 95	17 10	17 25	17 40	17 55	17 70	17 85	11
12	18 00	18 15	18 30	18 45	18 60	18 75	18 90	19 05	19 20	19 35	12
13	19 50	19 65	19 80	19 95	20 10	20 25	20 40	20 55	20 70	20 85	13
14	21 00	21 15	21 30	21 45	21 60	21 75	21 90	22 05	22 20	22 35	14
15	22 50	22 65	22 80	22 95	23 10	23 25	23 40	23 55	23 70	23 85	15
16	24 00	24 15	24 30	24 45	24 60	24 75	24 90	25 05	25 20	25 35	16
17	25 50	25 65	25 80	25 95	26 10	26 25	26 40	26 55	26 70	26 85	17
18	27 00	27 15	27 30	27 45	27 60	27 75	27 90	28 05	28 20	28 35	18
19	28 50	28 65	28 80	28 95	29 10	29 25	29 40	29 55	29 70	29 85	19
20	30 00	30 15	30 30	30 45	30 60	30 75	30 90	31 05	31 20	31 35	20
21	31 50	31 65	31 80	31 95	32 10	32 25	32 40	32 55	32 70	32 85	21
22	33 00	33 15	33 30	33 45	33 60	33 75	33 90	34 05	34 20	34 35	22
23	34 50	34 65	34 80	34 95	35 10	35 25	35 40	35 55	35 70	35 85	23
24	36 00	36 15	36 30	36 45	36 60	36 75	36 90	37 05	37 20	37 35	24
25	37 50	37 65	37 80	37 95	38 10	38 25	38 40	38 55	38 70	38 85	25
26	39 00	39 15	39 30	39 45	39 60	39 75	39 90	40 05	40 20	40 35	26
27	40 50	40 65	40 80	40 95	41 10	41 25	41 40	41 55	41 70	41 85	27
28	42 00	42 15	42 30	42 45	42 60	42 75	42 90	43 05	43 20	43 35	28
29	43 50	43 65	43 80	43 95	44 10	44 25	44 40	44 55	44 70	44 85	29
30	45 00	45 15	45 30	45 45	45 60	45 75	45 90	46 05	46 20	46 35	30
31	46 50	46 65	46 80	46 95	47 10	47 25	47 40	47 55	47 70	47 85	31
32	48 00	48 15	48 30	48 45	48 60	48 75	48 90	49 05	49 20	49 35	32
33	49 50	49 65	49 80	49 95	50 10	50 25	50 40	50 55	50 70	50 85	33
34	51 00	51 15	51 30	51 45	51 60	51 75	51 90	52 05	52 20	52 35	34
35	52 50	52 65	52 80	52 95	53 10	53 25	53 40	53 55	53 70	53 85	35
36	54 00	54 15	54 30	54 45	54 60	54 75	54 90	55 05	55 20	55 35	36
37	55 50	55 65	55 80	55 95	56 10	56 25	56 40	56 55	56 70	56 85	37
38	57 00	57 15	57 30	57 45	57 60	57 75	57 90	58 05	58 20	58 35	38
39	58 50	58 65	58 80	58 95	59 10	59 25	59 40	59 55	59 70	59 85	39
40	60 00	60 15	60 30	60 45	60 60	60 75	60 90	61 05	61 20	61 35	40
41	61 50	61 65	61 80	61 95	62 10	62 25	62 40	62 55	62 70	62 85	41
42	63 00	63 15	63 30	63 45	63 60	63 75	63 90	64 05	64 20	64 35	42
43	64 50	64 65	64 80	64 95	65 10	65 25	65 40	65 55	65 70	65 85	43
44	66 00	66 15	66 30	66 45	66 60	66 75	66 90	67 05	67 20	67 35	44
45	67 50	67 65	67 80	67 95	68 10	68 25	68 40	68 55	68 70	68 85	45
46	69 00	69 15	69 30	69 45	69 60	69 75	69 90	70 05	70 20	70 35	46
47	70 50	70 65	70 80	70 95	71 10	71 25	71 40	71 55	71 70	71 85	47
48	72 00	72 15	72 30	72 45	72 60	72 75	72 90	73 05	73 20	73 35	48
49	73 50	73 65	73 80	73 95	74 10	74 25	74 40	74 55	74 70	74 85	49
50	75 00	75 15	75 30	75 45	75 60	75 75	75 90	76 05	76 20	76 35	50

Computed by L. Leland Locke.

(126744-123)- 24 16
PLEASE RETURN TO
GEAUGA COUNTY ENGINEER
2 COURT HOUSE
CHARDON, O.
PHONE 250-X

72
28
44

1203,78

1,51

1205,29

12,03

1293,26

2,97

1196,23

9,29

1186,94

3,25

1190,19

6,87

1183,32

3,52

1186,84

5,32

1181,52

11,14

1192,66

3,89

1188,77



