




Graphic Scale



SURVEY PLAT & LEGAL DESCRIPTION
APPROVED PER R.C. 315.251

R.S. *4/20/2000*

OFFICE OF THE
GEAUGA COUNTY ENGINEER

- 5/8" capped rebar set
- 5/8" rebar found

Basis of bearing: Deed to
T.A.P. Partnership 1057 - 839

Bearings are to an assumed meridian
and are used to denote angles only.

The portion of this map shown as
Parcels 1 and 2 was surveyed in
accordance with the provisions of
chapter 4733-37 of the Ohio
Administrative Code.

I hereby certify that I have surveyed
the two parcels shown hereon and
that the same is true and correct to
the best of my ability.

Jerry W. Daniel
Jerry W. Daniel P.S. No. 6222



MAP OF SURVEY
for
T.A.P. Partnership
Section 8
Troy Township
Geauga County, Ohio

J W Daniel & Associates, Inc.
101 North Center Street
Newton Falls, Ohio 44444
March, 1999 Job No. 9847

TRO 00002

TRO-00002

J. W. DANIEL & ASSOCIATES, INC.

TAP Partnership
picked up 5-24-2000
32-072343
Vol. 1302 - Pg. 457

SURVEYING & MAPPING

101 NORTH CENTER STREET
NEWTON FALLS, OH 44444
(330) 872-1544

Description of Land
for
T.A.P. Partnership

Parcel One

Situated in the Township of Troy, County of Geauga, and State of Ohio, and known as being part of Section 8 in said township, and further bounded and described as follows:

Beginning at a point on the centerline of Nash Road at the southeast corner of land conveyed to L. Byler by deed recorded in Volume 1155, Page 1217 of Geauga County Record of Deeds, said point being South 90° 00' West, a distance of 923.44 feet from a 5/8" rebar found at the centerline intersection of said Nash Road and Jug Street;

thence North 0° 48' East, along the east line of said Byler's land, and passing over a 5/8" capped rebar found at 30.00 feet, a distance of 560.05 feet to a 5/8" capped rebar set on the south line of land conveyed to S. and M. Yoder by deed recorded in Volume 1242, Page 935 of Geauga County Record of Deeds;

thence North 90° 00' East, along said south line of Yoder's land, a distance of 250.00 feet to a 5/8" capped rebar set;

thence South 0° 48' West, and passing over a 5/8" capped rebar set at 530.05 feet, a distance of 560.05 feet to a point on the centerline of said Nash Road;

thence South 90° 00' West, a distance of 250.00 feet to a point and the true place of beginning and containing therein 3.2140 acres of land as surveyed in March, 1999 by Jerry W. Daniel, Registered Surveyor No. 6222.

Deed of record: Deed to T.A.P. Partnership 1057 - 839
Bearings are to an assumed meridian and are used to denote angles only.

SURVEY PLAT & LEGAL DESCRIPTION
APPROVED PER R.C. 315.251

R.S. 4/20/2000

OFFICE OF THE
GEAUGA COUNTY ENGINEER

TRO 00002

OBSOLETE
See (TRO-00090)

J. W. DANIEL & ASSOCIATES, INC.

SURVEYING & MAPPING

101 NORTH CENTER STREET
NEWTON FALLS, OH 44444
(330) 872-1544

Description of Land
for
T.A.P. Partnership

Parcel Two

Situated in the Township of Troy, County of Geauga, and State of Ohio, and known as being part of Section 8 in said township, and further bounded and described as follows:

Beginning at a point on the centerline of Nash Road, said point being South 90° 00' West, a distance of 423.44 feet from a 5/8" rebar found at the centerline intersection of said Nash Road and Jug Street;

thence South 90° 00' West, a distance of 250.00 feet to a point;

thence North 0° 48' East, and passing over a 5/8" capped rebar set at 30.00 feet, a distance of 560.05 feet to a 5/8" capped rebar set on the south line of land conveyed to S. and M. Yoder by deed recorded in Volume 1242, Page 935 of Geauga County Record of Deeds;

thence North 90° 00' East, along said south line of Yoder's land, a distance of 250.00 feet to an iron pin set;

thence South 0° 48' West, and passing over an iron pin set at 530.05 feet, a distance of 560.05 feet to a point and the true place of beginning and containing therein 3.2140 acres of land as surveyed in March, 1999 by Jerry W. Daniel, Registered Surveyor No. 6222.

Basis of bearing: Deed to T.A.P. Partnership 1057 - 839
Bearings are to an assumed meridian and are used to denote angles only.

SURVEY PLAT & LEGAL DESCRIPTION
APPROVED PER R.C. 315.251

R.S. 4/20/2000

OFFICE OF THE
GEAUGA COUNTY ENGINEER