


# PLAT OF SURVEY AND LOT SPLIT OF THE WOOD ESTATE

Situated in the Township of Troy, County of Geauga and State of Ohio and known as being a part of Sections Nos. 10 and 11 and further being known as part of a parcel of land conveyed to Josephine M. Wood by deed recorded in Volume 1012, Page 492 of Geauga County Deed Records.

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM A FIELD SURVEY MADE UNDER MY DIRECT SUPERVISION. MONUMENTS WERE FOUND OR SET AS INDICATED. DIMENSIONS ARE EXPRESSED IN FEET AND DECIMAL PARTS THEREOF. BEARINGS REFER TO AN ASSUMED MERIDIAN AND ARE INTENDED TO INDICATE ANGLES ONLY. ALL OF WHICH ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS PLAT WAS PREPARED IN ACCORDANCE WITH THE PROVISIONS OF CHAPTER 4733-37 OF THE OHIO ADMINISTRATIVE CODE.

*Rudy E. Schwartz*  
RUDY E. SCHWARTZ, P.S. NO. 7193



### LEGEND

- I. P. Iron Pin
- I.P.P. Iron Pipe
- Mon. Monument
- Fnd. Found
- D. Deed
- P. Plat
- R/Rec. Record
- M/Msd. Measured
- O/Obs. Observed
- C/Calc. Calculated
- U. Used
- Encr. Encroachment
- C.L. Centerline
- R.W. Right-Of-Way

PREPARED BY:  
**RUDY E. SCHWARTZ**  
PROFESSIONAL SURVEYOR  
15750 AUBURN ROAD  
NEWBURY, OHIO 44065  
(216)564-7528  
FAX: (216)564-5675

PREPARED FOR:  
**DONALD W. WOOD, EXECUTOR**  
16609 S.R. 700  
BURTON, OHIO 44021

SURVEY PLAT & LEGAL DESCRIPTION  
APPROVED PER R.C. 315.251

*R.E.S.* *6/26/2000*  
OFFICE OF THE *Revised*  
GEAUGA COUNTY ENGINEER



SCALE: 1" = 300'  
APRIL 25, 2000  
0 100 200 400  
RENSO PER COUNTY 6-23,2000  
3143.24' DEED

60.01' C.U. STATE RT. 700 - 60'

CLARIDON TROY ROAD

N 0°09'38"W 456.45' C.U.

40.00' C.U.

196.00' D.T.U.

3000' D. #U.

5/8" I.P. F. #U. (E.D. BRAUN-PROVOSTIL)

60.00'

5/8" I.P.S. 3000' F. #U.

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

Z 682.89' OBS.

BENT 1/4" I.P.F. D. 1.01'.

1/4" I.P.P. FND 0.64'.

1074.07' D. 1074.06' OBS.

594.52' D. 594.52' D.

N 89°23'53"W 873.00' C. #U. 5.0081 ACRES

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

Z 682.89' OBS.

BENT 1/4" I.P.F. D. 1.01'.

1/4" I.P.P. FND 0.64'.

1074.07' D. 1074.06' OBS.

594.52' D. 594.52' D.

KUCIAR ENTERPRISES, A PARTNERSHIP  
VOL. 891 P. 1028

N 0°00'38"W 242.80' C.U.

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

Z 682.89' OBS.

BENT 1/4" I.P.F. D. 1.01'.

1/4" I.P.P. FND 0.64'.

1074.07' D. 1074.06' OBS.

594.52' D. 594.52' D.

S 89°23'53"E 3143.26' OBS.

N 0°00'38"W 242.80' C.U.

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

S 89°23'53"E 3143.26' OBS.

N 0°00'38"W 242.80' C.U.

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

S 89°23'53"E 3143.26' OBS.

N 0°00'38"W 242.80' C.U.

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

73.4950 ACRES

S 89°23'53"E 3143.26' OBS.

N 0°00'38"W 242.80' C.U.

N 89°12'35"W 30.00' D. #U.

N 89°40'04"E 842.93' C.U.

730.97' D. 730.94' C.U. - Z

N 89°12'35"W 761.04' D. C. #U. 5/8" I.P.S.

D. 5784' ACRES 630.00' C.U.

N 89°12'35"W 630.00' D. #U.

MARK J. & BARBARA L. TITUS VOL. 766 P. 894

LEONARD S. & DEBORAH K. KENNEY VOL. 926 P. 584

BENT 5/8" I.P.F. 30.00' DEF. E

NOAH L. AVIOLA W. HERSHBERGER  
VOL. 1189 P. 266

ROBERT & MARCIA R. TRUGLSCH  
VOL. 685 P. 1330

EMIL & VERNA E. MACIEK  
VOL. 667 P. 331

5/8" I.P. F. #U.  
NO DEGD DIST.  
13/4" I.P. F. #U.

N 0°57'57"W 453.51' C.U.

5/8" I.P. F. #U. (E.D. BRAUN-PROVOSTIL)

STONE W/CROSS FND. # U.

5/8" I.P.S.

5/8" I.P. F. #U.

S 89°56'00"E 573.24' C.U.

N 0°57'57"W 453.51' C.U.

NOAH L. AVIOLA W. HERSHBERGER VOL. 1189 P. 266

524.88' D. # OBS.

13/4" I.P. FND.

N 0°00'38"W 154.32' D. #U.

ROBERT & MARCIA R. TRUGLSCH VOL. 685 P. 1330

1 1/4" I.P.P. FND.

N 0°09'38"W 377.00' C.U.

1 1/2" PINCH PIPE FND.

N 89°12'35"E 131.04' C.U.

1" I.P.P. FND.

N 0°09'38"W 377.00' C.U.

5/8" I.P. FND. 1.56' N. 40.23'E.

PAUL J. & JOAN E. SPANGLER TRUSTEE VOL. 1043 P. 743

OGGIE V. RZESZOTARSKI TRUSTEE VOL. 1016 P. 321

STEVE E. & JULIE A. KIRBY VOL. 872 P. 568

STEVEN & MYRA MLSICK VOL. 902 P. 425

774.93' DEGD

450.06' D. 451.33'.

450.06' DEGD

774.93' DEGD

NOAH L. AVIOLA W. HERSHBERGER VOL. 1189 P. 266

ROBERT & MARCIA R. TRUGLSCH VOL. 685 P. 1330

EMIL & VERNA E. MACIEK VOL. 667 P. 331

S 89°56'00"E 573.24' C.U.

N 0°57'57"W 453.51' C.U.

NOAH L. AVIOLA W. HERSHBERGER VOL. 1189 P. 266

524.88' D. # OBS.

13/4" I.P. FND.

N 0°00'38"W 154.32' D. #U.

ROBERT & MARCIA R. TRUGLSCH VOL. 685 P. 1330

1 1/4" I.P.P. FND.

N 0°09'38"W 377.00' C.U.

1 1/2" PINCH PIPE FND.

N 89°12'35"E 131.04' C.U.

1" I.P.P. FND.

N 0°09'38"W 377.00' C.U.

5/8" I.P. FND. 1.56' N. 40.23'E.

PAUL J. & JOAN E. SPANGLER TRUSTEE VOL. 1043 P. 743

OGGIE V. RZESZOTARSKI TRUSTEE VOL. 1016 P. 321

STEVE E. & JULIE A. KIRBY VOL. 872 P. 568

STEVEN & MYRA MLSICK VOL. 902 P. 425

774.93' DEGD

450.06' D. 451.33'.

450.06' DEGD

774.93' DEGD

NOAH L. AVIOLA W. HERSHBERGER VOL. 1189 P. 266

ROBERT & MARCIA R. TRUGLSCH VOL. 685 P. 1330

EMIL & VERNA E. MACIEK VOL. 667 P. 331

S 89°56'00"E 573.24' C.U.

N 0°57'57"W 453.51' C.U.

NOAH L. AVIOLA W. HERSHBERGER VOL. 1189 P. 266

524.88' D. # OBS.

13/4" I.P. FND.

N 0°00'38"W 154.32' D. #U.

ROBERT & MARCIA R. TRUGLSCH VOL. 685 P. 1330

1 1/4" I.P.P. FND.

N 0°09'38"W 377.00' C.U.

1 1/2" PINCH PIPE FND.

N 89°12'35"E 131.04' C.U.

1" I.P.P. FND.

N 0°09'38"W 377.00' C.U.

5/8" I.P. FND. 1.56' N. 40.23'E.

PAUL J. & JOAN E. SPANGLER TRUSTEE VOL. 1043 P. 743

OGGIE V. RZESZOTARSKI TRUSTEE VOL. 1016 P. 321

STEVE E. & JULIE A. KIRBY VOL. 872 P. 568

STEVEN & MYRA MLSICK VOL. 902 P. 425

774.93' DEGD

450.06' D. 451.33'.

450.06' DEGD

774.93' DEGD

(A) 5/8" I.P. FND. 0.165' + 0.35'E. (B) 3/4" I.P.P. FND. 0.065' + 0.46'E. (C) 5/8" I.P.S. (D) BENT 5/8" I.P. FND. 0.105' + 1.82'W.

DAVID J. BYLER  
JILL J. PUCKETT  
VOL. 909 P. 978

RAYMOND M. & ADA MILLER  
VOL. 770 P. 417

WIRE FENCE LINE USED FOR LINE

TRO-00022

TRO 00022

WOOD  
picked up 7/7/00

32-072345

Vol. 1307-Pg. 956

LEGAL DESCRIPTION  
OF A  
0.5784 ACRE PARCEL  
FOR  
THE WOOD ESTATE

Situated in the Township of Troy, County of Geauga and State of Ohio and known as being a part of Section No. 11 and further being known as part of a parcel of land conveyed to Josephine M. Wood by deed recorded in Volume 1012, Page 492 of Geauga County Deed Records, further bounded and described as follows;

Beginning at a point in the centerline of Claridon-Troy Road, State Route 700 (60 feet wide) at the Southwesterly corner of land conveyed to Kuchar Enterprises, a Partnership by deed recorded in Volume 891, Page 1028 of Geauga County Deed Records;

Thence South 0° 09' 38" East along said centerline of Claridon-Troy Road a distance of 456.46 feet to the Southwesterly corner of lands conveyed to Kenneth and Deborah Zwolinski by deed recorded in Volume 758, Page 519 of Geauga County Deed Records and the Principal Place of Beginning of the premises herein intended to be described;

COURSE I Thence South 89° 12' 35" East along the Southerly line of lands so conveyed to Kenneth and Deborah Zwolinski passing through the Easterly sideline of Claridon-Troy Road at 30.00 feet (witness a 3/4" iron pipe found 0.06 feet South and 0.46 feet East) a total distance of 630.00 feet to a 5/8 inch iron pin set;

COURSE II Thence South 0° 09' 38" East a distance of 40.00 feet to a 1 inch iron pipe found at the Northeasterly corner of land conveyed to Donald W. and Katherine M. Wood by deed recorded in Volume 515, Page 31 of Geauga County Deed Records;

COURSE III Thence North 89° 12' 35" West along the Northerly line of land so conveyed to Donald W. and Katherine M. Wood passing through a 5/8 inch iron pin set at 600.00 feet a total distance of 630.00 feet to a point in said centerline of Claridon-Troy Road;

COURSE IV Thence North 0° 09' 38" West along said centerline of Claridon-Troy Road a distance of 40.00 feet to the Principal Place of Beginning and containing 0.5784 acres of land as surveyed, calculated and described in April, 2000 by Rudy E. Schwartz, P.S. No. 7193 be the same more or less but subject to all legal highways and easements of record. Bearings used herein refer to an assumed meridian and are intended to indicate angles only. All 5/8 inch iron pins set are I.D. Schwartz 7193.

RECEIVED  
JUL 10 2000  
TOWNSHIP OF TROY  
ENGINEER

SURVEY PLAT & LEGAL DESCRIPTION  
APPROVED PER R.C. 315.251

R.S.

6/26/2000

OFFICE OF THE  
GEAUGA COUNTY ENGINEER

Revised

LEGAL DESCRIPTION  
OF A  
5.0081 ACRE PARCEL  
FOR THE WOOD ESTATE

Situated in the Township of Troy, County of Geauga and State of Ohio and known as being a part of Section No. 11 and further being known as part of a parcel of land conveyed to Josephine M. Wood by deed recorded in Volume 1012, Page 492 of Geauga County Deed Records, further bounded and described as follows;

Beginning at a point in the centerline of Claridon-Troy Road, State Route 700 (60 feet wide) at the Southwesterly corner of land conveyed to Kuchar Enterprises, a Partnership by deed recorded in Volume 891, Page 1028 of Geauga County Deed Records;

Thence South 0° 09' 38" East along said centerline of Claridon-Troy Road a distance of 60.01 feet to a point and the Principal Place of Beginning of the premises herein intended to be described;

COURSE I            Thence South 89° 23' 53" East along a line parallel to and lying 60.00 feet Southerly by rectangular measurement from the Southerly line of land so conveyed to Kuchar Partnership passing through a 5/8 inch iron pin set at 30.00 feet, a total distance of 873.00 feet to a 5/8 inch iron pin set;

COURSE II           Thence South 0° 09' 38" East a distance of 242.80 feet to a 5/8 inch iron pin set on the Easterly prolongation of the Northerly line of lands conveyed to Kenneth and Deborah Zwolinski by deed recorded in Volume 759, Page 308 of Geauga County Deed Records;

COURSE III           Thence South 89° 40' 04" West along the Easterly prolongation of said Northerly line and along the Northerly line of lands so conveyed to Kenneth and Deborah Zwolinski passing through a 5/8 inch iron pin set at 111.99 feet at the Northeasterly corner thereof a total distance of 842.93 feet to a point in the Easterly sideline of Claridon Troy Road (witness a 5/8 inch iron pin found 0.16 feet South and 0.35 feet East);

COURSE IV           Thence North 89° 12' 35" West along said Northerly line of another parcel conveyed to Kenneth and Deborah Zwolinski by deed recorded in Volume 758, Page 519 of Geauga County Deed Records, a distance of 30.00 feet to a point in said centerline of Claridon-Troy Road;

RECEIVED  
JUN 5 9 30AM  
DEPT. OF PUBLIC SAFETY  
COLUMBUS, OHIO

TR0 00022

LEGAL DESCRIPTION

5.0081 Acre Parcel

Wood Estate

Page Two

COURSE V

Thence North 0° 09' 38" West along said centerline of Claridon-Troy Road a distance of 256.45 feet to the Principal Place of Beginning and containing 5.0081 acres of land as surveyed, calculated and described in April, 2000 by Rudy E. Schwartz, P.S. No. 7193 be the same more or less but subject to all legal highways and easements of record. Bearings used herein refer to an assumed meridian and are intended to indicate angles only. All 5/8 inch iron pins set are I.D. Schwartz 7193.

SURVEY PLAT & LEGAL DESCRIPTION  
APPROVED PER R.C. 315.251

R.S.

6/26/2000

OFFICE OF THE  
GEAUGA COUNTY ENGINEER

Revised

RECEIVED  
JUN 26 2000  
ENGINEER  
GEAUGA COUNTY

LEGAL DESCRIPTION  
OF A  
73.4950 ACRE PARCEL  
FOR  
THE WOOD ESTATE

Situated in the Township of Troy, County of Geauga and State of Ohio and known as being a part of Sections Nos. 10 and 11 and further being known as part of a parcel of land conveyed to Josephine M. Wood by deed recorded in Volume 1012, Page 492 of Geauga County Deed Records, further bounded and described as follows;

Beginning at a point in the centerline of Claridon-Troy Road, State Route 700 (60 feet wide) at the Southwesterly corner of land conveyed to Kuchar Enterprises, a Partnership by deed recorded in Volume 891, Page 1028 of Geauga County Deed Records;

COURSE I            Thence South 89° 23' 53" East along the Southerly line of land so conveyed to Kuchar Enterprises, a Partnership passing through a 5/8 inch iron pin found (I.D. Braun and Prenosil) at 30.00 feet a total distance of 3143.24 feet to a 5/8 inch iron pin found (I.D. Braun and Prenosil) at the Southeasterly corner thereof;

COURSE II           Thence North 0° 57' 57" West along the Easterly line of land so conveyed to Kuchar Partnership a distance of 453.51 feet to a 5/8 inch iron pin found at the Southwesterly corner of land conveyed to John H. Mullett, Jr. and Edna Mullett by deed recorded in Volume 904, Page 724 of Geauga County Deed Records;

COURSE III           Thence South 89° 56' 00" East along the Southerly line of land so conveyed to John H. Mullett, Jr. and Edna Mullett a distance of 573.24 feet to a 1-3/4 inch iron pipe found at the Northwesterly corner of land conveyed to Noah C. and Violet W. Hershberger by deed recorded in Volume 1189, Page 266 of Geauga County Deed Records;

COURSE IV           Thence South 0° 50' 26" West along the Westerly line of land so conveyed to Noah C. and Violet W. Hershberger and along the Westerly line of land conveyed to Robert and Marcia R. Truelsch by deed recorded in Volume 685, Page 1330 of Geauga County Deed Records and along the Easterly line of lands conveyed to Emil and Verna E. Macek by deed recorded in Volume 667, Page 331 of Geauga County Deed Records a distance of 1839.61 feet to a 5/8 inch iron pin set at the occupied Northeasterly corner of land conveyed to Raymond M. and Ada Miller by deed recorded in Volume 770, Page 417 of Geauga County Deed Records;

RECEIVED  
JUN 2 2008  
GEAUGA COUNTY  
RECORDERS

LEGAL DESCRIPTION

73.4950 Acre Parcel

The Wood Estate

Page Two

COURSE V Thence North 88° 46' 30" West along the Northerly line of land so conveyed to Raymond M. and Ada Miller a distance of 997.54 feet to a 5/8 inch iron pin set at the occupied Northwesterly corner thereof in the Easterly line of land conveyed to David J. Byler and Jill J. Puckett by deed recorded in Volume 909, Page 978 of Geauga County Deed Records;

COURSE VI Thence North 0° 02' 27" East along said Easterly line of land so conveyed to David J. Byler and Jill J. Puckett and along the Easterly line of land conveyed to Steven and Myra Musick by deed recorded in Volume 902, Page 425 of Geauga County Deed Records a distance of 587.88 feet to a stone with cross found at the Northeasterly corner of lands so conveyed to Steven and Myra Musick;

COURSE VII Thence North 89° 12' 35" West along the Northerly line of land so conveyed to Steven and Myra Musick and along the Northerly line of land conveyed to Steven E. and Julie A. Kirby by deed recorded in Volume 872, Page 568 of Geauga County Deed Records and along the Northerly line of land conveyed to Oggie V. Rzeszotarski Trustee by deed recorded in Volume 1016, Page 321 of Geauga County Deed Records and along the Northerly line of land conveyed to Paul J. and Joan E. Spangler Trustee by deed recorded in Volume 1043, Page 743 of Geauga County Deed Records a distance of 2052.89 feet to the Southeasterly corner of land conveyed to Mark J. and Barbara L. Titus by deed recorded in Volume 766, Page 894 of Geauga County Deed Records (witness a 5/8 inch iron pin found 1.56 North and 0.23 East);

COURSE VIII Thence North 0° 09' 38" West along the Easterly line of land so conveyed to Mark J. and Barbara L. Titus and along the Easterly line of land conveyed to Donald W. and Katherine M. Wood by deed recorded in Volume 515, Page 31 of Geauga County Deed Records and along the Northerly prolongation of said Easterly line of land so conveyed to Donald W. and Katherine M. Wood a distance of 317.00 feet to a 5/8 inch iron pin set in the Southerly line of lands conveyed to Kenneth and Deborah Zwolinski by deed recorded in Volume 758, Page 519 of Geauga County Deed Records;

RECEIVED  
MAY 6 2011  
COUNTY CLERK  
GAUGA COUNTY, OHIO

LEGAL DESCRIPTION

73.4950 Acre Parcel

The Wood Estate

Page Three

COURSE IX Thence South 89° 12' 35" East along said Southerly line of lands so conveyed to Kenneth and Deborah Zwolinski and another parcel of Zwolinski by deed recorded in Volume 759, Page 308 of Geauga County Deed Records a distance of 131.04 feet to a 5/8 inch iron pin set at the Southeasterly corner thereof;

COURSE X Thence North 0° 09' 38" West along the Easterly line of lands so conveyed to Kenneth and Deborah Zwolinski a distance of 154.32 feet to a 5/8 inch iron pin set at the Northeasterly corner thereof;

COURSE XI Thence North 89° 40' 04" East a distance of 111.99 feet to a 5/8 inch iron pin set;

COURSE XII Thence North 0° 09' 38" West a distance of 242.80 feet to a 5/8 inch iron pin set;

COURSE XIII Thence North 89° 23' 53" West passing through a 5/8 inch iron pin set at 843.00 feet a total distance of 873.00 feet to a point in said centerline of Claridon-Troy Road;

COURSE XIV Thence North 0° 09' 38" West along said centerline of Claridon-Troy Road a distance of 60.01 feet to the Place of Beginning and containing 73.4950 acres of land as surveyed, calculated and described in April, 2000 by Rudy E. Schwartz, P.S. No. 7193 be the same more or less but subject to all legal highways and easements of record. Bearings used herein refer to an assumed meridian and are intended to indicate angles only. All 5/8 inch iron pins set are I.D. Schwartz 7193.

37.7256 acres in Parcel No. 32-071300

SURVEY PLAT & LEGAL DESCRIPTION  
APPROVED PER R.C. 315.251

R.S. 6/26/2000

OFFICE OF THE  
GEAUGA COUNTY ENGINEER

RECEIVED  
JUN 5 2000  
GEAUGA COUNTY  
ENGINEER